

**ORIGINAL**

**Optimized Weekly Street Sweeping Program FEAP 800**

City of Torrance  
Office of the City Clerk  
3031 Torrance Blvd.  
Torrance, CA 90509  
Attn: B2016-26

**Submitted by**



**UNITED STORM WATER INC.**

14000 E. Valley Blvd.  
City of Industry, CA 91746

Terry Flury  
Sales Manager  
626/ 961-9326 Office  
626/ 961-3166 Fax  
626/ 419-3521 Cell

[terry@unitedstormwater.com](mailto:terry@unitedstormwater.com)

**Due Date: June 15, 2016 @ 3 p.m.**

## BIDDER'S SUBMITTAL

Company: United Storm Water, Inc. Total Bid: \$976,812.69

### PROPOSAL, SPECIFICATIONS, BOND AND AFFIDAVIT FOR THE CONSTRUCTION OF OPTIMIZED WEEKLY STREET SWEEPING PROGRAM, FEAP 800 B2016-26

Honorable Mayor and Members  
of the Torrance City Council  
Torrance, California

Members of the Council:

In accordance with the Notice Inviting Bids pertaining to the receiving of sealed proposals by the City Clerk of the City of Torrance for the above titled improvement, the undersigned hereby proposes to furnish all Work to be performed in accordance with the Plans, Specifications, Standard Drawings, and the Contract Documents, for the unit price or lump sum set forth in the following schedule.

#### BID SCHEDULE

Item #	Est. Qty	Unit	Bid Item Description	SPEC. SECTION	Unit Price	Total Bid
1	1	LS	MOBILIZATION (5% OF CONTRACT BID) & ADVANCE NOTIFICATIONS	9-3.4	\$41,902.33	\$41,902.33
2	1	LS	TRAFFIC CONTROL / PERMITS (CALTRANS, etc.)	7-5, 7-10.2	\$5,500.00	\$5,500.00
3	1	LS	LA COUNTY PERMIT AND TESTING	7-5, 217-4.5	\$14,796.00	\$14,796.00
4	1	ALW	RECONSTRUCTION OF LOCAL DEPRESSION FOR CATCH BASIN ARS	3-2.6	\$20,000	\$20,000
5	1	EA	FURNISH AND INSTALL 3' W AUTOMATIC RETRACTABLE SCREEN (ARS)	217-1.1	\$495.80	\$495.80
6	12	EA	FURNISH AND INSTALL 3.5' W AUTOMATIC RETRACTABLE SCREEN (ARS)	217-1.1	\$515.62	\$6,187.44
7	7	EA	FURNISH AND INSTALL 4' W AUTOMATIC RETRACTABLE SCREEN (ARS)	217-1.1	\$515.62	\$3,609.34
8	24	EA	FURNISH AND INSTALL 7' W AUTOMATIC RETRACTABLE SCREEN (ARS)	217-1.1	\$1,031.24	\$24,749.76
9	6	EA	FURNISH AND INSTALL 10' W AUTOMATIC RETRACTABLE SCREEN (ARS)	217-1.1	\$1,031.24	\$6,187.44
10	1	EA	FURNISH AND INSTALL 13' W AUTOMATIC RETRACTABLE SCREEN (ARS)	217-1.1	\$1,275.00	\$1,275.00
11	6	EA	FURNISH AND INSTALL 14' W AUTOMATIC RETRACTABLE SCREEN (ARS)	217-1.1	\$1,546.86	\$9,281.16

Item #	Est. Qty	Unit	Bid Item Description	SPEC. SECTION	Unit Price	Total Bid
12	1	EA	FURNISH AND INSTALL 18' W AUTOMATIC RETRACTABLE SCREEN (ARS)	217-1.1	\$2,060.00	\$2,060.00
13	1	EA	FURNISH AND INSTALL 21' W AUTOMATIC RETRACTABLE SCREEN (ARS)	217-1.1	\$ 3,030.00	\$3,030.00
14	1	EA	FURNISH AND INSTALL 24" X 84" AREA DRAIN FILTER	217-5	\$1,250.00	\$1,250.00
15	1	EA	FURNISH AND INSTALL 40" X 50" AREA DRAIN FILTER	217-5	\$ 650.00	\$650.00
16	1	EA	FURNISH AND INSTALL 26" X 46" AREA DRAIN FILTER	217-5	\$450.00	\$450.00
17	1,380	EA	FURNISH AND INSTALL NEW STREET SWEEPING "NO PARKING" SIGNS AND U-CHANNEL POSTS IN LANDSCAPE	218-2	\$170.83	\$235,745.40
18	1,420	EA	FURNISH AND INSTALL NEW STREET SWEEPING "NO PARKING" SIGNS AND CITY-PROVIDED U-CHANNEL POSTS IN LANDSCAPE	218-2	\$ 125.00	\$177,500.00
19	165	EA	FURNISH AND INSTALL NEW STREET SWEEPING "NO PARKING" SIGNS AND U-CHANNEL POST IN CONCRETE PAVEMENT	218-2	\$ 170.83	\$28,186.95
20	65	EA	FURNISH AND INSTALL NEW STREET SWEEPING "NO PARKING" SIGNS AND U-CHANNEL POST IN BRICK PAVERS.	218-2	\$170.83	\$11,103.95
21	2,300	EA	FURNISH AND INSTALL NEW STREET SWEEPING "NO PARKING" SIGNS ON EXISTING POLE OR LIGHT POLE.	218-2	\$79.20	\$182,160.00
22	25	EA	REMOVE EXISTING SIGN(S) AND INSTALL NEW STREET SWEEPING "NO PARKING" SIGN ON EXISTING POST OR LIGHT POLE.	218-2	\$159.10	\$3,977.50
23	570	EA	REMOVE EXISTING SIGN(S) AND POST. INSTALL NEW STREET SWEEPING "NO PARKING" SIGN AND SQUARE POST IN LANDSCAPING AND REINSTALL EXIST. SIGN(S)	218-2	\$170.83	\$97,373.10
24	100	EA	REMOVE EXISTING SIGN(S) AND POST. INSTALL NEW STREET SWEEPING "NO PARKING" SIGN AND SQUARE POST IN CONCRETE PAVEMENT AND REINSTALL EXIST. SIGN(S)	218-2	\$183.12	\$18,312.00
25	16	EA	REMOVE EXISTING SIGN(S) AND POST. INSTALL NEW STREET SWEEPING "NO PARKING" SIGN AND SQUARE POST IN BRICK PAVER AND REINSTALL EXIST. SIGN(S)	218-2	\$183.12	\$2,929.92
26	65	EA	FURNISH AND INSTALL ONE ADDITIONAL NEW STREET SWEEPING "NO PARKING" SIGNS WITH TWO ARROW SIGNS	218-2	\$103.10	\$6,701.50
27	130	EA	FURNISH AND INSTALL ONE ADDITIONAL NEW STREET SWEEPING "NO PARKING" SIGNS WITH "END" AND "BEGIN" SIGNS.	218-2	\$94.50	\$12,285.00
28	20	EA	FURNISH AND INSTALL "BEGIN" OR "END" SIGN BELOW STREET SWEEPING SIGN	218-2	\$87.19	\$1,743.80
29	90	EA	MOVE/RELOCATE EXISTING SIGN AND POST	218-2	\$149.00	\$13,410.00

Item #	Est. Qty	Unit	Bid Item Description	SPEC. SECTION	Unit Price	Total Bid
30	220	EA	REMOVE EXISTING SIGN(S) AND POST. INSTALL NEW STREET SWEEPING "NO PARKING" SIGN AND U-CHANNEL IN LANDSCAPING AND REINSTALL EXIST. SIGN(S)	218-2	\$ 192.05	\$42,251.00
31	10	EA	RE-INSTALL SIGN(S) AND POST IN LANDSCAPING. EMBEDDED IN 6" DIA. x 24" CONCRETE.	218-2	\$ 170.83	\$1,708.30

**TOTAL BID PRICE \$ 976,812.69**  
(Figures)\*

**TOTAL BID PRICE:** nine hundred seventy-six thousand eight hundred twelve dollars and sixty-nine cents  
(Words)\*

**\*BID MAY BE REJECTED IF TOTAL IS NOT SHOWN IN FIGURES AND WORDS.**

**B2016-26**

**BIDDER'S SUBMITTAL (Continued) B2016-26**

The undersigned furthermore agrees to enter into and execute a contract, with necessary bonds, at the unit prices set forth herein and in case of default in executing such contract, with necessary bonds, the check or bond accompanying this bid and the money payable thereon shall be forfeited thereby to and remain the property of the City of Torrance.

The above unit prices include all work appurtenant to the various items as outlined in the Specifications and all work or expense required for the satisfactory completion of said items. In case of discrepancies between unit prices and totals, the unit prices shall govern.

The undersigned declares that it has carefully examined the Plans, Specifications, and Contract Documents, and has investigated the site of the work and is familiar with the conditions thereon.

Contractor: United Storm Water, Inc.

Date: 6/14/16 By: ALB

Contractor's State License No. 768583 Class A,C21,HAZ,C31,C42,C27

Address: 14000 E. Valley Blvd., Industry, CA 91746

Phone: 626/961-9326

Fax: 626/961-3166

**ACKNOWLEDGMENT OF ADDENDA RECEIVED – B2016-26**

The Bidder shall acknowledge the receipt of addenda by placing an "X" by each addendum received.

Addendum No. 1  X

Addendum No. 2  \_\_\_\_\_

Addendum No. 3  \_\_\_\_\_

Addendum No. 4  \_\_\_\_\_

Addendum No. 5  \_\_\_\_\_

Addendum No. 6  \_\_\_\_\_

Addendum No. 7  \_\_\_\_\_

Addendum No. 8  \_\_\_\_\_

If an addendum or addenda have been issued by the City and not noted above as being received by the Bidder, the Bid Proposal may be rejected.

EMB [Signature]   
Bidder's Signature

6/14/16   
Date



**CONTRACTOR'S AFFIDAVIT (CONTINUED)**

**B2016-26**

7. That the Contractor did not, directly or indirectly, submit the Contractor's bid price or any breakdown thereof, or the contents thereof, or divulge information or data relative thereto, to any corporation, partnership, company, association, organization, bid depository, or to any member or agent thereof, or to any individual or group of individuals, except to the City of Torrance, or to any person or persons who have a partnership or other financial interest with said Contractor in its business.

Dated this 14<sup>th</sup> day of June, 2016.

Subscribed and Sworn to  
before me this 14<sup>th</sup> day  
of June, 2016.

Lillian Valdivieso

Notary Public in and for said  
County and State.

(Seal)


United Storm Water, Inc.

(Contractor)

President

(Title)

Elb M



## LIST OF SUBCONTRACTORS: B2016-26

The Bidder is required to fill in the following blanks in accordance with the provisions of the California Public Contract Code Sections 4100-4114, CHAPTER 4. SUBLETTING AND SUBCONTRACTING. The contractor, sub recipient or subcontractor shall not discriminate on the basis of race, color, national origin, or sex in the performance of this contract. The contractor shall carry out applicable requirements of Title 49 CFR (Code of Federal Regulations) part 26 in the award and administration of US DOT assisted contracts. Failure by the contractor to carry out these requirements is a material breach of this contract, which may result in the termination of this contract or such other remedy, as the recipient deems appropriate. Each subcontract signed by the bidder must include this assurance. Failure of the bidder to fulfill the requirements of the Special Provisions for submittals required to be furnished after bid opening, including but not limited to escrowed bid documents, where applicable, may subject the bidder to a determination of the bidder's responsibility in the event it is the apparent low bidder on a future public works contracts.

Name Under Which Subcontractor is Licensed: Covarrubias Bothers Construction

Subcontractor's Address: 37369 Deepwood Drive, Murrieta, CA 92562

Specific Description of Sub-Contract: cement repair to catch basin

License Number: 784171 CA License Classification/Type: C-42 Sanitation System

Name Under Which Subcontractor is Licensed: \_\_\_\_\_

Subcontractor's Address: \_\_\_\_\_

Specific Description of Sub-Contract: \_\_\_\_\_

License Number: \_\_\_\_\_ CA License Classification/Type: \_\_\_\_\_

Name Under Which Subcontractor is Licensed: \_\_\_\_\_

Subcontractor's Address: \_\_\_\_\_

Specific Description of Sub-Contract: \_\_\_\_\_

License Number: \_\_\_\_\_ CA License Classification/Type: \_\_\_\_\_

Subcontractors listed must be properly licensed under the laws of the State of California for the type of work which they are to perform. Do not list alternate subcontractors for the same work.

The Bidding Contractor must include each subcontractor's contract license number (AB 44). An inadvertent error in listing the subcontractor's license number shall not be grounds for filing a bid protest, or grounds for considering the bid nonresponsive, if the corrected contractor's license number is submitted to the public entity by the prime contractor within 24 hours after the bid opening - provided that the corrected license number corresponds to the submitted name and location of the subcontractor.

**REFERENCES (Page 1 of 2)**  
**B2016-26**

List work similar in magnitude and degree of difficulty completed by the Contractor within the past three (3) years.

1. Name (Firm/Agency): City of Torrance  
Address: 20500 Madrona Ave, Torrance, CA 90503  
Contact Person: John Dettle Telephone No.: 310/618-3059  
Title of Project: Machado Lake Trash TMDL Project  
Project Location: throughout the City of Torrance  
Date of Completion: 11/24/2015 Contract Amount: \$ 1,300,000
  
2. Name (Firm/Agency): \_\_\_\_\_  
Address: \_\_\_\_\_  
Contact Person: \_\_\_\_\_ Telephone No.: \_\_\_\_\_  
Title of Project: \_\_\_\_\_  
Project Location: \_\_\_\_\_  
Date of Completion: \_\_\_\_\_ Contract Amount: \$ \_\_\_\_\_
  
3. Name (Firm/Agency): \_\_\_\_\_  
Address: \_\_\_\_\_  
Contact Person: \_\_\_\_\_ Telephone No.: \_\_\_\_\_  
Title of Project: \_\_\_\_\_  
Project Location: \_\_\_\_\_  
Date of Completion: \_\_\_\_\_ Contract Amount: \$ \_\_\_\_\_
  
4. Name (Firm/Agency): \_\_\_\_\_  
Address: \_\_\_\_\_  
Contact Person: \_\_\_\_\_ Telephone No.: \_\_\_\_\_  
Title of Project: \_\_\_\_\_  
Project Location: \_\_\_\_\_  
Date of Completion: \_\_\_\_\_ Contract Amount: \$ \_\_\_\_\_

**REFERENCES (PAGE 2 OF 2)**  
**B2016-26**

If Contractor has not performed work for the City of Torrance within the last five (5) years, list all work done within said five years (attach additional sheets if necessary). Note if work was done as subcontractor [include only subcontract amount]:

Not Applicable

Work Description & Contract Amount	Agency	Date Completed
Not Applicable, United has performed work for the City of Torrance within the last five years		

Contractor's License No.: 768583 Class: A,C21,HAZ,C31,C42,C27

a. Date first obtained: 9/14/1999 Expiration: 9/30/2017

b. Has License ever been suspended or revoked? No

If yes, describe when and why: \_\_\_\_\_

c. Any current claims against License or Bond? None

If yes, describe claims: \_\_\_\_\_

Principals in Company (List all – attach additional sheets if necessary):

NAME	TITLE (If Applicable)	LICENSE NO.
<u>Eduardo Perry Jr.</u>	<u>President</u>	<u>768583</u>
<u>Daniel C. Perry</u>	<u>Vice President</u>	<u>N/A</u>
<u>Robert Piña</u>	<u>Secretary/Treasurer</u>	<u>N/A</u>

**VIOLATIONS OF FEDERAL, STATE OR LOCAL LAWS  
B2016-26**

1. Has your firm or its officers been assessed any penalties by an agency for noncompliance or violations of Federal, State or Local labor laws and/or business or licensing regulations within the past five (5) years relating to your construction projects?

Yes/No: Yes Federal/State: State

If "yes," identify and describe, (including agency and status): \_\_\_\_\_

Labor Commissioner, State of California. United Storm Water failed to provide the applicable

Apprenticeship Committee with notice of contract award in a timely manner.

Have the penalties been paid? Yes/No: Yes

2. Does your firm or its officers have any ongoing investigations by any public agency regarding violations of the State Labor Code, California Business and Professions Code or State Licensing Laws?

Yes/No: No Code/Laws: \_\_\_\_\_ Section/Article: \_\_\_\_\_

If "yes," identify and describe, (including agency and status): \_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

\_\_\_\_\_

**DISQUALIFICATION OR DEBARMENT**

Has your firm, any officer of your firm, or any employee who has a proprietary interest in your firm ever been disqualified, removed, or otherwise prevented from bidding on, performing work on, or completing a federal, state or local project because of a violation of law or a safety regulation? Yes/No: No. If yes, provide the following information (if more than once, use separate sheets):

Date: \_\_\_\_\_ Entity: \_\_\_\_\_

Location: \_\_\_\_\_

Reason: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Provide Status and any Supplemental Statement: \_\_\_\_\_

\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_  
\_\_\_\_\_

Has your firm been reinstated by this entity? Yes/No: \_\_\_\_\_

## EXPERIENCE STATEMENT

B2016-26

To be responsive, the bidder must list below the required project information as listed in the Qualification of Bidders statement, no less than five (5) years of experience in the magnitude and character of the work bid in Public Works projects.

1. Project Title     Machado Lake Trash TMDL Project      
Contract Amount     \$1,300,000      
Type of Work     Fabrication and Installation of (ARS) and Installations of No Parking Signs and Post throughout the City of Torrance.      
Client     City of Torrance      
Agency Project Manager     John Dettle     Phone     310-618-3055      
Date Completed     11/24/2015     % subcontracted     0%
  
2. Project Title \_\_\_\_\_  
Contract Amount \_\_\_\_\_  
Type of Work \_\_\_\_\_  
Client \_\_\_\_\_  
Agency Project Manager \_\_\_\_\_ Phone \_\_\_\_\_  
Date Completed \_\_\_\_\_ % subcontracted \_\_\_\_\_
  
3. Project Title \_\_\_\_\_  
Contract Amount \_\_\_\_\_  
Type of Work \_\_\_\_\_  
Client \_\_\_\_\_  
Agency Project Manager \_\_\_\_\_ Phone \_\_\_\_\_  
Date Completed \_\_\_\_\_ % subcontracted \_\_\_\_\_
  
4. Project Title \_\_\_\_\_  
Contract Amount \_\_\_\_\_  
Type of Work \_\_\_\_\_  
Client \_\_\_\_\_  
Agency Project Manager \_\_\_\_\_ Phone \_\_\_\_\_  
Date Completed \_\_\_\_\_ % subcontracted \_\_\_\_\_

5. Project Title \_\_\_\_\_  
Contract Amount \_\_\_\_\_  
Type of Work \_\_\_\_\_  
Client \_\_\_\_\_  
Agency Project Manager \_\_\_\_\_ Phone \_\_\_\_\_  
Date Completed \_\_\_\_\_ % subcontracted \_\_\_\_\_

NOTE: If requested by the City, the bidder shall furnish a certified financial statement, references, and other information sufficiently comprehensive to permit an appraisal of his current financial condition.

Bidder's Signature                     

CITY OF TORRANCE, CALIFORNIA

**ADDENDUM NO. 1**  
**Issued: May 26, 2016**

TO

**PROPOSAL, SPECIFICATIONS, BOND AND  
AFFIDAVIT FOR THE CONSTRUCTION OF**

**OPTIMIZED WEEKLY STREET SWEEPING PROGRAM, FEAP 800  
B2016-26**

Please note the following changes and/or additions to the Bidder's Submittal, Plans and/or Specifications for the project indicated above. The bidder shall execute the Certification at the end of this addendum, and shall **attach this addendum to the Contract Documents submitted with the Bid**. In addition, the bidder shall complete and submit the "Acknowledgment of Addenda Received" Form provided in Section C of the Specifications.

1. Refer to Section A, NOTICE INVITING BIDS on page A-1:

The first paragraph is hereby revised as follows to reflect a new bid opening date:

*"Notice is hereby given that sealed bids for performing the following described work will be received at the Office of the City Clerk of the City of Torrance, California, until 3:00 p.m. on Wednesday, June 15, 2016 ~~Wednesday, June 1, 2016~~, after which time they will be publicly opened and read at 3:15 p.m. in the Council Chambers of said City."*

2. Refer to Bidder's Submittal on pages C-1 through C-3 of the Specifications and in the official Bidder's Submittal package provided by the City Clerk:

Bidder's Submittal Pages C-1 through C-3 (3 pages) is hereby deleted in its entirety and replaced with the new Bidder's Submittal pages C-1, Addendum No. 1 through C-3, Addendum No. 1 (3 pages) which is attached to this addendum. A Bidder must use the new Bidder's Submittal pages C-1, Addendum No.1 through C-3, Addendum No. 1 in its bid.

3. Refer to Section E, Special Provisions, Section 217-4.1 General, Page E-35:

Delete Section 217-4.1 General in its entirety and replace with the following:

"217-4.1 General.

*An Automatic Retractable Screen (ARS) prevents trash and debris from entering the catch basin during dry weather and moderate storm flows, thereby maintaining trash and debris within the street to be collected by street sweeping and other equipment. It shall open automatically to restore the curb opening with minimal obstruction when the depth of the storm flow in the street exceeds 3 inches.*

*The mechanism for automatically opening the screen shall be any mechanism that collects storm water in a container and uses the weight of that water to operate moving parts that cause the screen to open. The following is a list of Automatic Retractable Catch Basin Screen model and manufacturer accepted by the Los Angeles County*

Department of Public Works for minimum reduction in Catch Basin Hydraulic Capacity and the City of Torrance:

Model: Wing Gate	Model: ARS-CL12
Manufacturer: United Storm Water, Inc. 1400 E. Valley Boulevard City of Industry, CA 91746-2801	Manufacturer: G2 Construction 1352 E. Borchard Ave. Santa Ana, CA 92705
Contact: Terry Flury (626) 419-3521 <a href="mailto:terry@unitedstormwater.com">terry@unitedstormwater.com</a>	Contact: John Alvarado (714) 748-4242, Ext. 250 <a href="mailto:jalvarado@g2construction.com">jalvarado@g2construction.com</a> <a href="mailto:info@g2construction.com">info@g2construction.com</a>

*Bidders are advised that the listing of devices by name in these Special Provisions does not exclude the device from meeting all requirements of these Special Provisions. There shall be no exceptions to this requirement and acceptance of devices not listed in these Special Provisions shall be at the sole discretion of the Engineer. Products not listed above must be approved by Los Angeles County Department of Public Works to be considered as "or equal" and meet all requirements of these Special Provisions."*

4. **Refer to Section E, Special Provisions, Section 3-2.6 Allowances, Page E-7:**

The third paragraph is hereby deleted:

~~*"The Agency has established an allowance to repair damaged catch basins. Payment for repair of damaged catch basins will be made on the basis of "Extra Work" per 3-3 of the Additions and Amendments. Payment will be made under the item in the Contract Lump Sum bid item for RECONSTRUCTION OF LOCAL DEPRESSION FOR CATCH BASIN ARS (ALLOWANCE OF \$10,000)."*~~

The following paragraph is hereby added in its place:

*"The Agency has established an allowance to modify or repair existing damaged catch basins for installation of ARS units. Payment for repair of damaged catch basins will be made on the basis of "Extra Work" per 3-3 of the Additions and Amendments. Payment will be made under the item in the Contract Lump Sum bid item for 'RECONSTRUCTION OF LOCAL DEPRESSION FOR CATCH BASIN ARS.'"*

By Order of the City Engineer



CRAIG BILEZERIAN  
City Engineer


Attachment:

Bidder's Submittal Pages C-1, Addendum No. 1 through C-3, Addendum No.1

BIDDER'S CERTIFICATION

I acknowledge receipt of the foregoing Addendum No. 1 and accept all conditions contained therein.

United Storm Water, Inc.  
Bidder

  
By Eduardo Perry Jr., President

6/14/16  
Date

\*\*\*\* Submit this executed form with the bid \*\*\*\*

Please fill out and submit the  
"Acknowledgment of Addenda Received" form  
Provided in Section C of the Specifications