Del Amo Technology Center

AIR QUALITY IMPACT ANALYSIS

CITY OF TORRANCE

PREPARED BY:

Haseeb Qureshi
hqureshi@urbanxroads.com

Ali Dadabhoy
adadabhoy@urbanxroads.com

DECEMBER 17, 2024

TABLE OF CONTENTS

TABLE OF CONTENTS ..... **I**
APPENDICES ..... **II**
LIST OF EXHIBITS ..... **II**
LIST OF TABLES ..... **II**
LIST OF ABBREVIATED TERMS ..... **III**
EXECUTIVE SUMMARY **1**
ES.1 Summary of Findings 1
ES.2 Regulatory Requirements 1
1 INTRODUCTION **5**
1.1 Site Location 5
1.2 Project Description 5
2 AIR QUALITY SETTING **10**
2.1 South Coast Air Basin (SCAB) 10
2.2 Regional Climate 10
2.3 Wind Patterns and Project Location 11
2.4 Criteria Pollutants 12
2.5 Existing Air Quality 19
2.6 Regional Air Quality 22
2.7 Local Air Quality 22
2.8 Regulatory Background 24
2.9 Regional Air Quality Improvement 27
3 PROJECT AIR QUALITY IMPACT **38**
3.1 Introduction 38
3.2 Standards of Significance 38
3.3 Models Employed To Analyze Air Quality 39
3.4 Project Construction Emissions 39
3.5 Project Operational Emissions 43
3.6 Localized Significance 48
3.7 Construction-Source Emissions LST Analysis 52
3.8 Operational-Source Emissions LST Analysis 52
3.9 CO "Hot Spot" Analysis 53
3.10 AQMP 54
3.11 Potential Impacts to Sensitive Receptors 56
3.12 Odors 56
3.13 Cumulative Impacts 57
4 REFERENCES **60**
5 CERTIFICATIONS **64**

APPENDICES

APPENDIX 2.1: STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS
APPENDIX 3.1: CALEEMOD PROPOSED PROJECT EMISSIONS MODEL OUTPUTS
APPENDIX 3.2: LST MODELING
APPENDIX 3.3: SCAQMD AMICUS BRIEF

LIST OF EXHIBITS

EXHIBIT 1-A: LOCATION MAP 7
EXHIBIT 1-B: SITE PLAN 8
EXHIBIT 2-A: DPM AND DIESEL VEHICLE MILES TREND 35
EXHIBIT 3-A: SENSITIVE RECEPTOR LOCATIONS 51

LIST OF TABLES

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS 1
TABLE 2-1: CRITERIA POLLUTANTS 12
TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2) 20
TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2) 21
TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB 22
TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2021-2023 23
TABLE 2-5: SCAB O_3 TREND 28
TABLE 2-6: SCAB AVERAGE 24-HOUR CONCENTRATION PM_{10} TREND (BASED ON FEDERAL STANDARD)[1] 29
TABLE 2-7: SCAB ANNUAL AVERAGE CONCENTRATION PM_{10} TREND (BASED ON STATE STANDARD)[1] . 30
TABLE 2-8: SCAB 24-HOUR AVERAGE CONCENTRATION $PM_{2.5}$ TREND (BASED ON FEDERAL STANDARD)[1] 30
TABLE 2-9: SCAB ANNUAL AVERAGE CONCENTRATION $PM_{2.5}$ TREND (BASED ON STATE STANDARD)[1]. 31
TABLE 2-10: SCAB 8-HOUR AVERAGE CONCENTRATION CO TREND[1] 32
TABLE 2-11: SCAB 1-HOUR AVERAGE CONCENTRATION NO_2 TREND (BASED ON FEDERAL STANDARD) 33
TABLE 2-12: SCAB 1-HOUR AVERAGE CONCENTRATION NO_2 TREND (BASED ON STATE STANDARD) ... 33
TABLE 3-1: REGIONAL AND LOCALIZED EMISSIONS SIGNIFICANCE THRESHOLDS 38
TABLE 3-2: CONSTRUCTION TRIP ASSUMPTIONS 40
TABLE 3-3: CONSTRUCTION DURATION 41
TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS 41
TABLE 3-5: OVERALL CONSTRUCTION EMISSIONS SUMMARY – WITHOUT MITIGATION 43
TABLE 3-6: PASSENGER CAR FLEET MIX 45
TABLE 3-7: TRUCK FLEET MIX 46
TABLE 3-8: SUMMARY OF PEAK OPERATIONAL EMISSIONS 47
TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY PEAK CONSTRUCTION 52
TABLE 3-10: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATIONS 53

LIST OF ABBREVIATED TERMS

%	Percent
°F	Degrees Fahrenheit
(1)	Reference
µg/m^3	Microgram per Cubic Meter
1993 CEQA Handbook	*SCAQMD's CEQA Air Quality Handbook (1993)*
2024-2050 RTP/SCS	*2024-2050 Regional Transportation Plan/Sustainable Communities Strategy*
AB 2595	California Clean Air Act
ADA	Americans with Disabilities Act
AQIA	Air Quality Impact Analysis
AQMP	Air Quality Management Plan
BACT	Best Available Control Technology
BC	Black Carbon
Brief	*Brief of Amicus Curiae by the SCAQMD in the Friant Ranch Case*
C_2Cl_4	Perchloroethylene
C_4H_6	1,3-butadiene
C_6H_6	Benzene
C_2H_3Cl	Vinyl Chloride
C_2H_4O	Acetaldehyde
CAA	Federal Clean Air Act
CAAQS	California Ambient Air Quality Standards
CalEEMod	California Emissions Estimator Model
CalEPA	California Environmental Protection Agency
CALGreen	California Green Building Standards Code
CAPCOA	California Air Pollution Control Officers Association
CARB	California Air Resources Board
CCR	California Code of Regulations
CEC	California Energy Commission
CEQA	California Environmental Quality Act
CEQA Guidelines	*CEQA Statute and Guidelines*
CH_2O	Formaldehyde
City	City of Torrance
CO	Carbon Monoxide
COH	Coefficient of Haze
COHb	Carboxyhemoglobin

Cr(VI)	Chromium
CTP	Clean Truck Program
DPM	Diesel Particulate Matter
DRRP	Diesel Risk Reduction Plan
EC	Elemental Carbon
EIR	Environmental Impact Report
EMFAC	EMissions FACtor Model
EPA	Environmental Protection Agency
ETW	Equivalent Test Weight
GHG	Greenhouse Gas
GVWR	Gross Vehicle Weight Rating
H_2S	Hydrogen Sulfide
HDT	Heavy Duty Trucks
HHDT	Heavy-Heavy-Duty Trucks
HI	Hazard Index
hp	Horsepower
lbs	Pounds
lbs/day	Pounds Per Day
LDA	Light Duty Auto
LDT1/LDT2	Light-Duty Trucks
LHDT1/LHDT2	Light-Heavy-Duty Trucks
LST	Localized Significance Threshold
LST Methodology	*Final Localized Significance Threshold Methodology*
MATES	Multiple Air Toxics Exposure Study
MCY	Motorcycles
MDV	Medium-Duty Vehicles
MHDT	Medium-Heavy-Duty Trucks
MICR	Maximum Individual Cancer Risk
MM	Mitigation Measures
MWELO	California Department of Water Resources' Model Water Efficient
N_2	Nitrogen
N_2O	Nitrous Oxide
NAAQS	National Ambient Air Quality Standards
NO	Nitric Oxide
NO_2	Nitrogen Dioxide
NO_X	Nitrogen Oxides
O_2	Oxygen

O_3	Ozone
O_2 Deficiency	Chronic Hypoxemia
OBD-II	On-Board Diagnostic
ODC	Ozone Depleting Compounds
Pb	Lead
PM_{10}	Particulate Matter 10 microns in diameter or less
$PM_{2.5}$	Particulate Matter 2.5 microns in diameter or less
POLA	Port of Los Angeles
POLB	Port of Long Beach
ppm	Parts Per Million
Project	Del Amo Technology Center
RECLAIM	Regional Clean Air Incentives Market
RFG-2	Reformulated Gasoline Regulation
ROG	Reactive Organic Gases
SCAB	South Coast Air Basin
SCAG	Southern California Association of Governments
SCAQMD	South Coast Air Quality Management District
sf	Square Feet
SIPs	State Implementation Plans
SO_2	Sulfur Dioxide
SO_4	Sulfates
SO_X	Sulfur Oxides
SRA	Source Receptor Area
TAC	Toxic Air Contaminant
Title 24	California Building Code
TITLE I	Non-Attainment Provisions
TITLE II	Mobile Sources Provisions
UFP	Ultrafine Particles
VMT	Vehicle Miles Traveled
VOC	Volatile Organic Compounds

This page intentionally left blank

EXECUTIVE SUMMARY

ES.1 SUMMARY OF FINDINGS

The results of this *Del Amo Technology Center Air Quality Impact Analysis* (AQIA) are summarized below based on the significance criteria in Section 3 of this report consistent with Appendix G of the *California Environmental Quality Act (CEQA) Guidelines* (*CEQA Guidelines*) (1). Table ES-1 shows the findings of significance for each potential air quality impact under CEQA before and after any required mitigation measures (MM) described below.

TABLE ES-1: SUMMARY OF CEQA SIGNIFICANCE FINDINGS

Analysis	Report Section	Significance Findings	
		Unmitigated	Mitigated
Regional Construction Emissions	3.4	*Less Than Significant*	*n/a*
Localized Construction Emissions	3.7	*Less Than Significant*	*n/a*
Regional Operational Emissions	3.5	*Less Than Significant*	*n/a*
Localized Operational Emissions	3.8	*Less Than Significant*	*n/a*
CO "Hot Spot" Analysis	3.9	*Less Than Significant*	*n/a*
Air Quality Management Plan	3.10	*Less Than Significant*	*n/a*
Sensitive Receptors	3.11	*Less Than Significant*	*n/a*
Odors	3.12	*Less Than Significant*	*n/a*
Cumulative Impacts	3.13	*Less Than Significant*	*n/a*

ES.2 REGULATORY REQUIREMENTS

There are numerous requirements that development projects must comply with by law, and that were put in place by federal, State, and local regulatory agencies for the improvement of air quality.

Any operation or activity that might cause the emission of any smoke, fly ash, dust, fumes, vapors, gases, or other forms of air pollution, which can cause damage to human health, vegetation, or

other forms of property, or can cause excessive soiling on any other parcel shall conform to the requirements of the South Coast Air Quality Management District (SCAQMD).

SCAQMD RULES

SCAQMD Rules that are currently applicable during construction activity for this Project are described below.

SCAQMD RULE 402

A person shall not discharge from any source whatsoever such quantities of air contaminants or other material that cause injury, detriment, nuisance, or annoyance to any considerable number of persons or to the public, or that endanger the comfort, repose, health, or safety of any such persons or the public, or that cause, or have a natural tendency to cause, injury or damage to business or property. The provisions of this rule do not apply to odors emanating from agricultural operations necessary for the growing of crops or the raising of fowl or animals.

Odor Emissions. All uses shall be operated in a manner such that no offensive odor is perceptible at or beyond the property line of that use.

SCAQMD RULE 403

This rule is intended to reduce the amount of particulate matter entrained in the ambient air as a result of anthropogenic (human-made) fugitive dust sources by requiring actions to prevent and reduce fugitive dust emissions. Rule 403 applies to any activity or human-made condition capable of generating fugitive dust and requires best available control measures to be applied to earth moving and grading activities.

Dust Control, Operations. Any operation or activity that might cause the emission of any smoke, fly ash, dust, fumes, vapors, gases, or other forms of air pollution, which can cause damage to human health, vegetation, or other forms of property, or can cause excessive soiling on any other parcel, shall conform to the requirements of the South Coast Air Quality Management District.

SCAQMD RULE 1113

This rule serves to limit the Volatile Organic Compound (VOC) content of architectural coatings used on projects in the SCAQMD. Any person who supplies, sells, offers for sale, or manufactures any architectural coating for use on projects.

SCAQMD RULE 1301

This rule is intended to provide that pre-construction review requirements to ensure that new or relocated facilities do not interfere with progress in attainment of the National Ambient Air Quality Standards (NAAQS), while future economic growth within the SCAQMD is not unnecessarily restricted. The specific air quality goal is to achieve no net increases from new or modified permitted sources of nonattainment air contaminants or their precursors. Rule 1301 also limits emission increases of ammonia, and Ozone Depleting Compounds (ODCs) from new, modified or relocated facilities by requiring the use of Best Available Control Technology (BACT).

SCAQMD RULE 401

A person shall not discharge into the atmosphere from any single source of emission whatsoever any air contaminant for a period or periods aggregating more than three minutes in any 1 hour that is as dark or darker in shade as that designated No. 1 on the Ringelmann Chart, as published by the U.S. Bureau of Mines.

SCAQMD RULE 2305

The SCAQMD adopted Rule 2305, the Warehouse Indirect Source Rule, on May 7, 2021. Owners and operators associated with warehouses 100,000 square feet (sf) or larger are required to directly reduce NO_X and PM emissions, or to otherwise facilitate emission and exposure reductions of these pollutants in nearby communities.

Although the Project would comply with the above regulatory requirements, it should be noted that emission reductions associated with Rules 402, 1301, 1401, and 2305 cannot be quantified in the California Emissions Estimator Model (CalEEMod) and are therefore not reflected in the emissions presented herein. Conversely, Rule 403 (Fugitive Dust) (2) and Rule 1113 (Architectural Coatings) (3) can be modeled in CalEEMod. As such, credit for Rule 403 and Rule 1113 have been taken in the analysis.

This page intentionally left blank

1 INTRODUCTION

This report presents the results of the AQIA prepared by Urban Crossroads, Inc., for the proposed Del Amo Technology Center (Project). The purpose of this AQIA is to evaluate the potential impacts to air quality associated with construction and operation of the Project and recommend measures to mitigate impacts considered potentially significant in comparison to thresholds established by the SCAQMD.

1.1 SITE LOCATION

The proposed project is located on the northeast corner of Prairie Avenue and Del Amo Boulevard in the City of Torrance as shown on Exhibit 1-A. The Torrance Municipal Airport is located approximately 2.5 miles south of the Project site. Existing land uses near the site include commercial and industrial uses to the south, with residential use to the west and southwest of the Project site.

1.2 PROJECT DESCRIPTION

The Project is anticipated to be developed within a single phase with an anticipated opening year of 2027. The proposed Project consists of the development totaling 403,033 square feet with the 362,730 square feet of High-Cube Fulfillment Center (Sort) (90% of the total square footage) and 40,303 square feet of High-Cube Cold Storage Warehouse (10% of the total square footage). A preliminary site plan for the proposed Project is shown in Exhibit 1-B.

It should be noted that High-Cube Fulfillment Center (Sort) land use is highly conservative as it generates more trips and therefore more emissions than the High-Cube Fulfillment Center (Non-Sort) land use. As described in the *Del Amo Technology Center Traffic Analysis*, the ITE Trip Generation Manual has two subcategories for the High-Cube Fulfillment Center use: sort and non-sort. ITE describes a sort facility as a fulfillment center that ships out smaller items, requiring extensive sorting, typically by manual means. In comparison, a non-sort facility is a fulfillment center that ships large box items that are processed primarily with automation rather than through manual means. Some limited assembly and repackaging may occur within the facility. Given this description, a sort facility has been assumed for the purposes of calculating trip generation for the Project in an effort to conduct a conservative analysis (4).

Additionally, since it is currently unknown whether the Project will be a single tenant or multi-tenant, the analysis will evaluate two options, which affect the truck trip distribution only, as summarized in the Project's traffic study:

Option 1: Single Tenant Building

Option 2: Two-Tenant Building

The only difference between the two scenarios is the truck trip distribution which affects the operational HRA component and has been studied in the *Del Amo Technology Center Construction and Operational Health Risk Assessment* (HRA) (5). For Option 1, the trucks will have access to the building via Prairie Avenue and Del Almo Boulevard, however, the majority of the

truck access is proposed to occur at the signalized driveway on Del Amo Boulevard. For Option 2, approximately 25% of the trucks would access the site via the driveway on Prairie Avenue while the remaining 75% of the trucks would access the site via Del Amo Boulevard. It is anticipated that both the building and the truck court area would be partitioned to separate the two tenants (i.e., no reciprocal access within the truck court or within the building). Access into the truck court will also be secured via a security gate on either side of the building (applicable to both Option 1 and Option 2).

EXHIBIT 1-A: LOCATION MAP



EXHIBIT 1-B: SITE PLAN

This page intentionally left blank

2 AIR QUALITY SETTING

This section provides an overview of the existing air quality conditions in the Project area and region.

2.1 SOUTH COAST AIR BASIN (SCAB)

The Project site is located in the SCAB within the jurisdiction of SCAQMD (6). The SCAQMD was created by the 1977 Lewis-Presley Air Quality Management Act, which merged four county air pollution control bodies into one regional district. Under the Act, the SCAQMD is responsible for bringing air quality in areas under its jurisdiction into conformity with federal and State air quality standards. As previously stated, the Project site is located within the SCAB, a 6,745-square mile subregion of the SCAQMD, which includes portions of Los Angeles, Riverside, and San Bernardino Counties, and all of Orange County.

The SCAB is bounded by the Pacific Ocean to the west and the San Gabriel, San Bernardino, and San Jacinto Mountains to the north and east. The Los Angeles County portion of the Mojave Desert Air Basin is bounded by the San Gabriel Mountains to the south and west, the Los Angeles / Kern County border to the north, and the Los Angeles / San Bernardino County border to the east. The Riverside County portion of the Salton Sea Air Basin is bounded by the San Jacinto Mountains in the west and spans eastward up to the Palo Verde Valley.

2.2 REGIONAL CLIMATE

The regional climate has a substantial influence on air quality in the SCAB. In addition, the temperature, wind, humidity, precipitation, and amount of sunshine influence the air quality.

The annual average temperatures throughout the SCAB vary from the low to middle 60s degrees Fahrenheit (°F). Due to a decreased marine influence, the eastern portion of the SCAB shows greater variability in average annual minimum and maximum temperatures. January is the coldest month throughout the SCAB, with average minimum temperatures of 47°F in downtown Los Angeles and 36°F in San Bernardino. All portions of the SCAB have recorded maximum temperatures above 100°F.

Although the climate of the SCAB can be characterized as semi-arid, the air near the land surface is quite moist on most days because of the presence of a marine layer. This shallow layer of sea air is an important modifier of SCAB climate. Humidity restricts visibility in the SCAB, and the conversion of sulfur dioxide (SO_2) to sulfates (SO_4) is heightened in air with high relative humidity. The marine layer provides an environment for that conversion process, especially during the spring and summer months. The annual average relative humidity within the SCAB is 71% along the coast and 59% inland. Since the ocean effect is dominant, periods of heavy early morning fog are frequent and low stratus clouds are a characteristic feature. These effects decrease with distance from the coast.

More than 90% of the SCAB's rainfall occurs from November through April. The annual average rainfall varies from approximately nine inches in Riverside to fourteen inches in downtown Los

Angeles. Monthly and yearly rainfall totals are extremely variable. Summer rainfall usually consists of widely scattered thunderstorms near the coast and slightly heavier shower activity in the eastern portion of the SCAB with frequency being higher near the coast.

Due to its generally clear weather, about three-quarters of available sunshine is received in the SCAB. The remaining one-quarter is absorbed by clouds. The ultraviolet portion of this abundant radiation is a key factor in photochemical reactions. On the shortest day of the year there are approximately 10 hours of possible sunshine, and on the longest day of the year there are approximately 14½ hours of possible sunshine.

The importance of wind to air pollution is considerable. The direction and speed of the wind determines the horizontal dispersion and transport of the air pollutants. During the late autumn to early spring rainy season, the SCAB is subjected to wind flows associated with the traveling storms moving through the region from the northwest. This period also brings five to ten periods of strong, dry offshore winds, locally termed "Santa Anas" each year. During the dry season, which coincides with the months of maximum photochemical smog concentrations, the wind flow is bimodal, typified by a daytime onshore sea breeze and a nighttime offshore drainage wind. Summer wind flows are created by the pressure differences between the relatively cold ocean and the unevenly heated and cooled land surfaces that modify the general northwesterly wind circulation over southern California. Nighttime drainage begins with the radiational cooling of the mountain slopes. Heavy, cool air descends the slopes and flows through the mountain passes and canyons as it follows the lowering terrain toward the ocean. Another characteristic wind regime in the SCAB is the "Catalina Eddy," a low level cyclonic (counterclockwise) flow centered over Santa Catalina Island which results in an offshore flow to the southwest. On most spring and summer days, some indication of an eddy is apparent in coastal sections.

In the SCAB, there are two distinct temperature inversion structures that control vertical mixing of air pollution. During the summer, warm high-pressure descending (subsiding) air is undercut by a shallow layer of cool marine air. The boundary between these two layers of air is a persistent marine subsidence/inversion. This boundary prevents vertical mixing which effectively acts as an impervious lid to pollutants over the entire SCAB. The mixing height for the inversion structure is normally situated 1,000 to 1,500 feet above mean sea level.

A second inversion-type forms in conjunction with the drainage of cool air off the surrounding mountains at night followed by the seaward drift of this pool of cool air. The top of this layer forms a sharp boundary with the warmer air aloft and creates nocturnal radiation inversions. These inversions occur primarily in the winter when nights are longer and onshore flow is weakest. They are typically only a few hundred feet above mean sea level. These inversions effectively trap pollutants, such as NO_X and CO from vehicles, as the pool of cool air drifts seaward. Winter is therefore a period of high levels of primary pollutants along the coastline.

2.3 WIND PATTERNS AND PROJECT LOCATION

The distinctive climate of the Project area and the SCAB is determined by its terrain and geographical location. The SCAB is located in a coastal plain with connecting broad valleys and

low hills, bounded by the Pacific Ocean in the southwest quadrant with high mountains forming the remainder of the perimeter.

Wind patterns across the south coastal region are characterized by westerly and southwesterly onshore winds during the day and easterly or northeasterly breezes at night. Winds are characteristically light although the speed is somewhat greater during the dry summer months than during the rainy winter season.

2.4 CRITERIA POLLUTANTS

Criteria pollutants are pollutants that are regulated through the development of human health based and/or environmentally based criteria for setting permissible levels. Criteria pollutants, their typical sources, and health effects are identified below (7).

TABLE 2-1: CRITERIA POLLUTANTS

Criteria Pollutant	Description	Sources	Health Effects
CO	CO is a colorless, odorless gas produced by the incomplete combustion of carbon-containing fuels, such as gasoline or wood. CO concentrations tend to be the highest during the winter morning, when little to no wind and surface-based inversions trap the pollutant at ground levels. Because CO is emitted directly from internal combustion engines, unlike ozone (O_3), motor vehicles operating at slow speeds are the primary source of CO in the SCAB. The highest ambient CO concentrations are generally found near congested transportation corridors and intersections.	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment and residential heating.	Individuals with a deficient blood supply to the heart are the most susceptible to the adverse effects of CO exposure. The effects observed include earlier onset of chest pain with exercise, and electrocardiograph changes indicative of decreased oxygen (O_2) supply to the heart. Inhaled CO has no direct toxic effect on the lungs but exerts its effect on tissues by interfering with O_2 transport and competing with O_2 to combine with hemoglobin present in the blood to form carboxyhemoglobin (COHb). Hence, conditions with an increased demand for O_2 supply can be adversely affected by exposure to CO. Individuals most at risk include fetuses, patients with diseases involving heart and blood vessels, and patients with chronic hypoxemia (O_2 deficiency) as seen at high altitudes.

Criteria Pollutant	Description	Sources	Health Effects
SO_2	SO_2 is a colorless, extremely irritating gas or liquid. It enters the atmosphere as a pollutant mainly as a result of burning high sulfur-content fuel oils and coal and from chemical processes occurring at chemical plants and refineries. When SO_2 oxidizes in the atmosphere, it forms SO_4. Collectively, these pollutants are referred to as sulfur oxides (SO_X).	Coal or oil burning power plants and industries, refineries, diesel engines	A few minutes of exposure to low levels of SO_2 can result in airway constriction in some asthmatics, all of whom are sensitive to its effects. In asthmatics, increase in resistance to air flow, as well as reduction in breathing capacity leading to severe breathing difficulties, are observed after acute exposure to SO_2. In contrast, healthy individuals do not exhibit similar acute responses even after exposure to higher concentrations of SO_2. Animal studies suggest that despite SO_2 being a respiratory irritant, it does not cause substantial lung injury at ambient concentrations. However, very high levels of exposure can cause lung edema (fluid accumulation), lung tissue damage, and sloughing off of cells lining the respiratory tract. Some population-based studies indicate that the mortality and morbidity effects associated with fine particles show a similar association with ambient SO_2 levels. In these studies, efforts to separate the effects of SO_2 from those of fine particles have not been successful. It is not clear whether the two pollutants act synergistically, or one pollutant alone is the predominant factor.

Criteria Pollutant	Description	Sources	Health Effects
NO_X	NO_X consist of nitric oxide (NO), nitrogen dioxide (NO_2) and nitrous oxide (N_2O) and are formed when nitrogen (N_2) combines with O_2. Their lifespan in the atmosphere ranges from one to seven days for nitric oxide and nitrogen dioxide, to 170 years for nitrous oxide. NO_X is typically created during combustion processes and are major contributors to smog formation and acid deposition. NO_2 is a criteria air pollutant and may result in numerous adverse health effects; it absorbs blue light, resulting in a brownish-red cast to the atmosphere and reduced visibility. Of the seven types of NO_X compounds, NO_2 is the most abundant in the atmosphere. As ambient concentrations of NO_2 are related to traffic density, commuters in heavy traffic may be exposed to higher concentrations of NO_2 than those indicated by regional monitoring station.	Any source that burns fuel such as automobiles, trucks, heavy construction equipment, farming equipment and residential heating.	Population-based studies suggest that an increase in acute respiratory illness, including infections and respiratory symptoms in children (not infants), is associated with long-term exposure to NO_2 at levels found in homes with gas stoves, which are higher than ambient levels found in Southern California. Increase in resistance to air flow and airway contraction is observed after short-term exposure to NO_2 in healthy subjects. Larger decreases in lung functions are observed in individuals with asthma or chronic obstructive pulmonary disease (e.g., chronic bronchitis, emphysema) than in healthy individuals, indicating a greater susceptibility of these sub-groups. In animals, exposure to levels of NO_2 considerably higher than ambient concentrations result in increased susceptibility to infections, possibly due to the observed changes in cells involved in maintaining immune functions. The severity of lung tissue damage associated with high levels of O_3 exposure increases when animals are exposed to a combination of O_3 and NO_2.
O_3	O_3 is a highly reactive and unstable gas that is formed when VOCs and NO_X, both byproducts of internal combustion engine exhaust, undergo slow photochemical reactions in the presence of sunlight. O_3 concentrations are generally highest during the summer	Formed when reactive organic gases (ROG) and NO_X react in the presence of sunlight. ROG sources include any source	Individuals exercising outdoors, children, and people with preexisting lung disease, such as asthma and chronic pulmonary lung disease, are considered to be the most susceptible sub-groups for O_3 effects. Short-term exposure (lasting for a

Criteria Pollutant	Description	Sources	Health Effects
	months when direct sunlight, light wind, and warm temperature conditions are favorable to the formation of this pollutant.	that burns fuels, (e.g., gasoline, natural gas, wood, oil) solvents, petroleum processing and storage and pesticides.	few hours) to O_3 at levels typically observed in Southern California can result in breathing pattern changes, reduction of breathing capacity, increased susceptibility to infections, inflammation of the lung tissue, and some immunological changes. Elevated O_3 levels are associated with increased school absences. In recent years, a correlation between elevated ambient O_3 levels and increases in daily hospital admission rates, as well as mortality, has also been reported. An increased risk for asthma has been found in children who participate in multiple outdoor sports and reside in communities with high O_3 levels. O_3 exposure under exercising conditions is known to increase the severity of the responses described above. Animal studies suggest that exposure to a combination of pollutants that includes O_3 may be more toxic than exposure to O_3 alone. Although lung volume and resistance changes observed after a single exposure diminish with repeated exposures, biochemical and cellular changes appear to persist, which can lead to subsequent lung structural changes.
Particulate Matter	PM_{10}: A major air pollutant consisting of tiny solid or liquid particles of soot, dust, smoke, fumes, and aerosols. Particulate matter pollution is a major cause of reduce visibility (haze) which is caused by the scattering of light	Sources of PM_{10} include road dust, windblown dust and construction. Also formed from other pollutants (acid rain, NO_X, SO_X,	A consistent correlation between elevated ambient fine particulate matter (PM_{10} and $PM_{2.5}$) levels and an increase in mortality rates, respiratory infections, number and severity of

Criteria Pollutant	Description	Sources	Health Effects
	and consequently the significant reduction air clarity. The size of the particles (10 microns or smaller, about 0.0004 inches or less) allows them to easily enter the lungs where they may be deposited, resulting in adverse health effects. Additionally, it should be noted that PM_{10} is considered a criteria air pollutant. $PM_{2.5}$: A similar air pollutant to PM_{10} consisting of tiny solid or liquid particles which are 2.5 microns or smaller (which is often referred to as fine particles). These particles are formed in the atmosphere from primary gaseous emissions that include SO_4 formed from SO_2 release from power plants and industrial facilities and nitrates that are formed from NO_X release from power plants, automobiles, and other types of combustion sources. The chemical composition of fine particles highly depends on location, time of year, and weather conditions. $PM_{2.5}$ is a criteria air pollutant.	organics). Incomplete combustion of any fuel. $PM_{2.5}$ comes from fuel combustion in motor vehicles, equipment, and industrial sources, residential and agricultural burning. Also formed from reaction of other pollutants (acid rain, NO_X, SO_X, organics).	asthma attacks and the number of hospital admissions has been observed in different parts of the United States and various areas around the world. In recent years, some studies have reported an association between long-term exposure to air pollution dominated by fine particles and increased mortality, reduction in lifespan, and an increased mortality from lung cancer. Daily fluctuations in $PM_{2.5}$ concentration levels have also been related to hospital admissions for acute respiratory conditions in children, to school and kindergarten absences, to a decrease in respiratory lung volumes in normal children, and to increased medication use in children and adults with asthma. Recent studies show lung function growth in children is reduced with long term exposure to particulate matter. The elderly, people with pre-existing respiratory or cardiovascular disease, and children appear to be more susceptible to the effects of high levels of PM_{10} and $PM_{2.5}$.
VOC	VOCs are hydrocarbon compounds (any compound containing various combinations of hydrogen and carbon atoms) that exist in the ambient air. VOCs contribute to the formation of smog through atmospheric photochemical reactions and/or may be toxic. Compounds of carbon (also known as organic compounds) have different levels of reactivity; that is, they do not react at the same speed or do not	Organic chemicals are widely used as ingredients in household products. Paints, varnishes, and wax all contain organic solvents, as do many cleaning, disinfecting, cosmetic, degreasing and hobby products.	Breathing VOCs can irritate the eyes, nose, and throat, can cause difficulty breathing and nausea, and can damage the central nervous system as well as other organs. Some VOCs can cause cancer. Not all VOCs have all these health effects, though many have several.

Criteria Pollutant	Description	Sources	Health Effects
	form O_3 to the same extent when exposed to photochemical processes. VOCs often have an odor, and some examples include gasoline, alcohol, and the solvents used in paints. Exceptions to the VOC designation include CO, carbon dioxide, carbonic acid, metallic carbides or carbonates, and ammonium carbonate. VOCs are a criteria pollutant since they are a precursor to O_3, which is a criteria pollutant. The terms VOC and ROG (see below) interchangeably.	Fuels are made up of organic chemicals. All of these products can release organic compounds while you are using them, and, to some degree, when they are stored.	
ROG	Similar to VOC, ROGs are also precursors in forming O_3 and consist of compounds containing methane, ethane, propane, butane, and longer chain hydrocarbons, which are typically the result of some type of combustion/decomposition process. Smog is formed when ROG and NO_X react in the presence of sunlight. ROGs are a criteria pollutant since they are a precursor to O_3, which is a criteria pollutant. The terms ROG and VOC (see previous) interchangeably.	Sources similar to VOCs.	Health effects similar to VOCs.
Lead (Pb)	Pb is a heavy metal that is highly persistent in the environment and is considered a criteria pollutant. In the past, the primary source of Pb in the air was emissions from vehicles burning leaded gasoline. The major sources of Pb emissions are ore and metals processing, particularly Pb smelters, and piston-engine aircraft operating on leaded aviation gasoline. Other stationary sources include waste incinerators, utilities, and lead-acid battery manufacturers. It should be noted that the Project does not include	Metal smelters, resource recovery, leaded gasoline, deterioration of Pb paint.	Fetuses, infants, and children are more sensitive than others to the adverse effects of Pb exposure. Exposure to low levels of Pb can adversely affect the development and function of the central nervous system, leading to learning disorders, distractibility, inability to follow simple commands, and lower intelligence quotient. In adults, increased Pb levels are associated with increased blood pressure.

Criteria Pollutant	Description	Sources	Health Effects
	operational activities such as metal processing or Pb acid battery manufacturing. As such, the Project is not anticipated to generate a quantifiable amount of Pb emissions.		Pb poisoning can cause anemia, lethargy, seizures, and death; although it appears that there are no direct effects of Pb on the respiratory system. Pb can be stored in the bone from early age environmental exposure, and elevated blood Pb levels can occur due to breakdown of bone tissue during pregnancy, hyperthyroidism (increased secretion of hormones from the thyroid gland) and osteoporosis (breakdown of bony tissue). Fetuses and breast-fed babies can be exposed to higher levels of Pb because of previous environmental Pb exposure of their mothers.
Odor	Odor means the perception experienced by a person when one or more chemical substances in the air come into contact with the human olfactory nerves (8).	Odors can come from many sources including animals, human activities, industry, natures, and vehicles.	Offensive odors can potentially affect human health in several ways. First, odorant compounds can irritate the eye, nose, and throat, which can reduce respiratory volume. Second, studies have shown that the VOCs that cause odors can stimulate sensory nerves to cause neurochemical changes that might influence health, for instance, by compromising the immune system. Finally, unpleasant odors can trigger memories or attitudes linked to unpleasant odors, causing cognitive and emotional effects such as stress.

2.5 EXISTING AIR QUALITY

Existing air quality is measured at established SCAQMD air quality monitoring stations. Monitored air quality is evaluated in the context of ambient air quality standards. These standards are the levels of air quality that are considered safe, with an adequate margin of safety, to protect the public health and welfare. NAAQS and California Ambient Air Quality Standards (CAAQS) currently in effect are shown in Table 2-2 (9).

The determination of whether a region's air quality is healthful or unhealthful is determined by comparing contaminant levels in ambient air samples to the State and federal standards. At the time of this AQIA, the most recent State and federal standards were updated by CARB on May 4, 2016, as presented in Table 2-2. The air quality in a region is considered to be in attainment by the State if the measured ambient air pollutant levels for O_3, CO (except 8-hour Lake Tahoe), SO_2 (1 and 24 hour), NO_2, PM_{10}, and $PM_{2.5}$ do not exceed standards. All others are not to be equaled or exceeded. It should be noted that the three-year period is presented for informational purposes and is not the basis for how the State assigns attainment status. Attainment status for a pollutant means that the SCAQMD meets the standards set by the EPA or the California EPA (CalEPA). Conversely, nonattainment means that an area has monitored air quality that does not meet the NAAQS or CAAQS standards. In order to improve air quality in nonattainment areas, CARB has implemented a State Implementation Plan (SIP). The SIP outlines the measures that the State will take to improve air quality. Once nonattainment areas meet the standards and additional redesignation requirements, the EPA will designate the area as a maintenance area (10).

TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (1 OF 2)

Ambient Air Quality Standards						
Pollutant	**Averaging Time**	**California Standards** [1]		**National Standards** [2]		
		Concentration [3]	**Method** [4]	**Primary** [3,5]	**Secondary** [3,6]	**Method** [7]
Ozone (O_3)[8]	1 Hour	0.09 ppm (180 µg/m^3)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry
	8 Hour	0.070 ppm (137 µg/m^3)		0.070 ppm (137 µg/m^3)		
Respirable Particulate Matter (PM10)[9]	24 Hour	50 µg/m^3	Gravimetric or Beta Attenuation	150 µg/m^3	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	20 µg/m^3		—		
Fine Particulate Matter (PM2.5)[9]	24 Hour	—	—	35 µg/m^3	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	12 µg/m^3	Gravimetric or Beta Attenuation	9 µg/m^3	15 µg/m^3	
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m^3)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m^3)	—	Non-Dispersive Infrared Photometry (NDIR)
	8 Hour	9.0 ppm (10 mg/m^3)		9 ppm (10 mg/m^3)	—	
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m^3)		—	—	
Nitrogen Dioxide (NO_2)[10]	1 Hour	0.18 ppm (339 µg/m^3)	Gas Phase Chemiluminescence	100 ppb (188 µg/m^3)	—	Gas Phase Chemiluminescence
	Annual Arithmetic Mean	0.030 ppm (57 µg/m^3)		0.053 ppm (100 µg/m^3)	Same as Primary Standard	
Sulfur Dioxide (SO_2)[11]	1 Hour	0.25 ppm (655 µg/m^3)	Ultraviolet Fluorescence	75 ppb (196 µg/m^3)	—	Ultraviolet Flourescence; Spectrophotometry (Pararosaniline Method)
	3 Hour	—		—	0.5 ppm (1300 µg/m^3)	
	24 Hour	0.04 ppm (105 µg/m^3)		0.14 ppm (for certain areas)[11]	—	
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas)[11]	—	
Lead[12,13]	30 Day Average	1.5 µg/m^3	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption
	Calendar Quarter	—		1.5 µg/m^3 (for certain areas)[12]	Same as Primary Standard	
	Rolling 3-Month Average	—		0.15 µg/m^3		
Visibility Reducing Particles[14]	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	**No National Standards**		
Sulfates	24 Hour	25 µg/m^3	Ion Chromatography			
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m^3)	Ultraviolet Fluorescence			
Vinyl Chloride[12]	24 Hour	0.01 ppm (26 µg/m^3)	Gas Chromatography			

See footnotes on next page ...

For more information please call ARB-PIO at (916) 322-2990 — California Air Resources Board (5/4/16)

TABLE 2-2: AMBIENT AIR QUALITY STANDARDS (2 OF 2)

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1 and 24 hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.
2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24 hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 $\mu g/m^3$ is equal to or less than one. For PM2.5, the 24 hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.
3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.
4. Any equivalent measurement method which can be shown to the satisfaction of the ARB to give equivalent results at or near the level of the air quality standard may be used.
5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.
6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.
7. Reference method as described by the U.S. EPA. An "equivalent method" of measurement may be used but must have a "consistent relationship to the reference method" and must be approved by the U.S. EPA.
8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.
9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from 15 $\mu g/m^3$ to 12.0 $\mu g/m^3$. The existing national 24-hour PM2.5 standards (primary and secondary) were retained at 35 $\mu g/m^3$, as was the annual secondary standard of 15 $\mu g/m^3$. The existing 24-hour PM10 standards (primary and secondary) of 150 $\mu g/m^3$ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.
10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.
11. On June 2, 2010, a new 1-hour SO_2 standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO_2 national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.

    Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.
12. The ARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.
13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 $\mu g/m^3$ as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.
14. In 1989, the ARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

For more information please call ARB-PIO at (916) 322-2990 **California Air Resources Board (5/4/16)**

2.6 REGIONAL AIR QUALITY

Air pollution contributes to a wide variety of adverse health effects. The EPA has established NAAQS for six of the most common air pollutants: CO, Pb, O_3, particulate matter (PM_{10} and $PM_{2.5}$), NO_2, and SO_2 which are known as criteria pollutants. The SCAQMD monitors levels of various criteria pollutants at 35 permanent monitoring stations and 2 single-pollutant source Pb air monitoring sites throughout the air district (11). On January 25, 2024, CARB adopted the proposed 2023 amendments to the state and national area designations See Table 2-3 for attainment designations for the SCAB (12). Appendix 2.1 provides geographic representation of the state and federal attainment status for applicable criteria pollutants within the SCAB.

TABLE 2-3: ATTAINMENT STATUS OF CRITERIA POLLUTANTS IN THE SCAB

Criteria Pollutant	State Designation	Federal Designation
O_3 – 1-hour standard	Nonattainment	--
O_3 – 8-hour standard	Nonattainment	Nonattainment
PM_{10}	Nonattainment	Attainment
$PM_{2.5}$	Nonattainment	Nonattainment
CO	Attainment	Unclassifiable/Attainment
NO_2	Attainment	Unclassifiable/Attainment
SO_2	Attainment	Unclassifiable/Attainment
Pb[1]	Attainment	Unclassifiable/Attainment

Note: See Appendix 2.1 for a detailed map of State/National Area Designations within the SCAB
"-" = no standard.

2.7 LOCAL AIR QUALITY

The SCAQMD has designated general forecast areas and air monitoring areas (referred to as Source Receptor Areas [SRA]) throughout the district in order to provide Southern California residents about the air quality conditions. The Project site is located within SRA 3. Within SRA 3, the Southwest LA County monitoring station is located approximately 8.62 miles northwest of the Project site and only reports air quality data for PM_{10}. Therefore, the following stations' air quality data is reported herein.

- SRA 3 (Southwest LA County – 8.62 miles northwest of the Project site) - PM_{10} (2021)
- SRA 4 (I-710 Near Road – 7.95 miles east of the Project site) – NO_2 and $PM_{2.5}$
- SRA 4 (South Coastal LA County 4 – 8.77 miles southeast of the Project site) – PM_{10} (2022-2023)
- SRA 15 (South Central LA County – 8.55 miles northeast of the Project site) – O_3 and CO

[1] The Federal nonattainment designation for lead is only applicable towards the Los Angeles County portion of the SCAB.

Data from the I-710 Near Road, South Coastal LA County 4 and South-Central LA County monitoring stations were utilized only in instances where data was not available from the Southwest LA County monitoring station.

The most recent three (3) years of data available is shown on Table 2-4 and identifies the number of days ambient air quality standards were exceeded for the study area, which is considered to be representative of the local air quality at the Development Site. Data for O_3, CO, NO_2, PM_{10}, and $PM_{2.5}$ for 2021 through 2023 was obtained from the SCAQMD Air Quality Data Tables (13). Additionally, data for SO_2 has been omitted as attainment is regularly met in the SCAB and few monitoring stations measure SO_2 concentrations.

TABLE 2-4: PROJECT AREA AIR QUALITY MONITORING SUMMARY 2021-2023

Pollutant	Standard	Year		
		2021	2022	2023
O_3				
Maximum Federal 1-Hour Concentration (ppm)		0.085	0.111	0.084
Maximum Federal 8-Hour Concentration (ppm)		0.076	0.085	0.071
Number of Days Exceeding State 1-Hour Standard	> 0.09 ppm	0	1	0
Number of Days Exceeding State/Federal 8-Hour Standard	> 0.070 ppm	1	1	2
CO				
Maximum Federal 1-Hour Concentration	> 35 ppm	4.3	3.4	3.2
Maximum Federal 8-Hour Concentration	> 20 ppm	3.7	3.0	2.6
NO_2				
Maximum Federal 1-Hour Concentration	> 0.100 ppm	0.092	0.095	0.071
Annual Federal Standard Design Value		0.025	0.025	0.021
PM_{10}				
Maximum Federal 24-Hour Concentration (µg/m^3)	> 150 µg/m^3	33	57	80
Annual Federal Arithmetic Mean (µg/m^3)		17.7	24.7	21.2
Number of Days Exceeding Federal 24-Hour Standard	> 150 µg/m^3	0	0	0
Number of Days Exceeding State 24-Hour Standard	> 50 µg/m^3	0	2	3
$PM_{2.5}$				
Maximum Federal 24-Hour Concentration (µg/m^3)	> 35 µg/m^3	84.6	39.0	58.3
Annual Federal Arithmetic Mean (µg/m^3)	> 12 µg/m^3	13.01	11.91	10.64
Number of Days Exceeding Federal 24-Hour Standard	> 35 µg/m^3	7	1	1

ppm = Parts Per Million
µg/m^3 = Microgram per Cubic Meter
Source: Data for O_3, CO, NO_2, PM_{10}, and $PM_{2.5}$ was obtained from SCAQMD Air Quality Data Tables.

2.8 REGULATORY BACKGROUND

2.8.1 FEDERAL REGULATIONS

The EPA is responsible for setting and enforcing the NAAQS for O_3, CO, NO_X, SO_2, PM_{10}, and Pb (14). The EPA has jurisdiction over emissions sources that are under the authority of the federal government including aircraft, locomotives, and emissions sources outside state waters (Outer Continental Shelf). The EPA also establishes emission standards for vehicles sold in states other than California. Automobiles sold in California must meet the stricter emission requirements of CARB.

The Federal Clean Air Act (CAA) was first enacted in 1955 and has been amended numerous times in subsequent years (1963, 1965, 1967, 1970, 1977, and 1990). The CAA establishes the federal air quality standards, the NAAQS, and specifies future dates for achieving compliance (15). The CAA also mandates that states submit and implement SIPs for local areas not meeting these standards. These plans must include pollution control measures that demonstrate how the standards would be met.

The 1990 amendments to the CAA that identify specific emission reduction goals for areas not meeting the NAAQS require a demonstration of reasonable further progress toward attainment and incorporate additional sanctions for failure to attain or to meet interim milestones. The sections of the CAA most directly applicable to the development of the Project site include Title I (Non-Attainment Provisions) and Title II (Mobile Source Provisions) (16) (17). Title I provisions were established with the goal of attaining the NAAQS for the following criteria pollutants O_3, NO_2, SO_2, PM_{10}, CO, $PM_{2.5}$, and Pb. The NAAQS were amended in July 1997 to include an additional standard for O_3 and to adopt a NAAQS for $PM_{2.5}$. Table 2-3 (previously presented) provides the NAAQS within the SCAB.

Mobile source emissions are regulated in accordance with Title II provisions. These provisions require the use of cleaner burning gasoline and other cleaner burning fuels such as methanol and natural gas. Automobile manufacturers are also required to reduce tailpipe emissions of hydrocarbons and NO_X. NO_X is a collective term that includes all forms of NO_X which are emitted as byproducts of the combustion process.

2.8.2 CALIFORNIA REGULATIONS

CARB

CARB, which became part of the CalEPA in 1991, is responsible for ensuring implementation of the California Clean Air Act (AB 2595), responding to the federal CAA, and for regulating emissions from consumer products and motor vehicles. AB 2595 mandates achievement of the maximum degree of emissions reductions possible from vehicular and other mobile sources in order to attain the state ambient air quality standards by the earliest practical date. CARB established the CAAQS for all pollutants for which the federal government has NAAQS and, in addition, establishes standards for SO_4, visibility, hydrogen sulfide (H_2S), and vinyl chloride (C_2H_3Cl). However, at this time, H_2S and C_2H_3Cl are not measured at any monitoring stations in the SCAB

because they are not considered to be a regional air quality problem. Generally, the CAAQS are more stringent than the NAAQS (18) (14).

Local air quality management districts, such as the SCAQMD, regulate air emissions from stationary sources such as commercial and industrial facilities. All air pollution control districts have been formally designated as attainment or non-attainment for each CAAQS.

Serious non-attainment areas are required to prepare Air Quality Management Plans (AQMP) that include specified emission reduction strategies in an effort to meet clean air goals. These plans are required to include:

- Application of Best Available Retrofit Control Technology to existing sources;
- Developing control programs for area sources (e.g., architectural coatings and solvents) and indirect sources (e.g., motor vehicle use generated by residential and commercial development);
- A District permitting system designed to allow no net increase in emissions from any new or modified permitted sources of emissions;
- Implementing reasonably available transportation control measures and assuring a substantial reduction in growth rate of vehicle trips and miles traveled;
- Significant use of low emissions vehicles by fleet operators;
- Sufficient control strategies to achieve a 5% or more annual reduction in emissions or 15% or more in a period of three years for ROGs, NO_X, CO and PM_{10}. However, air basins may use alternative emission reduction strategy that achieves a reduction of less than 5% per year under certain circumstances.

TITLE 24 ENERGY EFFICIENCY STANDARDS AND CALIFORNIA GREEN BUILDING STANDARDS

California Code of Regulations (CCR) Title 24 Part 6: The California Energy Code was first adopted in 1978 in response to a legislative mandate to reduce California's energy consumption.

The standards are updated periodically to allow consideration and possible incorporation of new energy efficient technologies and methods. CCR, Title 24, Part 11: California Green Building Standards Code (CALGreen) is a comprehensive and uniform regulatory code for all residential, commercial, and school buildings that went in effect on August 1, 2009, and is administered by the California Building Standards Commission.

CALGreen is updated on a regular basis, with the most recent approved update consisting of the 2022 California Green Building Code Standards that became effective on January 1, 2023. The CEC anticipates that the 2022 energy code will provide $1.5 billion in consumer benefits and reduce GHG emissions by 10 million metric tons (19). The Project would be required to comply with the applicable standards in place at the time building permit document submittals are made. These require, among other items (20):

NONRESIDENTIAL MANDATORY MEASURES

- Short-term bicycle parking. If the new project or an additional alteration is anticipated to generate visitor traffic, provide permanently anchored bicycle racks within 200 feet of the visitors' entrance, readily visible to passers-by, for 5% of new visitor motorized vehicle parking spaces being added, with a minimum of one two-bike capacity rack (5.106.4.1.1).
- Long-term bicycle parking. For new buildings with tenant spaces that have 10 or more tenant-occupants, provide secure bicycle parking for 5% of the tenant-occupant vehicular parking spaces with a minimum of one bicycle parking facility (5.106.4.1.2).
- EV charging stations. New construction shall facilitate the future installation of EV supply equipment. The compliance requires empty raceways for future conduit and documentation that the electrical system has adequate capacity for the future load. The number of spaces to be provided for is contained in Table 5.106. 5.3.3 (5.106.5.3). Additionally, Table 5.106.5.4.1 specifies requirements for the installation of raceway conduit and panel power requirements for medium- and heavy-duty electric vehicle supply equipment for warehouses, grocery stores, and retail stores.
- Outdoor light pollution reduction. Outdoor lighting systems shall be designed to meet the backlight, uplight and glare ratings per Table 5.106.8 (5.106.8).
- Construction waste management. Recycle and/or salvage for reuse a minimum of 65% of the nonhazardous construction and demolition waste in accordance with Section 5.408.1.1. 5.405.1.2, or 5.408.1.3; or meet a local construction and demolition waste management ordinance, whichever is more stringent (5.408.1).
- Excavated soil and land clearing debris. 100% of trees, stumps, rocks and associated vegetation and soils resulting primarily from land clearing shall be reuse or recycled. For a phased project, such material may be stockpiled on site until the storage site is developed (5.408.3).
- Recycling by Occupants. Provide readily accessible areas that serve the entire building and are identified for the depositing, storage, and collection of non-hazardous materials for recycling, including (at a minimum) paper, corrugated cardboard, glass, plastics, organic waste, and metals or meet a lawfully enacted local recycling ordinance, if more restrictive (5.410.1).
- Water conserving plumbing fixtures and fittings. Plumbing fixtures (water closets and urinals) and fittings (faucets and showerheads) shall comply with the following:
    - Water Closets. The effective flush volume of all water closets shall not exceed 1.28 gallons per flush (5.303.3.1)
    - Urinals. The effective flush volume of wall-mounted urinals shall not exceed 0.125 gallons per flush (5.303.3.2.1). The effective flush volume of floor- mounted or other urinals shall not exceed 0.5 gallons per flush (5.303.3.2.2).
    - Showerheads. Single showerheads shall have a minimum flow rate of not more than 1.8 gallons per minute and 80 psi (5.303.3.3.1). When a shower is served by more than one showerhead, the combine flow rate of all showerheads and/or other shower outlets controlled by a single valve shall not exceed 1.8 gallons per minute at 80 psi (5.303.3.3.2).

- Faucets and fountains. Nonresidential lavatory faucets shall have a maximum flow rate of not more than 0.5 gallons per minute at 60 psi (5.303.3.4.1). Kitchen faucets shall have a maximum flow rate of not more than 1.8 gallons per minute of 60 psi (5.303.3.4.2). Wash fountains shall have a maximum flow rate of not more than 1.8 gallons per minute (5.303.3.4.3). Metering faucets shall not deliver more than 0.20 gallons per cycle (5.303.3.4.4). Metering faucets for wash fountains shall have a maximum flow rate not more than 0.20 gallons per cycle (5.303.3.4.5).

- Outdoor potable water uses in landscaped areas. Nonresidential developments shall comply with a local water efficient landscape ordinance or the current California Department of Water Resources' Model Water Efficient Landscape Ordinance (MWELO), whichever is more stringent (5.304.1).
- Water meters. Separate submeters or metering devices shall be installed for new buildings or additions in excess of 50,000 sf or for excess consumption where any tenant within a new building or within an addition that is project to consume more than 1,000 gallons per day (GPD) (5.303.1.1 and 5.303.1.2).
- Outdoor water uses in rehabilitated landscape projects equal or greater than 2,500 sf. Rehabilitated landscape projects with an aggregate landscape area equal to or greater than 2,500 sf requiring a building or landscape permit (5.304.3).
- Commissioning. For new buildings 10,000 sf and over, building commissioning shall be included in the design and construction processes of the building project to verify that the building systems and components meet the owner's or owner representative's project requirements (5.410.2).

2.8.3 AQMP

Currently, the NAAQS and CAAQS are exceeded in most parts of the SCAB. In response, the SCAQMD has adopted a series of AQMP to meet the state and federal ambient air quality standards (21). AQMPs are updated regularly to ensure an effective reduction in emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy. A detailed discussion on the AQMP and Project consistency with the AQMP is provided in Section 3.10.

2.9 REGIONAL AIR QUALITY IMPROVEMENT

The Project is within the jurisdiction of the SCAQMD. In 1976, California adopted the Lewis Air Quality Management Act which created SCAQMD from a voluntary association of air pollution control districts in Los Angeles, Orange, Riverside, and San Bernardino counties. The geographic area of which SCAQMD consists of is known as the SCAB. SCAQMD develops comprehensive plans and regulatory programs for the region to attain federal standards by dates specified in federal law. The agency is also responsible for meeting state standards by the earliest date achievable, using reasonably available control measures.

SCAQMD rule development through the 1970s and 1980s resulted in dramatic improvement in SCAB air quality. Nearly all control programs developed through the early 1990s relied on (i) the development and application of cleaner technology; (ii) add-on emission controls, and (iii) uniform CEQA review throughout the SCAB, such as is occurring here. Industrial emission sources

have been significantly reduced by this approach and vehicular emissions have been reduced by technologies implemented at the state level by CARB.

As discussed above, the SCAQMD is the lead agency charged with regulating air quality emission reductions for the entire SCAB. SCAQMD created AQMPs which represent a regional blueprint for achieving healthful air on behalf of the 16 million residents of the SCAB. The 2012 AQMP states, "the remarkable historical improvement in air quality since the 1970s is the direct result of Southern California's comprehensive, multiyear strategy of reducing air pollution from all sources as outlined in its AQMPs" (22).

Emissions of O_3, NO_X, VOC, and CO have been decreasing in the SCAB since 1975 and are projected to continue to decrease through 2020 (23). These decreases result primarily from motor vehicle controls and reductions in evaporative emissions. Although vehicle miles traveled (VMT) in the SCAB continue to increase, NO_X and VOC levels are decreasing because of the mandated controls on motor vehicles and the replacement of older polluting vehicles with lower-emitting vehicles. NO_X emissions from electric utilities have also decreased due to use of cleaner fuels and renewable energy. O_3 contour maps show that the number of days exceeding the 8-hour NAAQS has generally decreased between 1980 and 2020. For 2020, there was an overall decrease in exceedance days compared with the 1980 period. However, as shown in Table 2-5, O_3 levels have increased in the past three years due to higher temperatures and stagnant weather conditions. Notwithstanding, O_3 levels in the SCAB have decreased substantially over the last 30 years with the current maximum measured concentrations being approximately one-third of concentrations within the late 70s (24).

TABLE 2-5: SCAB O_3 TREND



Source: 2020 SCAQMD, Historical O_3 Air Quality Trends (1976-2020)

The overall trends of PM_{10} and $PM_{2.5}$ levels in the air (not emissions) show an overall improvement since 1975. Direct emissions of PM_{10} have remained somewhat constant in the SCAB and direct emissions of $PM_{2.5}$ have decreased slightly since 1975. Area wide sources (fugitive dust from roads, dust from construction, and other sources) contribute the greatest amount of direct particulate matter emissions.

As with other pollutants, the most recent PM_{10} statistics show an overall improvement as illustrated in Tables 2-6 and 2-7. During the period for which data are available (1988-2022), the 24-hour national annual average concentration for PM_{10} decreased by approximately 56%, from 103.7 microgram per cubic meter (µg/m³) in 1988 to 45.5 µg/m³ in 2022 (25). Although the values are below the federal standard, it should be noted that there are days within the year where the concentrations would exceed the threshold. The 24-hour state annual average for emissions for PM_{10}, have decreased by approximately 64%, from 93.9 µg/m³ in 1989 to 37.3 µg/m³ in 2022 (25). Although data in the late 1990s show some variability, this is probably due to the advances in meteorological science rather than a change in emissions. Similar to the ambient concentrations, the calculated number of days above the 24-hour PM_{10} standards has also shown an overall drop.

TABLE 2-6: SCAB AVERAGE 24-HOUR CONCENTRATION PM_{10} TREND (BASED ON FEDERAL STANDARD)[1]



Source: 2023 CARB, iADAM: Top Four Summary: PM_{10} 24-Hour Averages (1988-2022)

[1] Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.

TABLE 2-7: SCAB ANNUAL AVERAGE CONCENTRATION PM_{10} TREND (BASED ON STATE STANDARD)[1]



Source: 2023 CARB, iADAM: Top Four Summary: PM_{10} 24-Hour Averages (1989-2022)
[1] Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.

Tables 2-8 and 2-9 show the most recent 24-hour average and annual $PM_{2.5}$ concentrations in the SCAB. Overall, the national and state annual average concentrations have decreased by almost 60% and 42% respectively (25). It should be noted that the SCAB is currently designated as nonattainment for the state and federal $PM_{2.5}$ standards.

TABLE 2-8: SCAB 24-HOUR AVERAGE CONCENTRATION $PM_{2.5}$ TREND (BASED ON FEDERAL STANDARD)[1]



Source: 2023 CARB, iADAM: Top Four Summary: $PM_{2.5}$ 24-Hour Averages (1999-2022)
[1] Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.

TABLE 2-9: SCAB ANNUAL AVERAGE CONCENTRATION $PM_{2.5}$ TREND (BASED ON STATE STANDARD)[1]



Source: 2023 CARB, iADAM: Top Four Summary: $PM_{2.5}$ 24-Hour Averages (1999-2022)

[1] Some years have been omitted from the table as insufficient data (or no) data has been reported. Years with reported value of "0" have also been omitted.

While the 2012 AQMP PM_{10} attainment demonstration and the 2015 associated supplemental SIP submission indicated that attainment of the 24-hour standard was predicted to occur by the end of 2015, it could not anticipate the effect of the ongoing drought on the measured $PM_{2.5}$.

The 2006 to 2010 base period used for the 2012 attainment demonstration had near-normal rainfall. While the trend of $PM_{2.5}$-equivalent emission reductions continued through 2015, the severe drought conditions contributed to the $PM_{2.5}$ increases observed after 2012. As a result of the disrupted progress toward attainment of the federal 24-hour $PM_{2.5}$ standard, SCAQMD submitted a request and the EPA approved, in January 2016, a "bump up" to the nonattainment classification from "moderate" to "serious," with a new attainment deadline as soon as practicable, but not beyond December 31, 2019. As of March 14, 2019, the EPA approved portions of a SIP revision submitted by California to address CAA requirements for the 2006 24-hour $PM_{2.5}$ NAAQS in the Los Angeles-SCAB Serious $PM_{2.5}$ nonattainment area. The EPA also approved 2017 and 2019 motor vehicle emissions budgets for transportation conformity purposes and inter-pollutant trading ratios for use in transportation conformity analyses (26).

In December 2022, the SCAQMD released the Final 2022 AQMP. The 2022 AQMP continues to evaluate current integrated strategies and control measures to meet the NAAQS, as well as explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (27). Similar to the 2016 AQMP, the 2022 AQMP incorporates scientific and technological information and planning assumptions, including the 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy (2020-2045 RTP/SCS) and updated emission inventory methodologies for various source categories (28).

The most recent CO concentrations in the SCAB are shown in Table 2-10 (25). CO concentrations in the SCAB have decreased markedly — a total decrease of more about 80% in the peak 8-hour concentration from 1986 to 2012. It should be noted 2012 is the most recent year where 8-hour CO averages and related statistics are available in the SCAB. The number of exceedance days has also declined. The entire SCAB is now designated as attainment for both the state and national CO standards. Ongoing reductions from motor vehicle control programs should continue the downward trend in ambient CO concentrations.

TABLE 2-10: SCAB 8-HOUR AVERAGE CONCENTRATION CO TREND[1]



Source: 2020 CARB, iADAM: Top Four Summary: CO 8-Hour Averages (1986-2012)
[1] The most recent year where 8-hour concentration data is available is 2012.

Part of the control process of the SCAQMD's duty to greatly improve the air quality in the SCAB is the uniform CEQA review procedures recommended in the SCAQMD's *CEQA Air Quality Handbook (1993)* (*1993 CEQA Handbook*) (29). The single threshold of significance used to assess Project direct and cumulative impacts has in fact "worked" as evidenced by the track record of the air quality in the SCAB dramatically improving over the course of the past decades. As stated by the SCAQMD, the SCAQMD's thresholds of significance are based on factual and scientific data and are therefore appropriate thresholds of significance to use for this Project.

The most recent NO_2 data for the SCAB is shown in Tables 2-11 and 2-12 (25). Over the last 50 years, NO_2 values have decreased significantly; the peak 1-hour national and state averages for 2022 is approximately 81% lower than what it was during 1963. The SCAB attained the State 1-hour NO_2 standard in 1994, bringing the entire state into attainment. A new state annual average standard of 0.030 ppm was adopted by CARB in February 2007 (30). The new standard is just barely exceeded in the SCAB. NO_2 is formed from NO_X emissions, which also contribute to O_3. As a result, the majority of the future emission control measures would be implemented as part of

the overall O_3 control strategy. Many of these control measures would target mobile sources, which account for more than three-quarters of California's NO_X emissions. These measures are expected to bring the SCAB into attainment of the state annual average standard.

TABLE 2-11: SCAB 1-HOUR AVERAGE CONCENTRATION NO_2 TREND (BASED ON FEDERAL STANDARD)



Source: 2023 CARB, iADAM: Top Four Summary: CO 1-Hour Averages (1963-2022)

TABLE 2-12: SCAB 1-HOUR AVERAGE CONCENTRATION NO_2 TREND (BASED ON STATE STANDARD)



Source: 2023 CARB, iADAM: Top Four Summary: CO 1-Hour Averages (1963-2022)

2.9.1 TOXIC AIR CONTAMINANTS (TAC) TRENDS

In 1984, as a result of public concern for exposure to airborne carcinogens, CARB adopted regulations to reduce the amount of TAC emissions resulting from mobile and area sources, such as cars, trucks, stationary sources, and consumer products. According to the *Ambient and Emission Trends of Toxic Air Contaminants in California* journal article (31) which was prepared for CARB, results show that between 1990-2012, ambient concentration and emission trends for the seven TACs responsible for most of the known cancer risk associated with airborne exposure in California have declined significantly (between 1990 and 2012). The seven TACs studied include those that are derived from mobile sources: diesel particulate matter (DPM), benzene (C_6H_6), and 1,3-butadiene (C_4H_6); those that are derived from stationary sources: perchloroethylene (C_2Cl_4) and hexavalent chromium (Cr(VI)); and those derived from photochemical reactions of emitted VOCs: formaldehyde (CH_2O) and acetaldehyde (C_2H_4O)[2]. The decline in ambient concentration and emission trends of these TACs are a result of various regulations CARB has implemented to address cancer risk.

MOBILE SOURCE TACS

CARB introduced two programs that aimed at reducing mobile emissions for light and medium duty vehicles through vehicle emissions controls and cleaner fuel. In California, light-duty vehicles sold after 1996 are equipped with California's second-generation On-Board Diagnostic (OBD-II) system. The OBD-II system monitors virtually every component that can affect the emission performance of the vehicle to ensure that the vehicle remains as clean as possible over its entire life and assists repair technicians in diagnosing and fixing problems with the computerized engine controls. If a problem is detected, the OBD-II system illuminates a warning lamp on the vehicle instrument panel to alert the driver. This warning lamp typically contains the phrase "Check Engine" or "Service Engine Soon." The system would also store important information about the detected malfunction so that a repair technician can accurately find and fix the problem. CARB has recently developed similar OBD requirements for heavy-duty vehicles over 14,000 pounds (lbs). CARB's phase II Reformulated Gasoline Regulation (RFG-2), adopted in 1996, also led to a reduction of mobile source emissions. Through such regulations, benzene levels declined 88% from 1990-2012. 1,3-Butadiene concentrations also declined 85% from 1990-2012 as a result of the use of reformulated gasoline and motor vehicle regulations (31).

In 2000, CARB's Diesel Risk Reduction Plan (DRRP) recommended the replacement and retrofit of diesel-fueled engines and the use of ultra-low-sulfur (<15 ppm) diesel fuel. As a result of these measures, DPM concentrations have declined 68% since 2000, even though the state's population increased 31% and the amount of diesel vehicles miles traveled increased 81%, as shown on Exhibit 2-B. With the implementation of these diesel-related control regulations, CARB expects a DPM decline of 71% for 2000-2020.

[2] It should be noted that ambient DPM concentrations are not measured directly. Rather, a surrogate method using the coefficient of haze (COH) and elemental carbon (EC) is used to estimate DPM concentrations.

EXHIBIT 2-A: DPM AND DIESEL VEHICLE MILES TREND



Source: 2020 CARB

DIESEL REGULATIONS

CARB and the Ports of Los Angeles and Long Beach (POLA and POLB) have adopted several iterations of regulations for diesel trucks that are aimed at reducing DPM. More specifically, CARB Drayage Truck Regulation (32), CARB statewide On-road Truck and Bus Regulation (33), and the Ports of Los Angeles and Long Beach Clean Truck Program (CTP) require accelerated implementation of "clean trucks" into the statewide truck fleet (34). In other words, older more polluting trucks would be replaced with newer, cleaner trucks as a function of these regulatory requirements.

Moreover, the average statewide DPM emissions for Heavy Duty Trucks (HDT), in terms of grams of DPM generated per mile traveled, would dramatically be reduced due to the aforementioned regulatory requirements.

Diesel emissions identified in this analysis would therefore overstate future DPM emissions since not all the regulatory requirements are reflected in the modeling.

CANCER RISK TRENDS

Based on information available from CARB, overall cancer risk throughout the SCAB has had a declining trend since 1990. In 1998, following an exhaustive 10-year scientific assessment process, CARB identified particulate matter from diesel-fueled engines as a toxic air contaminant. The SCAQMD initiated a comprehensive urban toxic air pollution study called the Multiple Air Toxics Exposure Study (MATES). DPM accounts for more than 70% of the cancer risk.

In January 2018, as part of the overall effort to reduce air toxics exposure in the SCAB, SCAQMD began conducting the MATES V Program. MATES V field measurements were conducted at ten fixed sites (the same sites selected for MATES III and IV) to assess trends in air toxics levels. MATES V also included measurements of ultrafine particles (UFP) and black carbon (BC) concentrations, which can be compared to the UFP levels measured in MATES IV (35). The draft report for the MATES V study was published in late May and the comment submission deadline on June 7, 2021. In addition to new measurements and updated modeling results, several key updates were implemented in MATES V. First, MATES V estimates cancer risks by taking into account multiple exposure pathways, which includes inhalation and non-inhalation pathways. This approach is consistent with how cancer risks are estimated in South Coast AQMD's programs such as permitting, Air Toxics Hot Spots (AB2588), and CEQA. Previous MATES studies quantified the cancer risks based on the inhalation pathway only. Second, along with cancer risk estimates, MATES V includes information on the chronic non-cancer risks from inhalation and non-inhalation pathways for the first time. Cancer risks and chronic non-cancer risks from MATES II through IV measurements have been re-examined using current Office of Environmental Health Hazard Assessment (OEHHA) and CalEPA risk assessment methodologies and modern statistical methods to examine the trends over time (36).

MATES-V calculated cancer risks based on monitoring data collected at ten fixed sites within the SCAB. None of the fixed monitoring sites are within the local area of the Project site. However, MATES-V has extrapolated the excess cancer risk levels throughout the SCAB by modeling the specific grids. The Project is located within a quadrant of the geographic grid of the MATES-V model which predicted a cancer risk of 401 in one million for the area containing the Project site. DPM is included in this cancer risk along with all other TAC sources. As in previous MATES iterations, diesel PM is the largest contributor to overall air toxics cancer risk. However, the average levels of diesel PM in MATES V are 53% lower at the 10 monitoring sites compared to MATES IV. Cumulative Project generated TACs are limited to DPM.

This page intentionally left blank

3 PROJECT AIR QUALITY IMPACT

3.1 INTRODUCTION

This study quantifies air quality emissions generated by construction and operation of the Project and addresses whether the Project conflicts with implementation of the SCAQMD's AQMP and Lead Agency planning regulations. The analysis of Project-generated air emissions determines whether the Project would result in a cumulatively considerable net increase of any criteria pollutant for which the SCAB is in non-attainment under an applicable NAAQS and CAAQS. Additionally, the Project has been evaluated to determine whether the Project would expose sensitive receptors to substantial pollutant concentrations and the impacts of odors. The significance of these potential impacts is described in the following sections.

3.2 STANDARDS OF SIGNIFICANCE

The criteria used to determine the significance of potential Project-related air quality impacts are taken from the *State CEQA Guidelines* (14 CCR §§15000, et seq.). Based on these thresholds, a project would result in a significant impact related to air quality if it would (37):

- Conflict with or obstruct implementation of the applicable air quality plan.
- Result in a cumulatively considerable net increase of any criteria pollutant for which the project region is in non-attainment under an applicable federal or state ambient air quality standard.
- Expose sensitive receptors to substantial pollutant concentrations.
- Result in other emissions (such as those leading to odors) adversely affecting a substantial number of people.

The SCAQMD has developed regional and localized significance thresholds for criteria pollutants, as summarized at Table 3-1 (38). The SCAQMD's *CEQA Air Quality Significance Thresholds* (March 2023) indicate that any projects in the SCAB with daily emissions that exceed any of the indicated thresholds should be considered as having an individually and cumulatively significant air quality impact.

TABLE 3-1: REGIONAL AND LOCALIZED EMISSIONS SIGNIFICANCE THRESHOLDS

Pollutant	Construction	Operations
Regional Significance Thresholds		
NO_X	100 lbs/day	55 lbs/day
VOC	75 lbs/day	55 lbs/day
PM_{10}	150 lbs/day	150 lbs/day
$PM_{2.5}$	55 lbs/day	55 lbs/day
SO_X	150 lbs/day	150 lbs/day
CO	550 lbs/day	550 lbs/day

Pollutant	Construction	Operations
Pb	3 lbs/day	3 lbs/day
Localized Significance Thresholds		
NO_X	0.18 ppm	0.18 ppm
CO (1-hour average)	20 ppm	20 ppm
CO (8-hour average)	9 ppm	9 ppm
PM_{10}	10.4 µg/m^3	2.5 µg/m^3
$PM_{2.5}$	10.4 µg/m^3	2.5 µg/m^3

lbs/day = Pounds Per Day
ppm = Parts Per Million
µg/m3 = Micrograms Per Cubic Meter

3.3 MODELS EMPLOYED TO ANALYZE AIR QUALITY

3.3.1 CALIFORNIA EMISSIONS ESTIMATOR MODEL (CALEEMOD)

Land uses such as the Project affect air quality through construction-source and operational-source emissions. The California Air Pollution Control Officers Association (CAPCOA) in conjunction with other California air districts, including SCAQMD, released CalEEMod 2022 in May 2022. CalEEMod periodically releases updates, as such the latest version available at the time of this report has been utilized in this analysis. The purpose of this model is to calculate construction-source and operational-source criteria pollutant (VOCs, NO_X, SO_X, CO, PM_{10}, and $PM_{2.5}$) and GHG emissions from direct and indirect sources; and quantify applicable air quality and GHG reductions achieved from MMs (39). Accordingly, the latest version of CalEEMod has been used for this Project to determine construction and operational air quality emissions. Output from the model run for both construction and operational activity for the proposed Project is provided in Appendix 3.1.

3.4 PROJECT CONSTRUCTION EMISSIONS

3.4.1 CONSTRUCTION ACTIVITIES

Construction activities associated with the Project will result in emissions of VOCs, NO_X, SO_X, CO, PM_{10}, and $PM_{2.5}$. Construction related emissions are expected from the following construction activities:

- Clearing
- Earthwork
- Export/Remediation
- Import
- Rough Grading
- Vertical Construction
- Site Work Fine Grading

- Building Construction
- Paving
- Architectural Coating

GRADING ACTIVITIES

Dust is typically a major concern during grading activities. Because such emissions are not amenable to collection and discharge through a controlled source, they are called "fugitive emissions." Fugitive dust emissions rates vary as a function of many parameters (soil silt, soil moisture, wind speed, area disturbed, number of vehicles, depth of disturbance or excavation, etc.). CalEEMod was utilized to calculate fugitive dust emissions resulting from this phase of activity. Based on information provided by the project team, the Project would require 5,000 cubic yards of export during the Export/Remediation phase and 300,000 cubic yards of import during the Import Phase.

ON-ROAD TRIPS

Construction generates on-road vehicle emissions from vehicle usage for workers, hauling, and vendors commuting to and from the site. The number of workers, hauling, and vendor trips are presented below in Table 3-2. It should be noted that for Vendor Trips specifically, CalEEMod only assigns Vendor Trips to the Building Construction phase. Vendor trips would likely occur during all phases of construction. As such, the CalEEMod defaults for Vendor Trips have been adjusted based on a ratio of the total vendor trips to the number of days of each subphase of activity.

TABLE 3-2: CONSTRUCTION TRIP ASSUMPTIONS

Phase Name	Worker Trips Per Day	Vendor Trips Per Day	Total Hauling Trips
Clearing	15	1	0
Earthwork	15	4	0
Export/Remediation	8	30	5
Import	158	26	368
Rough Grading	23	7	0
Vertical Construction	169	26	0
Site Work Fine Grading	15	3	0
Building Construction	169	24	0
Paving	15	3	0
Architectural Coating	68	9	0

3.4.2 CONSTRUCTION DURATION

Construction is anticipated to begin in October 2025 and will last through October 2027. The construction schedule utilized in the analysis, shown in Table 3-3, represents a "conservative" analysis scenario should construction occur any time after the respective dates since emission factors for construction decrease as time passes and the analysis year increases due to emission

regulations becoming more stringent[3]. The duration of construction activity and associated equipment represents a reasonable approximation of the expected construction fleet as required per *CEQA Guidelines* (1).

TABLE 3-3: CONSTRUCTION DURATION

Construction Activity	Start Date	End Date	Days
Clearing	10/22/2025	10/28/2025	5
Earthwork	10/29/2025	11/20/2025	17
Export/Remediation	11/21/2025	5/5/2026	118
Import	5/6/2026	9/24/2026	102
Rough Grading	9/25/2026	11/2/2026	27
Vertical Construction	11/3/2026	3/24/2027	102
Site Work Fine Grading	3/25/2027	4/9/2027	12
Building Construction	4/10/2027	8/18/2027	93
Paving	8/19/2027	9/2/2027	11
Architectural Coating	8/19/2027	10/6/2027	35

3.4.3 CONSTRUCTION EQUIPMENT

Consistent with industry standards and typical construction practices, each piece of equipment listed in Table 3-4 will operate up to a total of eight (8) hours per day, or more than two-thirds of the period during which construction activities are allowed pursuant to the code.

TABLE 3-4: CONSTRUCTION EQUIPMENT ASSUMPTIONS

Construction Activity	Equipment	Amount	Hours Per Day	Tier
Clearing	Dumpers/Tenders	4	8	Tier 4
	Crawler Tractors	2	8	Tier 4
Earthwork	Rubber Tired Dozers	1	8	Tier 4
	Rubber Tired Dozers	1	8	Tier 4
	Scrapers	4	8	Tier 3
Export/Remediation	Excavators	1	8	Tier 3
	Other Construction	1	8	Tier 3
	Crawler Tractors	1	8	Tier 3

[3] As shown in the CalEEMod User's Guide Version 2022, Appendix G "Table G-11. Statewide Average Annual Offoad Equipment Emission Factors" as the analysis year increases, emission factors for the same equipment pieces decrease due to the natural turnover of older equipment being replaced by newer less polluting equipment and new regulatory requirements.

Construction Activity	Equipment	Amount	Hours Per Day	Tier
Import	Dumpers/Tenders	61	8	Tier 4
	Rubber Tired Dozers	1	8	Tier 4
	Sweepers/Scrubbers	1	8	Tier 4
Rough Grading	Graders	1	8	Tier 4
	Rubber Tired Dozers	1	8	Tier 4
	Scrapers	1	8	Tier 3
	Scrapers	6	8	Tier 3
Vertical Construction	Graders	1	8	Tier 4
	Rollers	1	8	Tier 4
	Scrapers	2	8	Tier 3
	Tractors/Loaders/Backhoes	1	8	Tier 4
Site Work Fine Grading	Graders	1	8	Tier 4
	Rollers	1	8	Tier 4
	Scrapers	1	8	Tier 3
	Skid Steer Loaders	2	8	Tier 4
	Crawler Tractors	1	8	Tier 4
Building Construction	Cranes	2	8	Tier 3
	Forklifts	5	8	Tier 3
	Generator Sets	2	8	Tier 3
	Tractors/Loaders/Backhoes	5	8	Tier 3
	Welders	2	8	Tier 3
Paving	Pavers	2	8	Tier 3
	Paving Equipment	2	8	Tier 3
	Rollers	2	8	Tier 3
Architectural Coating	Air Compressors	1	8	Tier 3

[1] In order to account for fugitive dust emissions, Crawler Tractors were used in lieu of Tractors/Loaders/Backhoes.
[2] Tier 4 will be used unless unavailable within a specified distance (typ. 30-50 miles).

3.4.4 CONSTRUCTION EMISSIONS SUMMARY

IMPACTS WITHOUT MITIGATION

CalEEMod calculates maximum daily emissions for summer and winter periods. The estimated maximum daily construction emissions without mitigation are summarized on Table 3-5. Detailed construction model outputs are presented in Appendix 3.1. Under the assumed scenarios, emissions resulting from the Project construction will not exceed criteria pollutant thresholds established by the SCAQMD for emissions of any criteria pollutant.

TABLE 3-5: OVERALL CONSTRUCTION EMISSIONS SUMMARY – WITHOUT MITIGATION

Year	Emissions (lbs/day)					
	VOC	**NO_X**	**CO**	**SO_X**	**PM_{10}**	**$PM_{2.5}$**
Summer						
2026	3.31	78.71	99.98	0.24	11.23	3.89
2027	67.07	29.22	45.31	0.05	3.60	1.65
Winter						
2025	2.11	48.50	65.15	0.12	6.61	3.60
2026	3.31	78.73	99.77	0.19	7.17	3.89
2027	61.33	15.64	34.68	0.05	2.98	1.07
Maximum Daily Emissions	**67.07**	**78.73**	**99.98**	**0.24**	**11.23**	**3.89**
SCAQMD Regional Threshold	75	100	550	150	150	55
Threshold Exceeded?	**NO**	**NO**	**NO**	**NO**	**NO**	**NO**

Source: CalEEMod construction-source (unmitigated) emissions are presented in Appendix 3.1.

3.5 PROJECT OPERATIONAL EMISSIONS

Operational activities associated with the Project will result in emissions of VOCs, NO_X, SO_X, CO, PM_{10}, and $PM_{2.5}$. Operational emissions are expected from the following primary sources:

- Area Source Emissions
- Energy Source Emissions
- Mobile Source Emissions
- Stationary Source Emissions
- Transportation Refrigeration Units (TRUs)
- On-site Cargo Equipment Emissions

3.5.1 AREA SOURCE EMISSIONS

ARCHITECTURAL COATINGS

Over a period of time, the buildings that are part of this Project will require maintenance and will therefore produce emissions resulting from the evaporation of solvents contained in paints, varnishes, primers, and other surface coatings. The emissions associated with architectural coatings were calculated using CalEEMod.

CONSUMER PRODUCTS

Consumer products include, but are not limited to detergents, cleaning compounds, polishes, personal care products, and lawn and garden products. Many of these products contain organic compounds which when released in the atmosphere can react to form ozone and other

photochemically reactive pollutants. The emissions associated with use of consumer products were calculated based on defaults provided within CalEEMod.

LANDSCAPE MAINTENANCE EQUIPMENT

Landscape maintenance equipment would generate emissions from fuel combustion and evaporation of unburned fuel. Equipment in this category would include lawnmowers, shedders/grinders, blowers, trimmers, chain saws, and hedge trimmers used to maintain the landscaping of the Project. It should be noted that on October 9, 2021, Governor Gavin Newsom signed AB 1346. The bill aims to ban the sale of new gasoline-powered equipment under 25 gross horsepower (known as small off-road engines [SOREs]) by January 1, 2024, which is now effective. For purposes of analysis, the emissions associated with landscape maintenance equipment were calculated based on assumptions provided in CalEEMod.

3.5.2 ENERGY SOURCE EMISSIONS

Electricity and natural gas are used by almost every project. Criteria pollutant emissions are emitted through the generation of electricity and consumption of natural gas. However, because electrical generating facilities for the Project area are located either outside the region (state) or offset through the use of pollution credits (RECLAIM) for generation within the SCAB, criteria pollutant emissions from offsite generation of electricity are generally excluded from the evaluation of significance. Electricity usage associated with the Project was calculated by CalEEMod using default parameters. The Project will also include a 37-kw solar system on the building, consistent with Title 24 requirements, which is anticipated to generate up to 65,792 kWh/annually[4]. Based on information provided by the Project Applicant, the Project would not use natural gas for the building envelope. As such, natural gas consumption has not been analyzed in this study.

3.5.3 MOBILE SOURCE EMISSIONS

The Project related operational air quality emissions derive primarily from vehicle trips generated by the Project, including employee trips to and from the site and truck trips associated with the proposed uses. Trip characteristics available from the *Del Amo Technology Center Traffic Analysis* were utilized in this analysis (4). Per the *Del Amo Technology Center Traffic Analysis* the proposed Project expected to generate approximately 2,424 total trips per day which include 2,324 passenger car trips per day and 100 truck trips per day.

APPROACH FOR ANALYSIS OF THE PROJECT

To determine emissions from passenger car vehicles, the CalEEMod defaults were utilized for trip length and trip purpose for the proposed industrial land uses.

[4] It should be noted that the kWh generation associated with the solar was modeled as mitigation in CalEEMod, as such the operational emissions reflect this reduction.

This analysis assumes that passenger cars include Light-Duty-Auto vehicles (LDA), Light-Duty-Trucks (LDT1[5] & LDT2[6]), Medium-Duty-Vehicles (MDV), and Motorcycles (MCY) vehicle types. To account for emissions generated by passenger cars, the following fleet mix was utilized in this analysis:

TABLE 3-6: PASSENGER CAR FLEET MIX

Land Use	% Vehicle Type				
	LDA	LDT1	LDT2	MDV	MCY
High-Cube Fulfillment Center Warehouse	52.41%	4.50%	25.52%	15.24%	2.34%
High-Cube Cold Storage Warehouse					

Note: The Project-specific passenger car fleet mix used in this analysis is based on a proportional split utilizing the default CalEEMod percentages assigned to LDA, LDT1, LDT2, and MDV vehicle types.

To determine emissions from trucks for the proposed industrial uses, the analysis incorporated the SCAQMD recommended truck trip length of 15.3 miles for 2-axle (LHDT1, LHDT2) trucks, 14.2 miles 3-axle (MHDT) trucks and 40 miles for 4+-axle (HHDT) trucks and weighting the average trip lengths using traffic trip percentages taken from the *Del Amo Technology Center Trip Generation Assessment*. The trip length function for the proposed industrial building uses has been calculated to 30.54 miles for the High-Cube Fulfillment Center Warehouse use and 28.27 for the High-Cube Cold Storage Warehouse use, with an assumption of 100% primary trips. This trip length assumption is higher than the CalEEMod defaults for trucks.

In order to be consistent with the *Del Amo Technology Center Traffic Analysis*, trucks are broken down by truck type. The truck fleet mix is estimated by apportioning the trip rates for each truck type based on information provided in the *Del Amo Technology Center Traffic Analysis*. Heavy trucks are broken down by truck type (or axle type) and are categorized as either Light-Heavy-Duty Trucks (LHDT1[7] & LHDT2 [8])/2-axle, Medium-Heavy-Duty Trucks (MHD)/3-axle, and Heavy-Heavy-Duty Trucks (HHD)/4+-axle. To account for emissions generated by trucks, the following fleet mix was utilized in this analysis:

[5] Vehicles under the LDT1 category have a gross vehicle weight rating (GVWR) of less than 6,000 lbs. and equivalent test weight (ETW) of less than or equal to 3,750 lbs.

[6] Vehicles under the LDT2 category have a GVWR of less than 6,000 lbs. and ETW between 3,751 lbs. and 5,750 lbs.

[7] Vehicles under the LHDT1 category have a GVWR of 8,501 to 10,000 lbs.

[8] Vehicles under the LHDT2 category have a GVWR of 10,001 to 14,000 lbs.

TABLE 3-7: TRUCK FLEET MIX

Land Use	% Vehicle Type			
	LHDT1	LHDT2	MHDT	HHDT
High-Cube Fulfillment Center Warehouse	13.64%	3.50%	20.00%	62.86%
High-Cube Cold Storage Warehouse	26.52%	6.81%	13.33%	53.33%

Note: Project-specific truck fleet mix is based on the number of trips generated by each truck type (LHDT1, LHDT2, MHDT, and HHDT) relative to the total number of truck trips.

FUGITIVE DUST RELATED TO VEHICULAR TRAVEL

Vehicles traveling on paved roads would be a source of fugitive emissions due to the generation of road dust inclusive of break and tire wear particulates. The emissions estimate for travel on paved roads were calculated using CalEEMod.

3.5.4 STATIONARY SOURCE EMISSIONS

The proposed Project was conservatively assumed to include installation of one 300-horsepower diesel-powered fire pump and one 700-horsepower diesel-powered emergency generator at the industrial building. The fire pump and emergency generator were estimated to operate for up to 1 hour per day, 1 day per week for up to 50 hours per year for maintenance and testing purposes. Emissions associated with the stationary diesel-powered emergency fire pump and emergency generator were calculated using CalEEMod.

3.5.5 ON-SITE CARGO HANDLING EQUIPMENT EMISSIONS

It is common for industrial buildings to require the operation of exterior cargo handling equipment in the building's truck court areas. For this Project, on-site modeled operational equipment includes up to two (2) 175 horsepower (hp), natural gas-powered cargo handling equipment – port tractors operating at 4 hours a day[9] for 365 days of the year.

3.5.6 TRU EMISSIONS

In order to account for the possibility of refrigerated uses, trucks associated with the cold-storage land use are assumed to also have TRUs. For modeling purposes, 30 truck trips during have been estimated to include TRUs (e.g., all truck trips that would be associated with up to 40,303-sf of high-cube cold storage use, as summarized in the *Del Amo Technology Center Traffic Analysis* (4). TRUs are accounted for during on-site and off-site travel. The TRU calculations are based on EMissions FACtor Model version 2021 (EMFAC2021), developed by the CARB. EMFAC2021 does not provide emission rates per hour or mile as with the on-road emission model and only provides emission inventories. Emission results are produced in tons per day while all activity, fuel consumption and horsepower hours were reported at annual levels. The emission inventory is based on specific assumptions including the average horsepower rating of specific types of

[9] Based on Table II-3, Port and Rail Cargo Handling Equipment Demographics by Type, from CARB's Technology Assessment: Mobile Cargo Handling Equipment document, a single piece of equipment could operate up to 2 hours per day (Total Average Annual Activity divided by Total Number Pieces of Equipment). As such, the analysis conservatively assumes that the tractor/loader/backhoe would operate up to 4 hours per day.

equipment and the hours of operation annually. These assumptions are not always consistent with assumptions used in the modeling of project level emissions. Therefore, the emissions inventory was converted into emission rates to accurately calculate emissions from TRU operation associated with project level details. This was accomplished by converting the annual horsepower hours to daily operational characteristics and converting the daily emission levels into hourly emission rates based on the total emission of each criteria pollutant by equipment type and the average daily hours of operations.

3.5.7 OPERATIONAL EMISSIONS SUMMARY

CalEEMod utilizes summer and winter EMFAC2021 emission factors in order to derive vehicle emissions associated with Project operational activities, which vary by season. As such, operational activities for summer and winter scenarios are presented in Table 3-8. Detailed operational model outputs are presented in Appendix 3.1. As shown in Table 3-8, the Project operational activities would not exceed the numerical thresholds of significance established by the SCAQMD for emissions of any criteria pollutant. As such, operational impacts would be considered less-than-significant.

TABLE 3-8: SUMMARY OF PEAK OPERATIONAL EMISSIONS

Source	Emissions (lbs/day)					
	VOC	**NO_X**	**CO**	**SO_X**	**PM_{10}**	**$PM_{2.5}$**
Summer						
Mobile Source	7.30	11.55	69.25	0.22	17.60	4.62
Area Source	12.16	0.15	17.53	0.00	0.03	0.02
Stationary Source	1.64	4.59	4.18	0.01	0.24	0.24
TRU Source	4.63	4.83	0.47	0.00	0.16	0.15
On-Site Equipment Source	0.23	0.75	32.89	0.00	0.06	0.05
Total Maximum Daily Emissions	**25.97**	**21.87**	**124.33**	**0.23**	**18.09**	**5.09**
SCAQMD Regional Threshold	55	55	550	150	150	55
Threshold Exceeded?	**NO**	**NO**	**NO**	**NO**	**NO**	**NO**
Winter						
Mobile Source	7.26	12.32	63.65	0.21	17.60	4.62
Area Source	9.29	0.00	0.00	0.00	0.00	0.00
Stationary Source	1.64	4.59	4.18	0.01	0.24	0.24
TRU Source	4.63	4.83	0.47	0.00	0.16	0.15
On-Site Equipment Source	0.23	0.75	32.89	0.00	0.06	0.05
Total Maximum Daily Emissions	**23.05**	**22.49**	**101.20**	**0.22**	**18.06**	**5.06**
SCAQMD Regional Threshold	55	55	550	150	150	55

Source	Emissions (lbs/day)					
	VOC	NO_X	CO	SO_X	PM_{10}	$PM_{2.5}$
Threshold Exceeded?	**NO**	**NO**	**NO**	**NO**	**NO**	**NO**

Source: CalEEMod operational-source emissions are presented in Appendix 3.1.

3.6 LOCALIZED SIGNIFICANCE

BACKGROUND ON LST DEVELOPMENT

The analysis makes use of methodology included in the SCAQMD *Final Localized Significance Threshold Methodology* (LST Methodology). The SCAQMD has established that impacts to air quality are significant if there is a potential to contribute or cause localized exceedances of the federal and/or state ambient air quality standards (NAAQS/CAAQS). Collectively, these are referred to as Localized Significance Thresholds (LSTs).

The SCAQMD established LSTs in response to the SCAQMD Governing Board's Environmental Justice Initiative I-4.[10] LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable federal or state ambient air quality standard at the nearest residence or sensitive receptor. The SCAQMD states that lead agencies can use the LSTs as another indicator of significance in its air quality impact analyses.

LSTs were developed in response to environmental justice and health concerns raised by the public regarding exposure of individuals to criteria pollutants in local communities. To address the issue of localized significance, the SCAQMD adopted LSTs that show whether a project would cause or contribute to localized air quality impacts and thereby cause or contribute to potential localized adverse health effects. The analysis makes use of methodology included in the *LST Methodology* (40).

EMISSIONS CONSIDERED

Based on SCAQMD's *LST Methodology*, emissions for concern during construction activities are on-site NO_X, CO, $PM_{2.5}$, and PM_{10}. The *LST Methodology* clearly states that "off-site mobile emissions from the Project should not be included in the emissions compared to LSTs (41)." As such, for purposes of the construction LST analysis, only emissions included in the CalEEMod "on-site" emissions outputs were considered.

DISPERSION MODELING

In order to estimate localized pollutant concentrations resulting from Project construction, the SCAQMD-approved American Meteorological Society/EPA Regulatory Model (AERMOD) dispersion model was utilized. The modeling approach utilized is discussed as follows:

[10] The purpose of SCAQMD's Environmental Justice program is to ensure that everyone has the right to equal protection from air pollution and fair access to the decision-making process that works to improve the quality of air within their communities. Further, the SCAQMD defines Environmental Justice as "…equitable environmental policymaking and enforcement to protect the health of all residents, regardless of age, culture, ethnicity, gender, race, socioeconomic status, or geographic location, from the health effects of air pollution."

SOURCES

It should be noted that in order to model worst-case conditions, the highest daily peak on-site emissions resulting from overlapping construction activity were modeled.

A ground level release height and a 1 meter (approximately 3.28 feet) initial vertical dimension (sigma z) were utilized for fugitive dust emissions of PM_{10} and $PM_{2.5}$ consistent with SCAQMD's LST guidance.

In order to account for equipment exhaust emissions from NO_2, CO, PM_{10}, and $PM_{2.5}$ a release height of 5.0 meters was utilized consistent with SCAQMD's LST guidance.

METEOROLOGICAL DATA AND MODEL OPTIONS

In order to account for meteorological conditions at the Project site, meteorological data from the SCAQMD's Hawthorne monitoring station was utilized, as this is the nearest station to the Project site for which meteorological data is available. Additionally, a receptor height of 2 meters and regulatory default options were utilized consistent with SCAQMD's LST guidance.

RECEPTORS

As previously stated, LSTs represent the maximum emissions from a project that would not cause or contribute to an exceedance of the most stringent applicable NAAQS and CAAQS at the nearest residence or sensitive receptor. Receptor locations are off-site locations where individuals may be exposed to emissions from Project activities.

Some people are especially sensitive to air pollution and are given special consideration when evaluating air quality impacts from projects. These groups of people include children, the elderly, and individuals with pre-existing respiratory or cardiovascular illness. Structures that house these persons or places where they gather are defined as "sensitive receptors." These structures typically include uses such as residences, hotels, and hospitals where an individual can remain for 24 hours. Consistent with the LST Methodology, the nearest land use where an individual could remain for 24 hours to the Project site has been used to determine construction and operational air quality impacts for emissions of PM_{10} and $PM_{2.5}$, since PM_{10} and $PM_{2.5}$ thresholds are based on a 24-hour averaging time.

LSTs apply, even for non-sensitive land uses, consistent with *LST Methodology* and SCAQMD guidance. Per the *LST Methodology*, commercial and industrial facilities are not included in the definition of sensitive receptor because employees and patrons do not typically remain on-site for a full 24 hours but are typically on-site for 8 hours or less. However, *LST Methodology* explicitly states that "*LSTs based on shorter averaging periods, such as the NO_2 and CO LSTs, could also be applied to receptors such as industrial or commercial facilities since it is reasonable to assume that a worker at these sites could be present for periods of one to eight hours* (41)." Therefore, any adjacent land use where an individual could remain for 1 or 8 hours, that is located at a closer distance to the Project site than the receptor used for PM_{10} and $PM_{2.5}$ analysis, must be considered to determine construction and operational LST air impacts for emissions of NO_2 and CO since these pollutants have an averaging time of 1 and 8 hours.

RECEPTORS

Receptors in the Project area are described below and shown on Exhibit 3-A. Localized air quality impacts were evaluated at receptor land uses nearest the Project site. All distances are measured from the Project site boundary to the outdoor living areas (e.g., backyards) or at the building façade, whichever is closer to the Project site.

R1: Location R1 represents the Staybridge Suites at 20403 Osage Avenue, approximately 202 feet west of the Project site. Receptor R1 is placed at the building façade.

R2: Location R2 represents the existing multi-family residential home at 3402 Del Amo Boulevard, approximately 203 feet southwest of the Project site. Receptor R2 is placed at the building façade.

R3: Location R3 represents Delthorne Park, approximately 475 feet southwest of the Project site. Receptor R3 is placed at the park boundary.

R4: Location R4 represents the existing multi-family residential home at 20404 Osage Avenue, approximately 801 feet southwest of the Project site. Since there are no private outdoor living areas (backyards) facing the Project site, receptor R4 is placed at the residential building façade.

R5: Location R5 represents the Life Covenant Church at 308 Maple Avenue, approximately 159 feet south of the Project site. Receptor R5 is placed at the building façade.

R6: Location R6 represents North High School, located approximately 4,043 feet northeast of the Project site. Receptor R6 is placed at the athletic field.

The SCAQMD recommends that the nearest sensitive receptor be considered when determining a Project's impact. The nearest land use where an individual could remain for 24 hours to the Project site has been used to determine localized construction and operational air quality impacts for emissions of PM_{10} and $PM_{2.5}$ (since PM_{10} and $PM_{2.5}$ thresholds are based on a 24-hour averaging time). As previously stated, and consistent with LST Methodology, the nearest industrial/commercial use to the Project site is used to determine construction and operational LST air impacts for emissions of NO_X and CO as the averaging periods for these pollutants are shorter (8 hours or less) and it is reasonable to assumed that an individual could be present at these sites for periods of one to 8 hours.

EXHIBIT 3-A: SENSITIVE RECEPTOR LOCATIONS

LEGEND:

N

Site Boundary | Receptor Locations | Distance from receptor to Project site boundary (in feet)

3.7 CONSTRUCTION-SOURCE EMISSIONS LST ANALYSIS

Emissions during the peak construction activity will not exceed the SCAQMD's localized significance thresholds at the maximally exposed receptor location, as illustrated in Table 3-9. All other modeled locations in the study area would experience a lesser concentration and consequently a lesser impact. As such, the Project's localized impacts during construction activity would be less than significant. Outputs from the model runs for construction LSTs are provided in Appendix 3.2.

TABLE 3-9: LOCALIZED SIGNIFICANCE SUMMARY PEAK CONSTRUCTION

Peak Construction	CO		NO_2	PM_{10}	$PM_{2.5}$
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	0.04	0.02	2.12E-02	0.73	0.37
Background Concentration [A]	4.3	3.7	0.095		
Total Concentration	**4.34**	**3.72**	**0.12**	**0.73**	**0.37**
SCAQMD Localized Significance Threshold	20	9	0.18	10.4	10.4
Threshold Exceeded?	**NO**	**NO**	**NO**	**NO**	**NO**

[A] Highest concentration from the last three years of available data.
Notes: PM_{10} and $PM_{2.5}$ concentrations are expressed in $\mu g/m^3$. All others are expressed in ppm.
Based on SCAQMD's LST Methodology, background concentrations are considered only for CO and NO_2.

3.8 OPERATIONAL-SOURCE EMISSIONS LST ANALYSIS

The LST analysis generally includes on-site sources (area, energy, mobile, and stationary equipment are previously discussed in Section 3.5 of this report). However, it should be noted that the CalEEMod outputs do not separate on-site and off-site emissions from mobile sources. As such, to establish a maximum potential impact scenario for analytic purposes, the modeled emissions include all on-site Project-related stationary (area) sources and on-site Project-related mobile emissions. In order to account for on-site mobile emissions, a trip length of 0.48 miles was utilized for both trucks and passenger cars.

In order to account for any potential impacts to on-site receptors as a result of operational activity, a scenario conservatively assuming 2027 emissions was analyzed. As shown in Table 3-10 below, emissions would not exceed SCAQMD's localized significance thresholds at the maximally exposed on-site receptors as a result of operational activities.

TABLE 3-10: LOCALIZED SIGNIFICANCE SUMMARY PEAK OPERATIONS

Peak Construction	CO		NO_2	PM_{10}	$PM_{2.5}$
	Averaging Time				
	1-Hour	8-Hour	1-Hour	24-Hours	24-Hours
Peak Day Localized Emissions	7.67E-02	6.05E-02	2.00E-03	0.19	0.10
Background Concentration [A]	4.3	3.7	0.095		
Total Concentration	**4.38**	**3.76**	**0.10**	**0.19**	**0.10**
SCAQMD Localized Significance Threshold	20	9	0.18	2.5	2.5
Threshold Exceeded?	**NO**	**NO**	**NO**	**NO**	**NO**

[A] Highest concentration from the last three years of available data.
Notes: PM_{10} and $PM_{2.5}$ concentrations are expressed in $\mu g/m^3$. All others are expressed in ppm.
Based on SCAQMD's LST Methodology, background concentrations are considered only for CO and NO_2.

3.9 CO "HOT SPOT" ANALYSIS

A CO hotspot is defined as a localized concentration of carbon monoxide exceeding the state one-hour standard of 20 ppm or the eight-hour standard of 9 ppm. At the time the most recent CEQA Air Quality Handbook (1993) was published by SCAQMD, the air basin was designated as non-attainment, requiring projects to perform hotspot analyses to ensure they did not worsen the existing conditions. Over the last two decades, background CO concentrations have been significantly reduced due to regulatory controls on tailpipe emissions, which have culminated in the air basin achieving attainment status for CO.

The 2003 AQMP's findings underscore that CO hotspots are highly unlikely due to the reduced background concentrations and the effectiveness of California's air quality management strategies. The substantial reduction in CO levels from the vehicle fleet and the state's attainment status for CO further diminish the need for detailed microscale hotspot analyses, reinforcing that existing monitoring and regulatory frameworks adequately address potential air quality concerns.

In 2003, the SCAQMD as part of its AQMP development process, prepared modeling to determine the potential for CO Hotspots at the four busiest intersections in the air basin. As summarized in the 2003 AQMP, even at one of the busiest intersections at that time, only 0.7 ppm of CO is attributable to vehicular traffic and the remaining 7.7 ppm were due to ambient background conditions. As shown on Table 2-4 in this report, the background 1-hour and 8-hour concentrations are well below the applicable AAQS. The 2003 AQMP's findings underscore that CO hotspots are highly unlikely due to the reduced background concentrations and the effectiveness of California's air quality management strategies. The substantial reduction in CO levels from the vehicle fleet and the state's attainment status for CO further diminish the need for detailed microscale hotspot analyses, reinforcing that existing monitoring and regulatory frameworks adequately address potential air quality concerns.

As such, Project-related traffic at any intersections within the Project area would not cause or contribute to a CO hotspot since the background concentrations are low and any contribution from Project traffic would be negligible.

3.10 AQMP

The Project site is located within the SCAB, which is characterized by relatively poor air quality. The SCAQMD has jurisdiction over an approximately 10,743 square-mile area consisting of the four-county Basin and the Los Angeles County and Riverside County portions of what use to be referred to as the Southeast Desert Air Basin. In these areas, the SCAQMD is principally responsible for air pollution control, and works directly with the SCAG, county transportation commissions, local governments, as well as State and federal agencies to reduce emissions from stationary, mobile, and indirect sources to meet State and federal ambient air quality standards.

Currently, these State and federal air quality standards are exceeded in most parts of the SCAB. In response, the SCAQMD has adopted a series of AQMPs to meet the State and federal ambient air quality standards. AQMPs are updated regularly to more effectively reduce emissions, accommodate growth, and to minimize any negative fiscal impacts of air pollution control on the economy.

In December 2022, the SCAQMD released the *Final 2022 AQMP* (*2022 AQMP*). The *2022 AQMP* continues to evaluate current integrated strategies and control measures to meet the NAAQS, as well as explore new and innovative methods to reach its goals. Some of these approaches include utilizing incentive programs, recognizing existing co-benefit programs from other sectors, and developing a strategy with fair-share reductions at the federal, state, and local levels (27). The *2022 AQMP* incorporates scientific and technological information and planning assumptions, including the *2020-2045 RTP/SCS*, a planning document that supports the integration of land use and transportation to help the region meet the federal CAA requirements (42).The Project's consistency with the AQMP will be determined using the *2022 AQMP* as discussed below.

It should be noted that although SCAG has released an updated 2024-2050 RTP, the 2022 AQMP is based on the 2020-2045 RTP.

Criteria for determining consistency with the AQMP are defined in Chapter 12, Section 12.2 and Section 12.3 of the *1993 CEQA Handbook* (43). These indicators are discussed below:

3.10.1 Consistency Criterion No. 1

The proposed Project will not result in an increase in the frequency or severity of existing air quality violations or cause or contribute to new violations or delay the timely attainment of air quality standards or the interim emissions reductions specified in the AQMP.

The violations that Consistency Criterion No. 1 refers to are the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if regional or localized significance thresholds were exceeded.

Construction Impacts – Consistency Criterion 1

Consistency Criterion No. 1 refers to violations of the CAAQS and NAAQS. CAAQS and NAAQS violations would occur if LSTs or regional significance thresholds were exceeded. As evaluated, the Project's regional and localized construction-source emissions would not exceed applicable regional significance threshold and LST thresholds. As such, a less than significant impact is expected.

Operational Impacts – Consistency Criterion 1

The Project would not exceed the applicable regional or localized thresholds for operational activity. As such, the Project would not have the potential to result in a significant impact with respect to this criterion and the Project would be consistent with the AQMP.

On the basis of the preceding discussion, the Project is determined to be consistent with the first criterion.

3.10.2 CONSISTENCY CRITERION NO. 2

The Project will not exceed the assumptions in the AQMP based on the years of Project build-out phase.

The *2022 AQMP* demonstrates that the applicable ambient air quality standards can be achieved within the timeframes required under federal law. Growth projections from local general plans adopted by cities in the district are provided to the SCAG, which develops regional growth forecasts, which are then used to develop future air quality forecasts for the AQMP. Development consistent with the growth projections in City of Torrance General Plan is considered to be consistent with the AQMP***.***

Construction Impacts – Consistency Criterion 2

Peak day emissions generated by construction activities are largely independent of land use assignments, but rather are a function of development scope and maximum area of disturbance. Irrespective of the site's land use designation, development of the site to its maximum potential would likely occur, with disturbance of the entire site occurring during construction activities. As such, when considering that no emissions thresholds will be exceeded, a less than significant impact would result.

Operational Impacts – Consistency Criterion 2

The General Plan Land Use designation of the Project Site is "Heavy Industrial" (HI). The "Heavy Industrial" (HI) land use are characterized by manufacturing industries which process raw or extracted substances, or which use hazardous materials. Heavy Industrial uses should be segregated from other uses to mitigate safety hazards and minimize noise, pollution, odors, vibrations, and other effects on non-industrial properties. The oil refinery is the main use in this designation (44).

The proposed Project consists of the development totaling 403,033 square feet with the 362,730 square feet of High-Cube Fulfillment Center (Sort) (90% of the total square footage) and 40,303

square feet of High-Cube Cold Storage Warehouse (10% of the total square footage). The proposed uses by the Project are permitted and no General Plan Land Use Amendment or Zone Change would be required to implement the Project. Since the Project's proposed land and zoning use is consistent with the General Plan and as the Project's construction and operational-source air pollutant emissions would not exceed the regional or localized significance thresholds, the Project is determined to be consistent with the second criterion.

On the basis of the preceding discussion, the Project is determined to be consistent with the second criterion.

AQMP CONSISTENCY CONCLUSION

The Project would not result in or cause NAAQS or CAAQS violations as the Project. Additionally, the proposed land uses are consistent with the City's designated uses. As such, the Project is therefore considered to be consistent with the AQMP.

3.11 POTENTIAL IMPACTS TO SENSITIVE RECEPTORS

The potential impact of Project-generated air pollutant emissions at sensitive receptors has also been considered. Results of the LST analysis indicate that the Project will not exceed the SCAQMD localized significance thresholds during construction. Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations during Project construction.

Additionally, the Project will not exceed the SCAQMD localized significance thresholds during operational activity. Further, the Project traffic would not create or result in a CO "hotspot." Therefore, sensitive receptors would not be exposed to substantial pollutant concentrations as the result of Project operations.

3.12 ODORS

The potential for the Project to generate objectionable odors has also been considered. Land uses generally associated with odor complaints include:

- Agricultural uses (livestock and farming)
- Wastewater treatment plants
- Food processing plants
- Chemical plants
- Composting operations
- Refineries
- Landfills
- Dairies
- Fiberglass molding facilities

The Project does not propose land uses typically associated with emitting objectionable odors. Potential odor sources associated with the proposed Project may result from construction equipment exhaust and the application of asphalt and architectural coatings during construction

activities and the temporary storage of typical solid waste (refuse) associated with the proposed Project's (long-term operational) uses. Standard construction requirements would minimize odor impacts from construction. The construction odor emissions would be temporary, short-term, and intermittent in nature and would cease upon completion of the respective phase of construction and is thus considered less than significant. It is expected that Project-generated refuse would be stored in covered containers and removed at regular intervals in compliance with the solid waste regulations. The proposed Project would also be required to comply with SCAQMD Rule 402 to prevent occurrences of public nuisances. Therefore, odors associated with the proposed Project construction and operations would be less than significant and no mitigation is required (45).

3.13 CUMULATIVE IMPACTS

As previously shown in Table 2-3, the CAAQS designates the Project site as nonattainment for O_3 PM_{10}, and $PM_{2.5}$ while the NAAQS designates the Project site as nonattainment for O_3 and $PM_{2.5}$.

The SCAQMD has published a report on how to address cumulative impacts from air pollution: *White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution* (46). In this report the SCAQMD clearly states (Page D-3):

> *"…the SCAQMD uses the same significance thresholds for project specific and cumulative impacts for all environmental topics analyzed in an Environmental Assessment or EIR. The only case where the significance thresholds for project specific and cumulative impacts differ is the Hazard Index (HI) significance threshold for TAC emissions. The project specific (project increment) significance threshold is HI > 1.0 while the cumulative (facility-wide) is HI > 3.0. It should be noted that the HI is only one of three TAC emission significance thresholds considered (when applicable) in a CEQA analysis. The other two are the maximum individual cancer risk (MICR) and the cancer burden, both of which use the same significance thresholds (MICR of 10 in 1 million and cancer burden of 0.5) for project specific and cumulative impacts.*
>
> *Projects that exceed the project-specific significance thresholds are considered by the SCAQMD to be cumulatively considerable. This is the reason project-specific and cumulative significance thresholds are the same. Conversely, projects that do not exceed the project-specific thresholds are generally not considered to be cumulatively significant."*

This threshold of significance has been used for decades following the State Legislature's unification of the Air Basins in the 1970's and is supported by the vast improvements in air quality in the Basin as shown and described in Section 2.9 Regional Air Quality Improvements of this report.

Therefore, this analysis assumes that individual projects that do not generate operational or construction emissions that exceed the SCAQMD's recommended daily thresholds for project-specific impacts would also not cause a cumulatively considerable increase in emissions for those

pollutants for which SCAB is in nonattainment, and, therefore, would not be considered to have a significant, adverse air quality impact. Alternatively, individual project-related construction and operational emissions that exceed SCAQMD thresholds for project-specific impacts would be considered cumulatively considerable.

CONSTRUCTION IMPACTS

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that proposed Project construction-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, proposed Project construction-source emissions would be considered less than significant on a project-specific and cumulative basis.

OPERATIONAL IMPACTS

The Project-specific evaluation of emissions presented in the preceding analysis demonstrates that proposed Project operational-source air pollutant emissions would not result in exceedances of regional thresholds. Therefore, proposed Project operational-source emissions would be considered less than significant on a project-specific and cumulative basis.

This page intentionally left blank

4 REFERENCES

1. **State of California.** *2024 CEQA California Environmental Quality Act.* 2024.
2. **South Coast Air Quality Management District.** RULE 403. FUGITIVE DUST. [Online] https://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-403.pdf?sfvrsn=4.
3. —. RULE 1113. Architectural Coatings. [Online] http://www.aqmd.gov/docs/default-source/rule-book/reg-xi/r1113.pdf.
4. **Urban Crossroads, Inc.** *Del Amo Technology Center Traffic Analysis.* 2024.
5. —. *Del Amo Technology Center Construction and Operational Health Risk Assessment.* 2024.
6. **South Coast Air Quality Management District.** Southern California Air Basins. [Online] https://www.arb.ca.gov/msprog/onroad/porttruck/maps/scabc7map.pdf.
7. —. *Guidance Document for Addressing Air Quality Issues in General Plans and Local Planning.* 2005.
8. **St. Croix Sensory, Inc.** *The "Gray Line" Between Odor Nuisance and Health Effects.* 2000.
9. **California Air Resources Board.** Ambient Air Quality Standards (AAQS). [Online] 2016. http://www.arb.ca.gov/research/aaqs/aaqs2.pdf.
10. **United State Environmental Protection Agency.** Frequent Questions about General Conformity . *EPA.* [Online] https://www.epa.gov/general-conformity/frequent-questions-about-general-conformity#8.
11. **South Coast Air Quality Management District.** Annual Air Quality Monitoring Network Plan. [Online] July 2023. https://www.aqmd.gov/docs/default-source/default-document-library/south-coast-aqmd-2023-annual-air-quality-monitoring-network-plan.pdf?sfvrsn=0.
12. **Air Resources Board.** *Appendix C Maps and Tables of Area Designations for State and National Ambient Air Quality Standards.* 2024.
13. **District, South Coast Air Quality Management.** Air Quality Data Tables. [Online] https://www.aqmd.gov/home/air-quality/air-quality-data-studies/historical-data-by-year.
14. **Environmental Protection Agency.** National Ambient Air Quality Standards (NAAQS). [Online] 1990. https://www.epa.gov/environmental-topics/air-topics.
15. —. Air Pollution and the Clean Air Act. [Online] https://www.epa.gov/laws-regulations/summary-clean-air-act.
16. **United States Environmental Protection Agency.** 1990 Clean Air Act Amendment Summary: Title I. [Online] https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-i.
17. —. 1990 Clean Air Act Amendment Summary: Title II. [Online] https://www.epa.gov/clean-air-act-overview/1990-clean-air-act-amendment-summary-title-ii.
18. **Air Resources Board.** California Ambient Air Quality Standards (CAAQS). [Online] 2009. [Cited: April 16, 2018.] http://www.arb.ca.gov/research/aaqs/caaqs/caaqs.htm.
19. **California Energy Commission.** Energy Commission Adopts Updated Building Standards to Improve Efficiency, Reduce Emissions from Homes and Businesses. [Online] August 11, 2021. https://www.energy.ca.gov/news/2021-08/energy-commission-adopts-updated-building-standards-improve-efficiency-reduce-0.
20. **California Department of General Services.** 2022 CALGreen Code. *CALGreen.* [Online] https://codes.iccsafe.org/content/CAGBC2022P1.

21. **Southern California Association of Governments.** 2016-2040 Regional Transportation Plan/Sustainable Communities Strategy. [Online] April 2016. https://scag.ca.gov/sites/main/files/file-attachments/f2016rtpscs.pdf?1606005557.

22. **South Coast Air Quality Management District.** *Air Quality Management Plan.* 2012.

23. **California Air Resources Board.** *The California Almanac of Emissions and Air Quality.* 2013.

24. **South Coast AQMD.** South Coast Air Basin Ozone Trend. [Online] https://www.aqmd.gov/home/air-quality/historical-air-quality-data/historic-ozone-air-quality-trends.

25. **California Air Resources Board.** iADAM: Air Quality Data Statistics. *California Air Resources Board.* [Online] https://arb.ca.gov/adam/topfour/topfour1.php.

26. **United States Environmental Protection Agency.** Approval and Promulgation of Implementation Plans; California; South Coast Serious Area Plan for the 2006 PM2.5. [Online] 2019. https://www.federalregister.gov/documents/2019/02/12/2019-01922/approval-and-promulgation-of-implementation-plans-california-south-coast-serious-area-plan-for-the.

27. **South Coast Air Quality Management District.** Final 2016 Air Quality Management Plan. *South Coast Air Quality Management District.* [Online] March 2017. http://www.aqmd.gov/docs/default-source/clean-air-plans/air-quality-management-plans/2016-air-quality-management-plan/final-2016-aqmp/final2016aqmp.pdf.

28. **Southern California Association of Governments.** 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy. [Online] September 2020. https://scag.ca.gov/sites/main/files/file-attachments/0903fconnectsocal-plan_0.pdf?1606001176.

29. **South Coast Air Quality Management District.** *CEQA Air Quality Handbook (1993).* 1993.

30. **California Air Resources Board.** Nitrogen Dioxide- Overview. [Online] http://www.arb.ca.gov/research/aaqs/caaqs/no2-1/no2-1.htm.

31. **Ralph Propper, Patrick Wong, Son Bui, Jeff Austin, William Vance, Alvaro Alvarado, Bart Croes, and Dongmin Luo.** Ambient and Emission Trends of Toxic Air Contaminants in California. *American Chemical Society: Environmental Science & Technology.* 2015.

32. **Air Resources Board.** ARB's Drayage Truck Regulatory Activities. [Online] http://www.arb.ca.gov/msprog/onroad/porttruck/porttruck.htm.

33. —. Truck and Bus Regulation. *On-Road Heavy-Duty Diesel Vehicles (In-Use) Regulation.* [Online] http://www.arb.ca.gov/msprog/onrdiesel/onrdiesel.htm.

34. **The Port of Los Angeles.** Clean Truck Program. [Online] http://www.portoflosangeles.org/ctp/idx_ctp.asp.

35. **South Coast Air Quality Management District.** Transfer Funds, Appropriate Funding, Execute Purchase Orders, Execute Contrat and Authorize Release of RFQs for the Fifth Multiple Air Toxics Exposure Study. *South Coast Air Quality Management District.* [Online] 2017. http://www.aqmd.gov/docs/default-source/Agendas/Governing-Board/2017/2017-jul7-009.pdf?sfvrsn=7.

36. —. Executive Summary. *MATES V Draft Report.* [Online] 2021. http://www.aqmd.gov/docs/default-source/planning/mates-v/draft-mates-v-executive-summary_v2.pdf?sfvrsn=6.

37. **Association of Environmental Professionals.** *Guidelines for Implementation of the California Environmental Quality Act.* As amended in 2018.

38. **South Coast Air Quality Management District.** SCAQMD Air Quality Significance Thresholds. [Online] https://www.aqmd.gov/docs/default-source/ceqa/handbook/south-coast-aqmd-air-quality-significance-thresholds.pdf.

39. **California Air Pollution Control Officers Association (CAPCOA).** California Emissions Estimator Model (CalEEMod). [Online] May 2022. www.caleemod.com.

40. **Lake Environmental.** US EPA Models. *Lake Environmental.* [Online] http://www.weblakes.com/download/us_epa.html.

41. **South Coast Air Quality Management District.** *Localized Significance Thresholds Methodology.* s.l. : South Coast Air Quality Managment District, 2008.

42. **Southern California Association of Governments.** 2020-2045 Regional Transportation Plan/Sustainable Communities Strategy. [Online] September 2020. https://scag.ca.gov/sites/main/files/file-attachments/0903fconnectsocal-plan_0.pdf?1606001176.

43. **South Coast Air Quality Management District.** *CEQA Air Quality Handbook (1993).* 1993.

44. **City of Torrance .** City of Torrance General Plan. [Online] 2010. https://www.torranceca.gov/home/showpublisheddocument/2716/636302127515030000.

45. **South Coast Air Quality Management District.** RULE 402 NUISANCE. [Online] http://www.aqmd.gov/docs/default-source/rule-book/rule-iv/rule-402.pdf.

46. **Goss, Tracy A and Kroeger, Amy.** White Paper on Potential Control Strategies to Address Cumulative Impacts from Air Pollution. [Online] South Coast Air Quality Management District, 2003. http://www.aqmd.gov/docs/default-source/Agendas/Environmental-Justice/cumulative-impacts-working-group/cumulative-impacts-white-paper.pdf.

This page intentionally left blank

5 CERTIFICATIONS

The contents of this air study report represent an accurate depiction of the environmental impacts associated with the proposed Del Amo Technology Center. The information contained in this air quality impact assessment report is based on the best available data at the time of preparation. If you have any questions, please contact me directly at hqureshi@urbanxroads.com.

Haseeb Qureshi
Principal
URBAN CROSSROADS, INC.
hqureshi@urbanxroads.com

EDUCATION

Master of Science in Environmental Studies
California State University, Fullerton • May 2010

Bachelor of Arts in Environmental Analysis and Design
University of California, Irvine • June 2006

PROFESSIONAL AFFILIATIONS

AEP – Association of Environmental Professionals
AWMA – Air and Waste Management Association
ASTM – American Society for Testing and Materials

PROFESSIONAL CERTIFICATIONS

Planned Communities and Urban Infill – Urban Land Institute • June 2011
Indoor Air Quality and Industrial Hygiene – EMSL Analytical • April 2008
Principles of Ambient Air Monitoring – CARB • August 2007
AB2588 Regulatory Standards – Trinity Consultants • November 2006
Air Dispersion Modeling – Lakes Environmental • June 2006

This page intentionally left blank

APPENDIX 2.1:

STATE/FEDERAL ATTAINMENT STATUS OF CRITERIA POLLUTANTS

Appendix C
Maps and Tables of Area Designations for State and National Ambient Air Quality Standards

Appendix C
Maps and Tables of Area Designations for State and National Ambient Air Quality Standards

This attachment fulfills the requirement of Health and Safety Code section 40718 for CARB to publish maps that identify areas where one or more violations of any State ambient air quality standard (State standard) or national ambient air quality standard (national standard) have been measured. The national standards are those promulgated under section 109 of the federal Clean Air Act (42 U.S.C. 7409).

This attachment is divided into three parts. The first part comprises a table showing the levels, averaging times, and measurement methods for each of the State and national standards. This is followed by a section containing maps and tables showing the area designations for each pollutant for which there is a State standard in the California Code of Regulations, title 17, section 70200. The last section contains maps and tables showing the most current area designations for the national standards.

(Updated 5/4/16)

Ambient Air Quality Standards

Pollutant	Averaging Time	California Standards [1]		National Standards [2]		
		Concentration [3]	Method [4]	Primary [3,5]	Secondary [3,6]	Method [7]
Ozone (O_3)[8]	1 Hour	0.09 ppm (180 µg/m³)	Ultraviolet Photometry	—	Same as Primary Standard	Ultraviolet Photometry
	8 Hour	0.070 ppm (137 µg/m³)		0.070 ppm (137 µg/m³)		
Respirable Particulate Matter (PM10)[9]	24 Hour	50 µg/m³	Gravimetric or Beta Attenuation	150 µg/m³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	20 µg/m³		—		
Fine Particulate Matter (PM2.5)[9]	24 Hour	—	—	35 µg/m³	Same as Primary Standard	Inertial Separation and Gravimetric Analysis
	Annual Arithmetic Mean	12 µg/m³	Gravimetric or Beta Attenuation	12.0 µg/m³	15 µg/m³	
Carbon Monoxide (CO)	1 Hour	20 ppm (23 mg/m³)	Non-Dispersive Infrared Photometry (NDIR)	35 ppm (40 mg/m³)	—	Non-Dispersive Infrared Photometry (NDIR)
	8 Hour	9.0 ppm (10 mg/m³)		9 ppm (10 mg/m³)	—	
	8 Hour (Lake Tahoe)	6 ppm (7 mg/m³)		—	—	
Nitrogen Dioxide (NO_2)[10]	1 Hour	0.18 ppm (339 µg/m³)	Gas Phase Chemiluminescence	100 ppb (188 µg/m³)	—	Gas Phase Chemiluminescence
	Annual Arithmetic Mean	0.030 ppm (57 µg/m³)		0.053 ppm (100 µg/m³)	Same as Primary Standard	
Sulfur Dioxide (SO_2)[11]	1 Hour	0.25 ppm (655 µg/m³)	Ultraviolet Fluorescence	75 ppb (196 µg/m³)	—	Ultraviolet Flourescence; Spectrophotometry (Pararosaniline Method)
	3 Hour	—		—	0.5 ppm (1300 µg/m³)	
	24 Hour	0.04 ppm (105 µg/m³)		0.14 ppm (for certain areas)[11]	—	
	Annual Arithmetic Mean	—		0.030 ppm (for certain areas)[11]	—	
Lead[12,13]	30 Day Average	1.5 µg/m³	Atomic Absorption	—	—	High Volume Sampler and Atomic Absorption
	Calendar Quarter	—		1.5 µg/m³ (for certain areas)[12]	Same as Primary Standard	
	Rolling 3-Month Average	—		0.15 µg/m³		
Visibility Reducing Particles[14]	8 Hour	See footnote 14	Beta Attenuation and Transmittance through Filter Tape	**No National Standards**		
Sulfates	24 Hour	25 µg/m³	Ion Chromatography			
Hydrogen Sulfide	1 Hour	0.03 ppm (42 µg/m³)	Ultraviolet Fluorescence			
Vinyl Chloride[12]	24 Hour	0.01 ppm (26 µg/m³)	Gas Chromatography			

See footnotes on next page …

1. California standards for ozone, carbon monoxide (except 8-hour Lake Tahoe), sulfur dioxide (1- and 24-hour), nitrogen dioxide, and particulate matter (PM10, PM2.5, and visibility reducing particles), are values that are not to be exceeded. All others are not to be equaled or exceeded. California ambient air quality standards are listed in the Table of Standards in Section 70200 of Title 17 of the California Code of Regulations.

2. National standards (other than ozone, particulate matter, and those based on annual arithmetic mean) are not to be exceeded more than once a year. The ozone standard is attained when the fourth highest 8-hour concentration measured at each site in a year, averaged over three years, is equal to or less than the standard. For PM10, the 24-hour standard is attained when the expected number of days per calendar year with a 24-hour average concentration above 150 $\mu g/m^3$ is equal to or less than one. For PM2.5, the 24-hour standard is attained when 98 percent of the daily concentrations, averaged over three years, are equal to or less than the standard. Contact the U.S. EPA for further clarification and current national policies.

3. Concentration expressed first in units in which it was promulgated. Equivalent units given in parentheses are based upon a reference temperature of 25°C and a reference pressure of 760 torr. Most measurements of air quality are to be corrected to a reference temperature of 25°C and a reference pressure of 760 torr; ppm in this table refers to ppm by volume, or micromoles of pollutant per mole of gas.

4. Any equivalent measurement method which can be shown to the satisfaction of the CARB to give equivalent results at or near the level of the air quality standard may be used.

5. National Primary Standards: The levels of air quality necessary, with an adequate margin of safety to protect the public health.

6. National Secondary Standards: The levels of air quality necessary to protect the public welfare from any known or anticipated adverse effects of a pollutant.

7. Reference method as described by the U.S. EPA. An “equivalent method” of measurement may be used but must have a “consistent relationship to the reference method” and must be approved by the U.S. EPA.

8. On October 1, 2015, the national 8-hour ozone primary and secondary standards were lowered from 0.075 to 0.070 ppm.

9. On December 14, 2012, the national annual PM2.5 primary standard was lowered from 15 $\mu g/m^3$ to 12.0 $\mu g/m^3$. The existing national 24-hour PM2.5 standards (primary and secondary) were retained at 35 $\mu g/m^3$, as was the annual secondary standard of 15 $\mu g/m^3$. The existing 24-hour PM10 standards (primary and secondary) of 150 $\mu g/m^3$ also were retained. The form of the annual primary and secondary standards is the annual mean, averaged over 3 years.

10. To attain the 1-hour national standard, the 3-year average of the annual 98th percentile of the 1-hour daily maximum concentrations at each site must not exceed 100 ppb. Note that the national 1-hour standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the national 1-hour standard to the California standards the units can be converted from ppb to ppm. In this case, the national standard of 100 ppb is identical to 0.100 ppm.

11. On June 2, 2010, a new 1-hour SO_2 standard was established and the existing 24-hour and annual primary standards were revoked. To attain the 1-hour national standard, the 3-year average of the annual 99th percentile of the 1-hour daily maximum concentrations at each site must not exceed 75 ppb. The 1971 SO_2 national standards (24-hour and annual) remain in effect until one year after an area is designated for the 2010 standard, except that in areas designated nonattainment for the 1971 standards, the 1971 standards remain in effect until implementation plans to attain or maintain the 2010 standards are approved.

    Note that the 1-hour national standard is in units of parts per billion (ppb). California standards are in units of parts per million (ppm). To directly compare the 1-hour national standard to the California standard the units can be converted to ppm. In this case, the national standard of 75 ppb is identical to 0.075 ppm.

12. The CARB has identified lead and vinyl chloride as 'toxic air contaminants' with no threshold level of exposure for adverse health effects determined. These actions allow for the implementation of control measures at levels below the ambient concentrations specified for these pollutants.

13. The national standard for lead was revised on October 15, 2008 to a rolling 3-month average. The 1978 lead standard (1.5 $\mu g/m^3$)as a quarterly average) remains in effect until one year after an area is designated for the 2008 standard, except that in areas designated nonattainment for the 1978 standard, the 1978 standard remains in effect until implementation plans to attain or maintain the 2008 standard are approved.

14. In 1989, the CARB converted both the general statewide 10-mile visibility standard and the Lake Tahoe 30-mile visibility standard to instrumental equivalents, which are "extinction of 0.23 per kilometer" and "extinction of 0.07 per kilometer" for the statewide and Lake Tahoe Air Basin standards, respectively.

Area Designations for the State Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a State standard set forth in the California Code of Regulations, title 17, section 60200. Each area is identified as attainment, nonattainment, nonattainment-transitional, or unclassified for each pollutant, as shown below:

Designation	Abbreviation
Attainment	A
Nonattainment	N
Nonattainment-Transitional	NA-T
Unclassified	U

In general, CARB designates areas by air basin for pollutants with a regional impact and by county for pollutants with a more local impact. However, when there are areas within an air basin or county with distinctly different air quality deriving from sources and conditions not affecting the entire air basin or county, CARB may designate a smaller area. Generally, when boundaries of the designated area differ from the air basin or county boundaries, the description of the specific area is referenced at the bottom of the summary table.

Figure 1



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 1
California Ambient Air Quality Standards Area Designations for Ozone[1]

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County	N			
Mono County	N			
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN		NA-T		
MOJAVE DESERT AIR BASIN	N			
MOUNTAIN COUNTIES AIR BASIN				
Amador County		NA-T		
Calaveras County		NA-T		
El Dorado County (portion)	N			
Mariposa County	N			
Nevada County	N			
Placer County (portion)		NA-T		
Plumas County			U	
Sierra County			U	
Tuolumne County		NA-T		
NORTH CENTRAL COAST AIR BASIN				A
NORTH COAST AIR BASIN				A
NORTHEAST PLATEAU AIR BASIN				A

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN				
Butte County		NA-T		
Colusa and Glenn Counties				A
Shasta County	N			
Sutter/Yuba Counties				
Sutter Buttes		NA-T		
Remainder of Sutter County		NA-T		
Yuba County		NA-T		
Yolo/Solano Counties		NA-T		
Remainder of Air Basin	N			
SALTON SEA AIR BASIN	N			
SAN DIEGO AIR BASIN	N			
SAN FRANCISCO BAY AREA AIR BASIN		NA-T		
SAN JOAQUIN VALLEY AIR BASIN	N			
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County	N			
Santa Barbara County		NA-T		
Ventura County	N			
SOUTH COAST AIR BASIN	N			

[1] AB 3048 (Olberg) and AB 2525 (Miller) signed into law in 1996, made changes to Health and Safety Code, section 40925.5. One of the changes allows nonattainment districts to become nonattainment-transitional for ozone by operation of law.

Figure 2



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 2
California Ambient Air Quality Standards Area Designations for Suspended Particulate Matter (PM_{10})

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN	N		
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN	N		
MOJAVE DESERT AIR BASIN	N		
MOUNTAIN COUNTIES AIR BASIN			
Amador County		U	
Calaveras County	N		
El Dorado County (portion)	N		
Mariposa County			
- Yosemite National Park	N		
- Remainder of County		U	
Nevada County	N		
Placer County (portion)	N		
Plumas County	N		
Sierra County	N		
Tuolumne County		U	

Area	N	U	A
NORTH CENTRAL COAST AIR BASIN	N		
NORTH COAST AIR BASIN			
Del Norte, Mendocino, Sonoma (portion) and Trinity Counties			A
Remainder of Air Basin	N		
NORTHEAST PLATEAU AIR BASIN			
Siskiyou County			A
Remainder of Air Basin		U	
SACRAMENTO VALLEY AIR BASIN			
Shasta County			A
Remainder of Air Basin	N		
SALTON SEA AIR BASIN	N		
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN	N		
SOUTH COAST AIR BASIN	N		

Figure 3



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 3
California Ambient Air Quality Standards Area Designations for Fine Particulate Matter ($PM_{2.5}$)

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			
Plumas County			
- Portola Valley[1]	N		
- Remainder Plumas County		U	
Remainder of Air Basin		U	
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			
Butte County			A
Colusa County			A
Glenn County			A
Placer County (portion)			A
Sacramento County			A
Shasta County			A
Sutter and Yuba Counties	N		
Remainder of Air Basin		U	

Area	N	U	A
SALTON SEA AIR BASIN			
Imperial County			
- City of Calexico[2]	N		
Remainder of Air Basin			A
SAN DIEGO AIR BASIN	N		
SAN FRANCISCO BAY AREA AIR BASIN	N		
SAN JOAQUIN VALLEY AIR BASIN	N		
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN	N		

[1] California Code of Regulations, title 17, section 60200(c)

[2] California Code of Regulations, title 17, section 60200(a)

Figure 4

Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 4
California Ambient Air Quality Standards Area Designations for Carbon Monoxide*

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County				A
Mono County				A
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN				A
MOJAVE DESERT AIR BASIN				
Kern County (portion)			U	
Los Angeles County (portion)				A
Riverside County (portion)			U	
San Bernardino County (portion)				A
MOUNTAIN COUNTIES AIR BASIN				
Amador County			U	
Calaveras County			U	
El Dorado County (portion)			U	
Mariposa County			U	
Nevada County			U	
Placer County (portion)			U	
Plumas County				A
Sierra County			U	
Tuolumne County				A
NORTH CENTRAL COAST AIR BASIN				
Monterey County				A
San Benito County			U	
Santa Cruz County			U	
NORTH COAST AIR BASIN				
Del Norte County			U	
Humboldt County				A
Mendocino County				A
Sonoma County (portion)			U	
Trinity County			U	
NORTHEAST PLATEAU AIR BASIN			U	

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN				
Butte County				A
Colusa County			U	
Glenn County			U	
Placer County (portion)				A
Sacramento County				A
Shasta County			U	
Solano County (portion)				A
Sutter County				A
Tehama County			U	
Yolo County				A
Yuba County			U	
SALTON SEA AIR BASIN				A
SAN DIEGO AIR BASIN				A
SAN FRANCISCO BAY AREA AIR BASIN				A
SAN JOAQUIN VALLEY AIR BASIN				
Fresno County				A
Kern County (portion)				A
Kings County			U	
Madera County			U	
Merced County			U	
San Joaquin County				A
Stanislaus County				A
Tulare County				A
SOUTH CENTRAL COAST AIR BASIN				A
SOUTH COAST AIR BASIN				A

* The area designated for carbon monoxide is a county or portion of a county

Figure 5

Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 5
California Ambient Air Quality Standards Area Designations for Nitrogen Dioxide

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			
CA 60 Near-road Portion of San Bernardino, Riverside, and Los Angeles Counties			A
Remainder of Air Basin			A

Figure 6

Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 6
California Ambient Air Quality Standards Area Designations for Sulfur Dioxide*

Area	N	A
GREAT BASIN VALLEYS AIR BASIN		A
LAKE COUNTY AIR BASIN		A
LAKE TAHOE AIR BASIN		A
MOJAVE DESERT AIR BASIN		A
MOUNTAIN COUNTIES AIR BASIN		A
NORTH CENTRAL COAST AIR BASIN		A
NORTH COAST AIR BASIN		A
NORTHEAST PLATEAU AIR BASIN		A

Area	N	A
SACRAMENTO VALLEY AIR BASIN		A
SALTON SEA AIR BASIN		A
SAN DIEGO AIR BASIN		A
SAN FRANCISCO BAY AREA AIR BASIN		A
SAN JOAQUIN VALLEY AIR BASIN		A
SOUTH CENTRAL COAST AIR BASIN		A
SOUTH COAST AIR BASIN		A

* The area designated for sulfur dioxide is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 7

2023
Area Designations for State
Ambient Air Quality Standards
SULFATES
N
0 40 80 120 160
Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Trinity
Shasta
Lassen
Humboldt
Tehama
SACRAMENTO VALLEY
Plumas
Mendocino
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Nevada
LAKE COUNTY
Colusa
Yuba
Lake
Placer
LAKE TAHOE
Sutter
Yolo
El Dorado
Sonoma
Napa
Sac
Amador
Alpine
SAN FRANCISCO BAY AREA
Solano
Calaveras
Marin
Contra Costa
San Joaquin
Tuolumne
Mono
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Madera
Santa Cruz
SAN JOAQUIN VALLEY
San Benito
Fresno
Inyo
NORTH CENTRAL COAST
Kings
Tulare
Monterey
San Luis Obispo
Kern
SOUTH CENTRAL COAST
Santa Barbara
San Bernardino
Ventura
Los Angeles
MOJAVE DESERT
Riverside
Orange
SOUTH COAST
SALTON SEA
San Diego
Imperial
SAN DIEGO
Attainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 7
California Ambient Air Quality Standards Area Designations for Sulfates

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A

Area	N	U	A
SACRAMENTO VALLEY AIR BASIN			A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			A

Figure 8

Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 8
California Ambient Air Quality Standards Area Designations for Lead (particulate)*

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			A
LAKE COUNTY AIR BASIN			A
LAKE TAHOE AIR BASIN			A
MOJAVE DESERT AIR BASIN			A
MOUNTAIN COUNTIES AIR BASIN			A
NORTH CENTRAL COAST AIR BASIN			A
NORTH COAST AIR BASIN			A
NORTHEAST PLATEAU AIR BASIN			A
SACRAMENTO VALLEY AIR BASIN			A

Area	N	U	A
SALTON SEA AIR BASIN			A
SAN DIEGO AIR BASIN			A
SAN FRANCISCO BAY AREA AIR BASIN			A
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN			A
SOUTH COAST AIR BASIN			A

* The area designated for lead is a county or portion of a county. Since all areas in the State are in attainment for this standard, air basins are indicated here for simplicity.

Figure 9



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 9
California Ambient Air Quality Standards Area Designations for Hydrogen Sulfide*

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN				
Alpine County			U	
Inyo County				A
Mono County				A
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN				
Kern County (portion)			U	
Los Angeles County (portion)			U	
Riverside County (portion)			U	
San Bernardino County (portion)				
- Searles Valley Planning Area[1]	N			
- Remainder of County			U	
MOUNTAIN COUNTIES AIR BASIN				
Amador County				
- City of Sutter Creek	N			
- Remainder of County			U	
Calaveras County			U	
El Dorado County (portion)			U	
Mariposa County			U	
Nevada County			U	
Placer County (portion)			U	
Plumas County			U	
Sierra County			U	
Tuolumne County			U	

Area	N	NA-T	U	A
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN				
Del Norte County			U	
Humboldt County				A
Mendocino County			U	
Sonoma County (portion)				
- Geyser Geothermal Area[2]				A
- Remainder of County			U	
Trinity County			U	
NORTHEAST PLATEAU AIR BASIN			U	
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN				
Riverside County (portion)	N			
Imperial County			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN				
San Luis Obispo County				A
Santa Barbara County				A
Ventura County			U	
SOUTH COAST AIR BASIN			U	

* The area designated for hydrogen sulfide is a county or portion of a county

[1] 52 Federal Register 29384 (August 7, 1987)

[2] California Code of Regulations, title 17, section 60200(d)

Figure 10



Last Updated: November 2023
Air Quality Planning and Science Division, CARB

Table 10
California Ambient Air Quality Standards Area Designations for Visibility Reducing Particles

Area	N	NA-T	U	A
GREAT BASIN VALLEYS AIR BASIN			U	
LAKE COUNTY AIR BASIN				A
LAKE TAHOE AIR BASIN			U	
MOJAVE DESERT AIR BASIN			U	
MOUNTAIN COUNTIES AIR BASIN			U	
NORTH CENTRAL COAST AIR BASIN			U	
NORTH COAST AIR BASIN			U	
NORTHEAST PLATEAU AIR BASIN			U	

Area	N	NA-T	U	A
SACRAMENTO VALLEY AIR BASIN			U	
SALTON SEA AIR BASIN			U	
SAN DIEGO AIR BASIN			U	
SAN FRANCISCO BAY AREA AIR BASIN			U	
SAN JOAQUIN VALLEY AIR BASIN			U	
SOUTH CENTRAL COAST AIR BASIN			U	
SOUTH COAST AIR BASIN			U	

Area Designations for the National Ambient Air Quality Standards

The following maps and tables show the area designations for each pollutant with a national ambient air quality standard. Additional information about the federal area designations is available on the U.S. EPA website:

https://www.epa.gov/green-book

Over the last several years, U.S. EPA has been reviewing the levels of the various national standards. The agency has already promulgated new standard levels for some pollutants and is considering revising the levels for others. Information about the status of these reviews is available on the U.S. EPA website:

https://www.epa.gov/criteria-air-pollutants

Designation Categories

Suspended Particulate Matter (PM_{10}). The U.S. EPA uses three categories to designate areas with respect to PM_{10}:

- Attainment (A)
- Nonattainment (N)
- Unclassifiable (U)

Ozone, Fine Suspended Particulate Matter ($PM_{2.5}$), Carbon Monoxide (CO), and Nitrogen Dioxide (NO_2). The U.S. EPA uses two categories to designate areas with respect to these standards:

- Nonattainment (N)
- Unclassifiable/Attainment (U/A)

The national 1-hour ozone standard was revoked effective June 15, 2005, and the area designations map reflects the 2015 national 8-hour ozone standard of 0.070 ppm. Area designations were finalized on August 3, 2018.

On December 14, 2012, the U.S. EPA established a new national annual primary $PM_{2.5}$ standard of 12.0 µg/m^3. Area designations were finalized in December 2014. The current designation map reflects the most recently revised (2012) annual average standard of 12.0 µg/m^3 as well as the 24-hour standard of 35 µg/m^3, revised in 2006.

On January 22, 2010, the U.S. EPA established a new national 1-hour NO_2 standard of 100 parts per billion (ppb) and retained the annual average standard of 53 ppb. Designations for the primary NO_2 standard became effective on February 29, 2012. All areas of California meet this standard.

Sulfur Dioxide (SO_2). The U.S. EPA uses three categories to designate areas with respect to the 24-hour and annual average sulfur dioxide standards. These designation categories are:

- Nonattainment (N),
- Unclassifiable (U), and
- Unclassifiable/Attainment (U/A).

On June 2, 2010, the U.S. EPA established a new primary 1-hour SO_2 standard of 75 parts per billion (ppb). At the same time, U.S. EPA revoked the 24-hour and annual average standards. Area designations for the 1-hour SO_2 standard were finalized on December 21, 2017 and are reflected in the area designations map.

Lead (particulate). The U.S. EPA promulgated a new rolling 3-month average lead standard in October 2008 of 0.15 µg/m^3. Designations were made for this standard in November 2010.

Designation Areas

From time to time, the boundaries of the California air basins have been changed to facilitate the planning process. CARB generally initiates these changes, and they are not always reflected in the U.S. EPA's area designations. For purposes of consistency, the maps in this attachment reflect area designation boundaries and nomenclature as promulgated by the U.S. EPA. In some cases, these may not be the same as those adopted by CARB. For example, the national area designations reflect the former Southeast Desert Air Basin. In accordance with Health and Safety Code section 39606.1, CARB redefined this area in 1996 to be the Mojave Desert Air Basin and Salton Sea Air Basin. The definitions and boundaries for all areas designated for the national standards can be found in Title 40, Code of Federal Regulations (CFR), Chapter I, Subchapter C, Part 81.305. They are available on the web at: *https://ecfr.io/Title-40/se40.20.81_1305*

Figure 11


Area Designations for National Ambient Air Quality Standards
8-HOUR OZONE
N
0 50 100 150 200 Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Trinity
Shasta
Lassen
Humboldt
Tehama
Sutter Buttes
Tuscan Buttes
SACRAMENTO VALLEY
Plumas
Mendocino
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Nevada
LAKE COUNTY
Lake
Colusa
Yuba
Sutter
Placer
LAKE TAHOE
Yolo
El Dorado
Sonoma
Napa
Sac
Amador
Alpine
SAN FRANCISCO BAY AREA
Solano
Calaveras
Marin
Contra Costa
San Joaquin
Tuolumne
Mono
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Madera
Santa Cruz
SAN JOAQUIN VALLEY
San Benito
Fresno
NORTH CENTRAL COAST
Kings
Tulare
Inyo
Antelope Valley and Western Mojave Desert
Monterey
San Luis Obispo
Kern
SOUTH CENTRAL COAST
Santa Barbara
San Bernardino
Ventura
Los Angeles
MOJAVE DESERT
Riverside
SOUTH COAST
Orange
SALTON SEA
Coachella Valley
Imperial
San Diego
SAN DIEGO
Unclassified/Attainment
Nonattainment
Air Basin
County
Last Updated: November 2023
Map reflects the 2015 8-hour ozone standard of 0.070 ppm
Air Quality Planning and Science Division, CARB

Table 11
National Ambient Air Quality Standards Area Designations for 8-Hour Ozone*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Amador County	N	
Calaveras County	N	
El Dorado County (portion)[1]	N	
Mariposa County	N	
Nevada County		
- Western Nevada County	N	
- Remainder of County		U/A
Placer County (portion)[1]	N	
Plumas County		U/A
Sierra County		U/A
Tuolumne County	N	
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Butte County	N	
Colusa County		U/A
Glenn County		U/A
Sacramento Metro Area[1]	N	
Shasta County		U/A
Sutter County		
- Sutter Buttes	N	
- Southern portion of Sutter County[1]	N	
- Remainder of Sutter County		U/A
Tehama County		
- Tuscan Buttes	N	
- Remainder of Tehama County		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN (cont.)		
Yolo County[1]	N	
Yuba County		U/A
SAN DIEGO COUNTY	N	
SAN FRANCISCO BAY AREA AIR BASIN	N	
SAN JOAQUIN VALLEY AIR BASIN	N	
SOUTH CENTRAL COAST AIR BASIN[2]		
San Luis Obispo County		
- Eastern San Luis Obispo County	N	
- Remainder of County		U/A
Santa Barbara County		U/A
Ventura County		
- Area excluding Anacapa and San Nicolas Islands	N	
- Channel Islands[2]		U/A
SOUTH COAST AIR BASIN[2]	N	
SOUTHEAST DESERT AIR BASIN		
Kern County (portion)	N	
- Indian Wells Valley		U/A
Imperial County	N	
Los Angeles County (portion)	N	
Riverside County (portion)		
- Coachella Valley	N	
- Non-AQMA portion		U/A
San Bernardino County		
- Western portion (AQMA)	N	
- Eastern portion (non-AQMA)		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.
NOTE: This map and Table reflect the 2015 8-hour ozone standard of 0.070 ppm.

---

[1] For this purpose, the Sacramento Metro Area comprises all of Sacramento and Yolo Counties, the Sacramento Valley Air Basin portion of Solano County, the southern portion of Sutter County, and the Sacramento Valley and Mountain Counties Air Basins portions of Placer and El Dorado counties.

[2] South Central Coast Air Basin Channel Islands:
Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.
Ventura County includes Anacapa and San Nicolas Islands.
South Coast Air Basin:
Los Angeles County includes San Clemente and Santa Catalina Islands.

Figure 12


Area Designations for National Ambient Air Quality Standards PM10
N
0 50 100 150 200 Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Shasta
Trinity
Lassen
Humboldt
Tehema
SACRAMENTO VALLEY
Plumas
Mendocino
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Nevada
LAKE COUNTY
Colusa
Yuba
Lake
Sutter
Placer
LAKE TAHOE
Yolo
El Dorado
Alpine
Sacramento County
Sonoma
Napa
Sac
Amador
Mono
Mono Basin
SAN FRANCISCO BAY AREA
Marin
Solano
Calaveras
Contra Costa
San Joaquin
Tuolumne
Mammoth Lake
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Madera
Inyo
Santa Cruz
San Benito
Fresno
SAN JOAQUIN VALLEY
Owens Valley
Coso Junction
Trona
NORTH CENTRAL COAST
Monterey
Kings
Tulare
San Luis Obispo
Kern
Indian Wells Valley
San Bernardino
SOUTH CENTRAL COAST
Santa Barbara
Ventura
Los Angeles
SOUTHEAST DESERT
Riverside
Coachella Valley
Orange
SOUTH COAST
Imperial
San Diego
SAN DIEGO COUNTY
Unclassified
Attainment
Nonattainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division

Table 12
National Ambient Air Quality Standards Area Designations for Suspended Particulate Matter (PM_{10})*

Area	N	U	A
GREAT BASIN VALLEYS AIR BASIN			
Alpine County		U	
Inyo County			
- Owens Valley Planning Area	N		
- Coso Junction			A
- Remainder of County		U	
Mono County			
- Mammoth Lake Planning Area			A
- Mono Lake Basin	N		
- Remainder of County		U	
LAKE COUNTY AIR BASIN		U	
LAKE TAHOE AIR BASIN		U	
MOUNTAIN COUNTIES AIR BASIN		U	
NORTH CENTRAL COAST AIR BASIN		U	
NORTH COAST AIR BASIN		U	
NORTHEAST PLATEAU AIR BASIN		U	
SACRAMENTO VALLEY AIR BASIN			
Sacramento County[1]			A
Remainder of Air Basin		U	
SAN DIEGO COUNTY		U	

Area	N	U	A
SAN FRANCISCO BAY AREA AIR BASIN		U	
SAN JOAQUIN VALLEY AIR BASIN			A
SOUTH CENTRAL COAST AIR BASIN		U	
SOUTH COAST AIR BASIN			A
SOUTHEAST DESERT AIR BASIN			
Eastern Kern County			
- Indian Wells Valley			A
- Portion within San Joaquin Valley Planning Area	N		
- Remainder of County		U	
Imperial County			
- Imperial Valley Planning Area[2]			A
- Remainder of County		U	
Los Angeles County (portion)		U	
Riverside County (portion)			
- Coachella Valley	N		
- Non-AQMA portion		U	
San Bernardino County			
- Trona	N		
- Remainder of County	N		

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

[1] Air quality in Sacramento County meets the national PM_{10} standards. The request for redesignation to attainment was approved by U.S. EPA in September 2013.

[2] The request for redesignation to attainment for the Imperial Valley Planning Area was approved by U.S. EPA in September 2020, effective October 2020.

Figure 13


Area Designations for National Ambient Air Quality Standards PM2.5
N
0 50 100 150 200 Miles
NORTH COAST
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
Humboldt
Trinity
Shasta
Lassen
Tehama
SACRAMENTO VALLEY
Plumas
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Mendocino
Nevada
LAKE COUNTY
Colusa
Yuba
Placer
Lake
Sutter
LAKE TAHOE
El Dorado
Yolo
Sonoma
Alpine
Napa
Sacramento
Amador
SAN FRANCISCO BAY AREA
Solano
Calaveras
GREAT BASIN VALLEYS
Marin
Tuolumne
Contra Costa
San Joaquin
Mono
Alameda
Stanislaus
Mariposa
San Mateo
Merced
Santa Clara
Madera
Santa Cruz
Fresno
NORTH CENTRAL COAST
San Benito
Inyo
Tulare
Monterey
Kings
SAN JOAQUIN VALLEY
San Luis Obispo
Kern
San Bernardino
SOUTH CENTRAL COAST
Santa Barbara
SOUTHEAST DESERT
Ventura
Los Angeles
Riverside
Orange
SOUTH COAST
San Diego
Imperial
SAN DIEGO COUNTY
Unclassified/Attainment
Nonattainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division

Table 13
National Ambient Air Quality Standards Area Designations for Fine Particulate Matter ($PM_{2.5}$)

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		
Plumas County		
- Portola Valley Portion of Plumas County	N	
- Remainder of Plumas County		U/A
Remainder of Air Basin		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		
Sacramento Metro Area[1]	N	
Remainder of Air Basin		U/A

Area	N	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN[2]	N	
SAN JOAQUIN VALLEY AIR BASIN	N	
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN[3]	N	
SOUTHEAST DESERT AIR BASIN		
Imperial County (portion)[4]	N	
Remainder of Air Basin		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305. This map reflects the 2006 24-hour $PM_{2.5}$ standard as well as the 1997 and 2012 $PM_{2.5}$ annual standards.

[1] For this purpose, Sacramento Metro Area comprises all of Sacramento and portions of El Dorado, Placer, Solano, and Yolo Counties. Air quality in this area meets the national $PM_{2.5}$ standards. A Determination of Attainment for the 2006 24-hour $PM_{2.5}$ standard was made by U.S. EPA in June 2017.

[2] Air quality in this area meets the national $PM_{2.5}$ standards. A Determination of Attainment for the 2006 24-hour $PM_{2.5}$ standard was made by U.S. EPA in June 2017.

[3] Those lands of the Santa Rosa Band of Cahulla Mission Indians in Riverside County are designated Unclassifiable/Attainment.

[4] That portion of Imperial County encompassing the urban and surrounding areas of Brawley, Calexico, El Centro, Heber, Holtville, Imperial, Seeley, and Westmorland. Air quality in this area meets the national $PM_{2.5}$ standards. A Determination of Attainment for the 2006 24-hour $PM_{2.5}$ standard was made by U.S. EPA in June 2017.

Figure 14

Last Updated: November 2023
Air Quality Planning and Science Division

Table 14
National Ambient Air Quality Standards Area Designations for Carbon Monoxide*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 15

Area Designations for National Ambient Air Quality Standards
NITROGEN DIOXIDE
N
0 50 100 150 200 Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Trinity
Shasta
Lassen
Humboldt
Tehema
Plumas
SACRAMENTO VALLEY
Mendocino
Glenn
Butte
Sierra
Nevada
MOUNTAIN COUNTIES
Colusa
Yuba
Placer
LAKE TAHOE
LAKE COUNTY
Lake
Sutter
Yolo
El Dorado
Napa
Alpine
Sonoma
Sac
Amador
SAN FRANCISCO BAY AREA
Solano
Marin
Calaveras
Contra Costa
San Joaquin
Tuolumne
Mono
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Santa Cruz
Madera
SAN JOAQUIN VALLEY
San Benito
Fresno
NORTH CENTRAL COAST
Inyo
Tulare
Monterey
Kings
San Luis Obispo
Kern
SOUTH CENTRAL COAST
Santa Barbara
SOUTHEAST DESERT
Ventura
Los Angeles
San Bernardino
Riverside
Orange
SOUTH COAST
San Diego
Imperial
SAN DIEGO COUNTY
Unclassified/Attainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division

Table 15
National Ambient Air Quality Standards Area Designations for Nitrogen Dioxide*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A

Area	N	U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.

Figure 16



Last Updated: November 2023
Air Quality Planning and Science Division

Table 16
National Ambient Air Quality Standards Area Designations for Sulfur Dioxide*

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN[1]		U/A
SOUTH COAST AIR BASIN		U/A
SOUTHEAST DESERT AIR BASIN		U/A

* Definitions and references for all areas can be found in 40 CFR, Chapter I, Part 81.305.
NOTE: This map and table reflect the 2010 1-hour SO_2 standard of 75 ppb.

[1] South Central Coast Air Basin Channel Islands:
Santa Barbara County includes Santa Cruz, San Miguel, Santa Rosa, and Santa Barbara Islands.
Ventura County includes Anacapa and San Nicolas Islands.
Note that the San Clemente and Santa Catalina Islands are considered part of Los Angeles County, and therefore, are included as part of the South Coast Air Basin.

Figure 17


Area Designations for National Ambient Air Quality Standards
LEAD
N
0 50 100 150 200 Miles
Del Norte
Siskiyou
Modoc
NORTHEAST PLATEAU
NORTH COAST
Trinity
Shasta
Lassen
Humboldt
Tehama
SACRAMENTO VALLEY
Plumas
Mendocino
Glenn
Butte
Sierra
MOUNTAIN COUNTIES
Nevada
Colusa
Yuba
Placer
Lake
Sutter
LAKE TAHOE
LAKE COUNTY
Yolo
El Dorado
Napa
Alpine
Sonoma
Sac
Amador
SAN FRANCISCO BAY AREA
Solano
Calaveras
Marin
Contra Costa
San Joaquin
Tuolumne
Mono
GREAT BASIN VALLEYS
San Francisco
Alameda
Stanislaus
Mariposa
San Mateo
Santa Clara
Merced
Santa Cruz
Madera
SAN JOAQUIN VALLEY
San Benito
Fresno
NORTH CENTRAL COAST
Inyo
Tulare
Monterey
Kings
San Luis Obispo
Kern
SOUTH CENTRAL COAST
SOUTHEAST DESERT
Santa Barbara
Ventura
Los Angeles
San Bernardino
Riverside
Orange
SOUTH COAST
San Diego
Imperial
SAN DIEGO COUNTY
Unclassified/Attainment
Nonattainment
Air Basin
County
Last Updated: November 2023
Air Quality Planning and Science Division

Table 17
National Ambient Air Quality Standards Area Designations for Lead (particulate)

Area	N	U/A
GREAT BASIN VALLEYS AIR BASIN		U/A
LAKE COUNTY AIR BASIN		U/A
LAKE TAHOE AIR BASIN		U/A
MOUNTAIN COUNTIES AIR BASIN		U/A
NORTH CENTRAL COAST AIR BASIN		U/A
NORTH COAST AIR BASIN		U/A
NORTHEAST PLATEAU AIR BASIN		U/A
SACRAMENTO VALLEY AIR BASIN		U/A

Area	N	U/A
SAN DIEGO COUNTY		U/A
SAN FRANCISCO BAY AREA AIR BASIN		U/A
SAN JOAQUIN VALLEY AIR BASIN		U/A
SOUTH CENTRAL COAST AIR BASIN		U/A
SOUTH COAST AIR BASIN		
Los Angeles County (portion)[1]	N	
Remainder of Air Basin		U/A
SOUTHEAST DESERT AIR BASIN		U/A

[1] Portion of County in Air Basin, not including Channel Islands

This page intentionally left blank

APPENDIX 3.1:

CALEEMOD PROPOSED PROJECT EMISSIONS MODEL OUTPUTS

11796-Del Amo Technology Center (Construction and Operations) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

2.2. Construction Emissions by Year, Unmitigated

2.3. Construction Emissions by Year, Mitigated

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

2.6. Operations Emissions by Sector, Mitigated

3. Construction Emissions Details

3.1. Clearing (2025) - Unmitigated

3.2. Clearing (2025) - Mitigated

3.3. Earthwork (2025) - Unmitigated

3.4. Earthwork (2025) - Mitigated

3.5. Export/Remediation (2025) - Unmitigated

3.6. Export/Remediation (2025) - Mitigated

3.7. Export/Remediation (2026) - Unmitigated

3.8. Export/Remediation (2026) - Mitigated

3.9. Import (2026) - Unmitigated

3.10. Import (2026) - Mitigated

3.11. Rough Grading (2026) - Unmitigated

3.12. Rough Grading (2026) - Mitigated

3.13. Site Work Fine Grading (2027) - Unmitigated

3.14. Site Work Fine Grading (2027) - Mitigated

3.15. Vertical Construction (2026) - Unmitigated

3.16. Vertical Construction (2026) - Mitigated

3.17. Vertical Construction (2027) - Unmitigated

3.18. Vertical Construction (2027) - Mitigated

3.19. Building Construction (2027) - Unmitigated

3.20. Building Construction (2027) - Mitigated

3.21. Paving (2027) - Unmitigated

3.22. Paving (2027) - Mitigated

3.23. Architectural Coating (2027) - Unmitigated

3.24. Architectural Coating (2027) - Mitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.1.2. Mitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.1. Construction Schedule

5.2. Off-Road Equipment

5.2.1. Unmitigated

5.2.2. Mitigated

5.3. Construction Vehicles

5.3.1. Unmitigated

5.3.2. Mitigated

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

5.5. Architectural Coatings

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

5.6.2. Construction Earthmoving Control Strategies

5.7. Construction Paving

5.8. Construction Electricity Consumption and Emissions Factors

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	11796-Del Amo Technology Center (Construction and Operations)
Construction Start Date	12/27/2024
Operational Year	2027
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	3.50
Precipitation (days)	17.4
Location	2899 Del Amo Blvd, Torrance, CA 90503, USA
County	Los Angeles-South Coast
City	Torrance
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	4668
EDFZ	7
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description

Unrefrigerated Warehouse-No Rail	363	1000sqft	8.33	362,730	283,720	—	—	High-Cube Fulfillment Center Warehouse
Refrigerated Warehouse-No Rail	40.3	1000sqft	0.93	40,303	31,524	—	—	High-Cube Cold Storage Warehouse
Parking Lot	718	Space	5.67	0.00	0.00	—	—	—
Other Asphalt Surfaces	16.4	Acre	16.4	0.00	0.00	—	—	—
User Defined Industrial	403	User Defined Unit	0.00	0.00	0.00	—	—	PC Trips

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power

2. Emissions Summary

2.1. Construction Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	67.1	67.1	78.7	100.0	0.24	3.04	10.9	11.2	2.71	3.30	3.89	—	33,486	33,486	1.73	4.23	65.5	34,856
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	61.4	61.3	78.7	99.8	0.19	3.04	4.74	7.17	2.71	1.93	3.89	—	20,479	20,479	0.83	0.24	0.26	20,561
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	6.75	6.70	19.7	23.1	0.09	0.48	3.74	4.22	0.43	1.10	1.54	—	12,512	12,512	0.62	1.28	8.81	12,916

Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	1.23	1.22	3.59	4.21	0.02	0.09	0.68	0.77	0.08	0.20	0.28	—	2,071	2,071	0.10	0.21	1.46	2,138

2.2. Construction Emissions by Year, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	3.33	3.31	78.7	100.0	0.24	3.04	10.9	11.2	2.71	3.30	3.89	—	33,486	33,486	1.73	4.23	65.5	34,856
2027	67.1	67.1	29.2	45.3	0.05	1.18	2.42	3.60	1.08	0.58	1.65	—	7,148	7,148	0.30	0.22	8.92	7,229
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	2.13	2.11	48.5	65.2	0.12	1.87	4.74	6.61	1.67	1.93	3.60	—	13,372	13,372	0.54	0.21	0.10	13,424
2026	3.33	3.31	78.7	99.8	0.19	3.04	4.13	7.17	2.71	1.18	3.89	—	20,479	20,479	0.83	0.24	0.26	20,561
2027	61.4	61.3	15.6	34.7	0.05	0.55	2.44	2.98	0.49	0.58	1.07	—	8,020	8,020	0.27	0.23	0.24	8,096
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.13	0.13	2.98	4.15	0.01	0.12	0.27	0.39	0.10	0.10	0.20	—	895	895	0.04	0.02	0.16	903
2026	1.26	0.81	19.7	23.1	0.09	0.48	3.74	4.22	0.43	1.10	1.54	—	12,512	12,512	0.62	1.28	8.81	12,916
2027	6.75	6.70	10.9	18.8	0.02	0.42	1.12	1.55	0.38	0.26	0.65	—	3,433	3,433	0.11	0.10	1.79	3,468
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.02	0.02	0.54	0.76	< 0.005	0.02	0.05	0.07	0.02	0.02	0.04	—	148	148	0.01	< 0.005	0.03	149
2026	0.23	0.15	3.59	4.21	0.02	0.09	0.68	0.77	0.08	0.20	0.28	—	2,071	2,071	0.10	0.21	1.46	2,138
2027	1.23	1.22	2.00	3.43	< 0.005	0.08	0.21	0.28	0.07	0.05	0.12	—	568	568	0.02	0.02	0.30	574

2.3. Construction Emissions by Year, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Year	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily - Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2026	3.33	3.31	78.7	100.0	0.24	3.04	10.9	11.2	2.71	3.30	3.89	—	33,486	33,486	1.73	4.23	65.5	34,856
2027	67.1	67.1	29.2	45.3	0.05	1.18	2.42	3.60	1.08	0.58	1.65	—	7,148	7,148	0.30	0.22	8.92	7,229
Daily - Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	2.13	2.11	48.5	65.2	0.12	1.87	4.74	6.61	1.67	1.93	3.60	—	13,372	13,372	0.54	0.21	0.10	13,424
2026	3.33	3.31	78.7	99.8	0.19	3.04	4.13	7.17	2.71	1.18	3.89	—	20,479	20,479	0.83	0.24	0.26	20,561
2027	61.4	61.3	15.6	34.7	0.05	0.55	2.44	2.98	0.49	0.58	1.07	—	8,020	8,020	0.27	0.23	0.24	8,096
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.13	0.13	2.98	4.15	0.01	0.12	0.27	0.39	0.10	0.10	0.20	—	895	895	0.04	0.02	0.16	903
2026	1.26	0.81	19.7	23.1	0.09	0.48	3.74	4.22	0.43	1.10	1.54	—	12,512	12,512	0.62	1.28	8.81	12,916
2027	6.75	6.70	10.9	18.8	0.02	0.42	1.12	1.55	0.38	0.26	0.65	—	3,433	3,433	0.11	0.10	1.79	3,468
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
2025	0.02	0.02	0.54	0.76	< 0.005	0.02	0.05	0.07	0.02	0.02	0.04	—	148	148	0.01	< 0.005	0.03	149
2026	0.23	0.15	3.59	4.21	0.02	0.09	0.68	0.77	0.08	0.20	0.28	—	2,071	2,071	0.10	0.21	1.46	2,138
2027	1.23	1.22	2.00	3.43	< 0.005	0.08	0.21	0.28	0.07	0.05	0.12	—	568	568	0.02	0.02	0.30	574

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	22.4	21.1	16.3	91.0	0.23	0.46	17.4	17.9	0.44	4.45	4.88	383	26,866	27,249	40.0	2.02	106	28,957
Mit.	22.4	21.1	16.3	91.0	0.23	0.46	17.4	17.9	0.44	4.45	4.88	383	26,804	27,187	40.0	2.02	106	28,894

% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	< 0.5%	—	—	< 0.5%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	19.3	18.2	16.9	67.8	0.22	0.42	17.4	17.8	0.41	4.45	4.86	383	26,075	26,458	40.0	2.05	42.8	28,113
Mit.	19.3	18.2	16.9	67.8	0.22	0.42	17.4	17.8	0.41	4.45	4.86	383	26,013	26,396	40.0	2.05	42.8	28,050
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	< 0.5%	—	—	< 0.5%
Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	19.4	18.4	12.5	74.9	0.21	0.23	16.4	16.6	0.21	4.19	4.40	383	24,446	24,829	39.9	1.96	67.7	26,479
Mit.	19.4	18.4	12.5	74.9	0.21	0.23	16.4	16.6	0.21	4.19	4.40	383	24,384	24,767	39.9	1.96	67.7	26,416
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	< 0.5%	—	—	< 0.5%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.55	3.35	2.28	13.7	0.04	0.04	2.99	3.03	0.04	0.76	0.80	63.4	4,047	4,111	6.61	0.32	11.2	4,384
Mit.	3.55	3.35	2.28	13.7	0.04	0.04	2.99	3.03	0.04	0.76	0.80	63.4	4,037	4,100	6.61	0.32	11.2	4,373
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	< 0.5%	< 0.5%	< 0.5%	< 0.5%	—	< 0.5%

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	8.24	7.30	11.5	69.3	0.22	0.18	17.4	17.6	0.17	4.45	4.62	—	22,776	22,776	0.91	1.54	65.2	23,324
Area	12.4	12.2	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,555	2,555	0.24	0.03	—	2,570

Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Total	22.4	21.1	16.3	91.0	0.23	0.46	17.4	17.9	0.44	4.45	4.88	383	26,866	27,249	40.0	2.02	106	28,957
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	8.21	7.26	12.3	63.7	0.21	0.18	17.4	17.6	0.17	4.45	4.62	—	22,057	22,057	0.95	1.58	1.69	22,552
Area	9.29	9.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,555	2,555	0.24	0.03	—	2,570
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Total	19.3	18.2	16.9	67.8	0.22	0.42	17.4	17.8	0.41	4.45	4.86	383	26,075	26,458	40.0	2.05	42.8	28,113
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	7.77	6.88	11.8	62.3	0.20	0.17	16.4	16.6	0.16	4.19	4.35	—	21,103	21,103	0.89	1.49	26.7	21,595
Area	11.4	11.3	0.10	12.0	< 0.005	0.02	—	0.02	0.02	—	0.02	—	49.4	49.4	< 0.005	< 0.005	—	49.5
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,555	2,555	0.24	0.03	—	2,570
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	0.25	0.22	0.63	0.57	< 0.005	0.03	0.00	0.03	0.03	0.00	0.03	0.00	115	115	< 0.005	< 0.005	0.00	115
Total	19.4	18.4	12.5	74.9	0.21	0.23	16.4	16.6	0.21	4.19	4.40	383	24,446	24,829	39.9	1.96	67.7	26,479
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.42	1.25	2.14	11.4	0.04	0.03	2.99	3.02	0.03	0.76	0.79	—	3,494	3,494	0.15	0.25	4.42	3,575

Area	2.08	2.05	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	423	423	0.04	< 0.005	—	425
Water	—	—	—	—	—	—	—	—	—	—	—	29.6	103	133	3.04	0.07	—	231
Waste	—	—	—	—	—	—	—	—	—	—	—	33.8	0.00	33.8	3.38	0.00	—	118
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80
Stationary	0.05	0.04	0.11	0.10	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	19.0	19.0	< 0.005	< 0.005	0.00	19.1
Total	3.55	3.35	2.28	13.7	0.04	0.04	2.99	3.03	0.04	0.76	0.80	63.4	4,047	4,111	6.61	0.32	11.2	4,384

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	8.24	7.30	11.5	69.3	0.22	0.18	17.4	17.6	0.17	4.45	4.62	—	22,776	22,776	0.91	1.54	65.2	23,324
Area	12.4	12.2	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,492	2,492	0.24	0.03	—	2,507
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Total	22.4	21.1	16.3	91.0	0.23	0.46	17.4	17.9	0.44	4.45	4.88	383	26,804	27,187	40.0	2.02	106	28,894
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	8.21	7.26	12.3	63.7	0.21	0.18	17.4	17.6	0.17	4.45	4.62	—	22,057	22,057	0.95	1.58	1.69	22,552
Area	9.29	9.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,492	2,492	0.24	0.03	—	2,507

Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Total	19.3	18.2	16.9	67.8	0.22	0.42	17.4	17.8	0.41	4.45	4.86	383	26,013	26,396	40.0	2.05	42.8	28,050
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	7.77	6.88	11.8	62.3	0.20	0.17	16.4	16.6	0.16	4.19	4.35	—	21,103	21,103	0.89	1.49	26.7	21,595
Area	11.4	11.3	0.10	12.0	< 0.005	0.02	—	0.02	0.02	—	0.02	—	49.4	49.4	< 0.005	< 0.005	—	49.5
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,492	2,492	0.24	0.03	—	2,507
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	0.25	0.22	0.63	0.57	< 0.005	0.03	0.00	0.03	0.03	0.00	0.03	0.00	115	115	< 0.005	< 0.005	0.00	115
Total	19.4	18.4	12.5	74.9	0.21	0.23	16.4	16.6	0.21	4.19	4.40	383	24,384	24,767	39.9	1.96	67.7	26,416
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.42	1.25	2.14	11.4	0.04	0.03	2.99	3.02	0.03	0.76	0.79	—	3,494	3,494	0.15	0.25	4.42	3,575
Area	2.08	2.05	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	413	413	0.04	< 0.005	—	415
Water	—	—	—	—	—	—	—	—	—	—	—	29.6	103	133	3.04	0.07	—	231
Waste	—	—	—	—	—	—	—	—	—	—	—	33.8	0.00	33.8	3.38	0.00	—	118
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80
Stationary	0.05	0.04	0.11	0.10	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	19.0	19.0	< 0.005	< 0.005	0.00	19.1
Total	3.55	3.35	2.28	13.7	0.04	0.04	2.99	3.03	0.04	0.76	0.80	63.4	4,037	4,100	6.61	0.32	11.2	4,373

3. Construction Emissions Details

3.1. Clearing (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.18	0.18	0.93	9.33	0.02	0.04	—	0.04	0.04	—	0.04	—	2,138	2,138	0.09	0.02	—	2,146
Dust From Material Movement	—	—	—	—	—	—	0.28	0.28	—	0.03	0.03	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.13	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	29.3	29.3	< 0.005	< 0.005	—	29.4
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	< 0.005	< 0.005	< 0.005	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	4.85	4.85	< 0.005	< 0.005	—	4.87
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.88	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	197	197	0.01	0.01	0.02	199
Vendor	< 0.005	< 0.005	0.04	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	31.7	31.7	< 0.005	< 0.005	< 0.005	33.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.73	2.73	< 0.005	< 0.005	< 0.005	2.77
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.43	0.43	< 0.005	< 0.005	< 0.005	0.45
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.45	0.45	< 0.005	< 0.005	< 0.005	0.46
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.07	0.07	< 0.005	< 0.005	< 0.005	0.08
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.2. Clearing (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.18	0.18	0.93	9.33	0.02	0.04	—	0.04	0.04	—	0.04	—	2,138	2,138	0.09	0.02	—	2,146
Dust From Material Movement	—	—	—	—	—	—	0.28	0.28	—	0.03	0.03	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.01	0.13	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	29.3	29.3	< 0.005	< 0.005	—	29.4
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	< 0.005	0.02	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	4.85	4.85	< 0.005	< 0.005	—	4.87

Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.88	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	197	197	0.01	0.01	0.02	199
Vendor	< 0.005	< 0.005	0.04	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	31.7	31.7	< 0.005	< 0.005	< 0.005	33.1
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	2.73	2.73	< 0.005	< 0.005	< 0.005	2.77
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.43	0.43	< 0.005	< 0.005	< 0.005	0.45
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.45	0.45	< 0.005	< 0.005	< 0.005	0.46
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.07	0.07	< 0.005	< 0.005	< 0.005	0.08
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.3. Earthwork (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	2.05	2.05	48.3	64.2	0.12	1.87	—	1.87	1.67	—	1.67	—	13,048	13,048	0.53	0.11	—	13,093
Dust From Material Movement	—	—	—	—	—	—	4.51	4.51	—	1.87	1.87	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.10	0.10	2.25	2.99	0.01	0.09	—	0.09	0.08	—	0.08	—	608	608	0.02	< 0.005	—	610
Dust From Material Movement	—	—	—	—	—	—	0.21	0.21	—	0.09	0.09	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.41	0.55	< 0.005	0.02	—	0.02	0.01	—	0.01	—	101	101	< 0.005	< 0.005	—	101
Dust From Material Movement	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.88	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	197	197	0.01	0.01	0.02	199
Vendor	0.01	< 0.005	0.15	0.07	< 0.005	< 0.005	0.03	0.04	< 0.005	0.01	0.01	—	127	127	0.01	0.02	0.01	132
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	9.29	9.29	< 0.005	< 0.005	0.02	9.42
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	5.91	5.91	< 0.005	< 0.005	0.01	6.17
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.54	1.54	< 0.005	< 0.005	< 0.005	1.56
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.98	0.98	< 0.005	< 0.005	< 0.005	1.02
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.4. Earthwork (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	2.05	2.05	48.3	64.2	0.12	1.87	—	1.87	1.67	—	1.67	—	13,048	13,048	0.53	0.11	—	13,093
Dust From Material Movement	—	—	—	—	—	—	4.51	4.51	—	1.87	1.87	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.10	0.10	2.25	2.99	0.01	0.09	—	0.09	0.08	—	0.08	—	608	608	0.02	< 0.005	—	610
Dust From Material Movement	—	—	—	—	—	—	0.21	0.21	—	0.09	0.09	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Roa d Equipm ent	0.02	0.02	0.41	0.55	< 0.005	0.02	—	0.02	0.01	—	0.01	—	101	101	< 0.005	< 0.005	—	101
Dust From Material Movement	—	—	—	—	—	—	0.04	0.04	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.07	0.06	0.07	0.88	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	197	197	0.01	0.01	0.02	199
Vendor	0.01	< 0.005	0.15	0.07	< 0.005	< 0.005	0.03	0.04	< 0.005	0.01	0.01	—	127	127	0.01	0.02	0.01	132
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	9.29	9.29	< 0.005	< 0.005	0.02	9.42
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	5.91	5.91	< 0.005	< 0.005	0.01	6.17
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.54	1.54	< 0.005	< 0.005	< 0.005	1.56
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.98	0.98	< 0.005	< 0.005	< 0.005	1.02
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.5. Export/Remediation (2025) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.27	0.27	7.15	11.0	0.01	0.33	—	0.33	0.30	—	0.30	—	1,565	1,565	0.06	0.01	—	1,570

Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.57	0.88	< 0.005	0.03	—	0.03	0.02	—	0.02	—	126	126	0.01	< 0.005	—	126
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.10	0.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	20.8	20.8	< 0.005	< 0.005	—	20.9
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.04	0.44	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	98.3	98.3	< 0.005	< 0.005	0.01	99.5

Vendor	0.07	0.03	1.13	0.53	0.01	0.01	0.26	0.27	0.01	0.07	0.08	—	952	952	0.04	0.13	0.07	993
Hauling	0.03	0.01	0.47	0.18	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	—	367	367	0.02	0.06	0.02	385
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	8.00	8.00	< 0.005	< 0.005	0.01	8.11
Vendor	0.01	< 0.005	0.09	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	76.4	76.4	< 0.005	0.01	0.09	79.7
Hauling	< 0.005	< 0.005	0.04	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	29.4	29.4	< 0.005	< 0.005	0.03	30.9
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.33	1.33	< 0.005	< 0.005	< 0.005	1.34
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	12.6	12.6	< 0.005	< 0.005	0.01	13.2
Hauling	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.88	4.88	< 0.005	< 0.005	< 0.005	5.11

3.6. Export/Remediation (2025) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.27	0.27	7.15	11.0	0.01	0.33	—	0.33	0.30	—	0.30	—	1,565	1,565	0.06	0.01	—	1,570
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.57	0.88	< 0.005	0.03	—	0.03	0.02	—	0.02	—	126	126	0.01	< 0.005	—	126
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.10	0.16	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	20.8	20.8	< 0.005	< 0.005	—	20.9
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.04	0.03	0.04	0.44	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	98.3	98.3	< 0.005	< 0.005	0.01	99.5
Vendor	0.07	0.03	1.13	0.53	0.01	0.01	0.26	0.27	0.01	0.07	0.08	—	952	952	0.04	0.13	0.07	993
Hauling	0.03	0.01	0.47	0.18	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	—	367	367	0.02	0.06	0.02	385
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.04	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	8.00	8.00	< 0.005	< 0.005	0.01	8.11

Vendor	0.01	< 0.005	0.09	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	76.4	76.4	< 0.005	0.01	0.09	79.7
Hauling	< 0.005	< 0.005	0.04	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	29.4	29.4	< 0.005	< 0.005	0.03	30.9
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.01	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.33	1.33	< 0.005	< 0.005	< 0.005	1.34
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	12.6	12.6	< 0.005	< 0.005	0.01	13.2
Hauling	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.88	4.88	< 0.005	< 0.005	< 0.005	5.11

3.7. Export/Remediation (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.27	0.27	7.15	11.0	0.01	0.33	—	0.33	0.30	—	0.30	—	1,565	1,565	0.06	0.01	—	1,571
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.27	0.27	7.15	11.0	0.01	0.33	—	0.33	0.30	—	0.30	—	1,565	1,565	0.06	0.01	—	1,571

Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.07	0.07	1.75	2.68	< 0.005	0.08	—	0.08	0.07	—	0.07	—	383	383	0.02	< 0.005	—	384
Dust From Material Movement	—	—	—	—	—	—	0.03	0.03	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.32	0.49	< 0.005	0.01	—	0.01	0.01	—	0.01	—	63.4	63.4	< 0.005	< 0.005	—	63.6
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.48	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	102	102	< 0.005	< 0.005	0.34	103
Vendor	0.07	0.03	1.03	0.50	0.01	0.01	0.26	0.27	0.01	0.07	0.08	—	935	935	0.04	0.13	2.53	979
Hauling	0.03	0.01	0.43	0.17	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	—	360	360	0.02	0.06	0.81	379

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.41	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	96.3	96.3	< 0.005	< 0.005	0.01	97.5
Vendor	0.07	0.03	1.08	0.51	0.01	0.01	0.26	0.27	0.01	0.07	0.08	—	936	936	0.04	0.13	0.07	977
Hauling	0.03	0.01	0.45	0.17	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	—	360	360	0.02	0.06	0.02	378
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.11	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	23.9	23.9	< 0.005	< 0.005	0.04	24.2
Vendor	0.02	0.01	0.27	0.12	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	—	229	229	0.01	0.03	0.27	239
Hauling	0.01	< 0.005	0.11	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	88.1	88.1	< 0.005	0.01	0.08	92.6
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.96	3.96	< 0.005	< 0.005	0.01	4.01
Vendor	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	37.9	37.9	< 0.005	0.01	0.04	39.6
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	14.6	14.6	< 0.005	< 0.005	0.01	15.3

3.8. Export/Remediation (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.27	0.27	7.15	11.0	0.01	0.33	—	0.33	0.30	—	0.30	—	1,565	1,565	0.06	0.01	—	1,571
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.02	0.02	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.27	0.27	7.15	11.0	0.01	0.33	—	0.33	0.30	—	0.30	—	1,565	1,565	0.06	0.01	—	1,571
Dust From Material Movement	—	—	—	—	—	—	0.14	0.14	—	0.02	0.02	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.07	0.07	1.75	2.68	< 0.005	0.08	—	0.08	0.07	—	0.07	—	383	383	0.02	< 0.005	—	384
Dust From Material Movement	—	—	—	—	—	—	0.03	0.03	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.32	0.49	< 0.005	0.01	—	0.01	0.01	—	0.01	—	63.4	63.4	< 0.005	< 0.005	—	63.6
Dust From Material Movement	—	—	—	—	—	—	0.01	0.01	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.48	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	102	102	< 0.005	< 0.005	0.34	103
Vendor	0.07	0.03	1.03	0.50	0.01	0.01	0.26	0.27	0.01	0.07	0.08	—	935	935	0.04	0.13	2.53	979
Hauling	0.03	0.01	0.43	0.17	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	—	360	360	0.02	0.06	0.81	379
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.41	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	96.3	96.3	< 0.005	< 0.005	0.01	97.5
Vendor	0.07	0.03	1.08	0.51	0.01	0.01	0.26	0.27	0.01	0.07	0.08	—	936	936	0.04	0.13	0.07	977
Hauling	0.03	0.01	0.45	0.17	< 0.005	< 0.005	0.10	0.10	< 0.005	0.03	0.03	—	360	360	0.02	0.06	0.02	378
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.11	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	23.9	23.9	< 0.005	< 0.005	0.04	24.2
Vendor	0.02	0.01	0.27	0.12	< 0.005	< 0.005	0.06	0.07	< 0.005	0.02	0.02	—	229	229	0.01	0.03	0.27	239
Hauling	0.01	< 0.005	0.11	0.04	< 0.005	< 0.005	0.02	0.02	< 0.005	0.01	0.01	—	88.1	88.1	< 0.005	0.01	0.08	92.6
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.96	3.96	< 0.005	< 0.005	0.01	4.01
Vendor	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	37.9	37.9	< 0.005	0.01	0.04	39.6
Hauling	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	14.6	14.6	< 0.005	< 0.005	0.01	15.3

3.9. Import (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road	0.19	0.19	2.17	9.35	0.06	0.03	—	0.03	0.03	—	0.03	—	5,534	5,534	0.22	0.04	—	5,553
Dust From Material Movement	—	—	—	—	—	—	1.77	1.77	—	0.89	0.89	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	0.61	2.61	0.02	0.01	—	0.01	0.01	—	0.01	—	1,546	1,546	0.06	0.01	—	1,552
Dust From Material Movement	—	—	—	—	—	—	0.49	0.49	—	0.25	0.25	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.11	0.48	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	256	256	0.01	< 0.005	—	257
Dust From Material Movement	—	—	—	—	—	—	0.09	0.09	—	0.05	0.05	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.65	0.58	0.61	10.2	0.00	0.00	2.06	2.06	0.00	0.48	0.48	—	2,134	2,134	0.09	0.07	7.22	2,166
Vendor	0.06	0.02	0.89	0.43	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	811	811	0.03	0.12	2.19	848
Hauling	1.81	0.40	30.1	11.8	0.17	0.32	6.82	7.14	0.32	1.87	2.19	—	25,008	25,008	1.39	4.00	56.1	26,289
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.18	0.16	0.21	2.54	0.00	0.00	0.57	0.57	0.00	0.13	0.13	—	574	574	0.03	0.02	0.87	581
Vendor	0.02	0.01	0.26	0.12	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	227	227	0.01	0.03	0.26	237
Hauling	0.50	0.11	8.84	3.32	0.05	0.09	1.89	1.98	0.09	0.52	0.61	—	6,990	6,990	0.39	1.12	6.74	7,339
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.04	0.46	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	95.0	95.0	< 0.005	< 0.005	0.14	96.3
Vendor	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	37.5	37.5	< 0.005	0.01	0.04	39.2
Hauling	0.09	0.02	1.61	0.61	0.01	0.02	0.34	0.36	0.02	0.09	0.11	—	1,157	1,157	0.06	0.18	1.12	1,215

3.10. Import (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.19	0.19	2.17	9.35	0.06	0.03	—	0.03	0.03	—	0.03	—	5,534	5,534	0.22	0.04	—	5,553

Dust From Material Movement	—	—	—	—	—	—	1.77	1.77	—	0.89	0.89	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	0.61	2.61	0.02	0.01	—	0.01	0.01	—	0.01	—	1,546	1,546	0.06	0.01	—	1,552
Dust From Material Movement	—	—	—	—	—	—	0.49	0.49	—	0.25	0.25	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.11	0.48	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	256	256	0.01	< 0.005	—	257
Dust From Material Movement	—	—	—	—	—	—	0.09	0.09	—	0.05	0.05	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.65	0.58	0.61	10.2	0.00	0.00	2.06	2.06	0.00	0.48	0.48	—	2,134	2,134	0.09	0.07	7.22	2,166

Vendor	0.06	0.02	0.89	0.43	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	811	811	0.03	0.12	2.19	848
Hauling	1.81	0.40	30.1	11.8	0.17	0.32	6.82	7.14	0.32	1.87	2.19	—	25,008	25,008	1.39	4.00	56.1	26,289
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.18	0.16	0.21	2.54	0.00	0.00	0.57	0.57	0.00	0.13	0.13	—	574	574	0.03	0.02	0.87	581
Vendor	0.02	0.01	0.26	0.12	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	227	227	0.01	0.03	0.26	237
Hauling	0.50	0.11	8.84	3.32	0.05	0.09	1.89	1.98	0.09	0.52	0.61	—	6,990	6,990	0.39	1.12	6.74	7,339
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.04	0.46	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	95.0	95.0	< 0.005	< 0.005	0.14	96.3
Vendor	< 0.005	< 0.005	0.05	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	37.5	37.5	< 0.005	0.01	0.04	39.2
Hauling	0.09	0.02	1.61	0.61	0.01	0.02	0.34	0.36	0.02	0.09	0.11	—	1,157	1,157	0.06	0.18	1.12	1,215

3.11. Rough Grading (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.22	3.22	78.4	98.4	0.18	3.04	—	3.04	2.71	—	2.71	—	19,972	19,972	0.81	0.16	—	20,040
Dust From Material Movement	—	—	—	—	—	—	3.77	3.77	—	1.10	1.10	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.22	3.22	78.4	98.4	0.18	3.04	—	3.04	2.71	—	2.71	—	19,972	19,972	0.81	0.16	—	20,040
Dust From Material Movement	—	—	—	—	—	—	3.77	3.77	—	1.10	1.10	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.24	0.24	5.80	7.28	0.01	0.22	—	0.22	0.20	—	0.20	—	1,477	1,477	0.06	0.01	—	1,482
Dust From Material Movement	—	—	—	—	—	—	0.28	0.28	—	0.08	0.08	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.04	0.04	1.06	1.33	< 0.005	0.04	—	0.04	0.04	—	0.04	—	245	245	0.01	< 0.005	—	245
Dust From Material Movement	—	—	—	—	—	—	0.05	0.05	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.09	1.45	0.00	0.00	0.29	0.29	0.00	0.07	0.07	—	305	305	0.01	0.01	1.03	309
Vendor	0.02	0.01	0.24	0.12	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	218	218	0.01	0.03	0.59	228
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.10	1.24	0.00	0.00	0.29	0.29	0.00	0.07	0.07	—	289	289	0.01	0.01	0.03	293
Vendor	0.02	0.01	0.25	0.12	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	218	218	0.01	0.03	0.02	228
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	21.7	21.7	< 0.005	< 0.005	0.03	22.0
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	16.1	16.1	< 0.005	< 0.005	0.02	16.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.59	3.59	< 0.005	< 0.005	0.01	3.64
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.67	2.67	< 0.005	< 0.005	< 0.005	2.79
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.12. Rough Grading (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	3.22	3.22	78.4	98.4	0.18	3.04	—	3.04	2.71	—	2.71	—	19,972	19,972	0.81	0.16	—	20,040
Dust From Material Movement	—	—	—	—	—	—	3.77	3.77	—	1.10	1.10	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	3.22	3.22	78.4	98.4	0.18	3.04	—	3.04	2.71	—	2.71	—	19,972	19,972	0.81	0.16	—	20,040
Dust From Material Movement	—	—	—	—	—	—	3.77	3.77	—	1.10	1.10	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.24	0.24	5.80	7.28	0.01	0.22	—	0.22	0.20	—	0.20	—	1,477	1,477	0.06	0.01	—	1,482
Dust From Material Movement	—	—	—	—	—	—	0.28	0.28	—	0.08	0.08	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipment	0.04	0.04	1.06	1.33	< 0.005	0.04	—	0.04	0.04	—	0.04	—	245	245	0.01	< 0.005	—	245
Dust From Material Movement	—	—	—	—	—	—	0.05	0.05	—	0.01	0.01	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.09	1.45	0.00	0.00	0.29	0.29	0.00	0.07	0.07	—	305	305	0.01	0.01	1.03	309
Vendor	0.02	0.01	0.24	0.12	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	218	218	0.01	0.03	0.59	228
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.09	0.08	0.10	1.24	0.00	0.00	0.29	0.29	0.00	0.07	0.07	—	289	289	0.01	0.01	0.03	293
Vendor	0.02	0.01	0.25	0.12	< 0.005	< 0.005	0.06	0.06	< 0.005	0.02	0.02	—	218	218	0.01	0.03	0.02	228
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.01	0.10	0.00	0.00	0.02	0.02	0.00	0.01	0.01	—	21.7	21.7	< 0.005	< 0.005	0.03	22.0
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	16.1	16.1	< 0.005	< 0.005	0.02	16.9
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	3.59	3.59	< 0.005	< 0.005	0.01	3.64
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.67	2.67	< 0.005	< 0.005	< 0.005	2.79
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.13. Site Work Fine Grading (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.50	0.50	9.71	20.0	0.03	0.29	—	0.29	0.27	—	0.27	—	3,756	3,756	0.15	0.03	—	3,769
Dust From Material Movement	—	—	—	—	—	—	0.55	0.55	—	0.06	0.06	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.50	0.50	9.71	20.0	0.03	0.29	—	0.29	0.27	—	0.27	—	3,756	3,756	0.15	0.03	—	3,769
Dust From Material Movement	—	—	—	—	—	—	0.55	0.55	—	0.06	0.06	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.32	0.66	< 0.005	0.01	—	0.01	0.01	—	0.01	—	123	123	0.01	< 0.005	—	124

Dust From Material Movement	—	—	—	—	—	—	0.02	0.02	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.06	0.12	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	20.4	20.4	< 0.005	< 0.005	—	20.5
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.05	0.90	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	199	199	0.01	0.01	0.62	202
Vendor	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	91.7	91.7	< 0.005	0.01	0.24	95.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.06	0.76	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	189	189	< 0.005	0.01	0.02	191
Vendor	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	91.8	91.8	< 0.005	0.01	0.01	95.7
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.30	6.30	< 0.005	< 0.005	0.01	6.39
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.02	3.02	< 0.005	< 0.005	< 0.005	3.15

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.04	1.04	< 0.005	< 0.005	< 0.005	1.06
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.50	0.50	< 0.005	< 0.005	< 0.005	0.52
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.14. Site Work Fine Grading (2027) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.50	0.50	9.71	20.0	0.03	0.29	—	0.29	0.27	—	0.27	—	3,756	3,756	0.15	0.03	—	3,769
Dust From Material Movement	—	—	—	—	—	—	0.55	0.55	—	0.06	0.06	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.50	0.50	9.71	20.0	0.03	0.29	—	0.29	0.27	—	0.27	—	3,756	3,756	0.15	0.03	—	3,769
Dust From Material Movement	—	—	—	—	—	—	0.55	0.55	—	0.06	0.06	—	—	—	—	—	—	—

Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.32	0.66	< 0.005	0.01	—	0.01	0.01	—	0.01	—	123	123	0.01	< 0.005	—	124
Dust From Material Movement	—	—	—	—	—	—	0.02	0.02	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.06	0.12	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	20.4	20.4	< 0.005	< 0.005	—	20.5
Dust From Material Movement	—	—	—	—	—	—	< 0.005	< 0.005	—	< 0.005	< 0.005	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.05	0.90	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	199	199	0.01	0.01	0.62	202
Vendor	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	91.7	91.7	< 0.005	0.01	0.24	95.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.06	0.76	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	189	189	< 0.005	0.01	0.02	191

Vendor	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	91.8	91.8	< 0.005	0.01	0.01	95.7
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.03	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	6.30	6.30	< 0.005	< 0.005	0.01	6.39
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	3.02	3.02	< 0.005	< 0.005	< 0.005	3.15
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	1.04	1.04	< 0.005	< 0.005	< 0.005	1.06
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.50	0.50	< 0.005	< 0.005	< 0.005	0.52
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.15. Vertical Construction (2026) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.71	0.71	14.0	25.7	0.05	0.54	—	0.54	0.49	—	0.49	—	5,093	5,093	0.21	0.04	—	5,110
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Road Equipm	0.08	0.08	1.62	2.96	0.01	0.06	—	0.06	0.06	—	0.06	—	588	588	0.02	< 0.005	—	590
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.30	0.54	< 0.005	0.01	—	0.01	0.01	—	0.01	—	97.4	97.4	< 0.005	< 0.005	—	97.7
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.70	0.62	0.74	9.33	0.00	0.00	2.21	2.21	0.00	0.52	0.52	—	2,174	2,174	0.10	0.08	0.20	2,201
Vendor	0.06	0.02	0.93	0.44	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	811	811	0.03	0.12	0.06	846
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.09	1.13	0.00	0.00	0.25	0.25	0.00	0.06	0.06	—	255	255	0.01	0.01	0.39	258
Vendor	0.01	< 0.005	0.11	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	93.6	93.6	< 0.005	0.01	0.11	97.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.02	0.21	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	42.2	42.2	< 0.005	< 0.005	0.06	42.7
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	15.5	15.5	< 0.005	< 0.005	0.02	16.2
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.16. Vertical Construction (2026) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.71	0.71	14.0	25.7	0.05	0.54	—	0.54	0.49	—	0.49	—	5,093	5,093	0.21	0.04	—	5,110
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.08	0.08	1.62	2.96	0.01	0.06	—	0.06	0.06	—	0.06	—	588	588	0.02	< 0.005	—	590
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.30	0.54	< 0.005	0.01	—	0.01	0.01	—	0.01	—	97.4	97.4	< 0.005	< 0.005	—	97.7
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.70	0.62	0.74	9.33	0.00	0.00	2.21	2.21	0.00	0.52	0.52	—	2,174	2,174	0.10	0.08	0.20	2,201
Vendor	0.06	0.02	0.93	0.44	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	811	811	0.03	0.12	0.06	846
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.08	0.07	0.09	1.13	0.00	0.00	0.25	0.25	0.00	0.06	0.06	—	255	255	0.01	0.01	0.39	258
Vendor	0.01	< 0.005	0.11	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	93.6	93.6	< 0.005	0.01	0.11	97.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.01	0.01	0.02	0.21	0.00	0.00	0.05	0.05	0.00	0.01	0.01	—	42.2	42.2	< 0.005	< 0.005	0.06	42.7
Vendor	< 0.005	< 0.005	0.02	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	15.5	15.5	< 0.005	< 0.005	0.02	16.2
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.17. Vertical Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.71	0.71	14.0	25.7	0.05	0.54	—	0.54	0.49	—	0.49	—	5,092	5,092	0.21	0.04	—	5,110
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.11	0.11	2.28	4.17	0.01	0.09	—	0.09	0.08	—	0.08	—	827	827	0.03	0.01	—	830
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.42	0.76	< 0.005	0.02	—	0.02	0.01	—	0.01	—	137	137	0.01	< 0.005	—	137
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.67	0.59	0.73	8.61	0.00	0.00	2.21	2.21	0.00	0.52	0.52	—	2,133	2,133	0.03	0.08	0.18	2,158
Vendor	0.05	0.02	0.89	0.42	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	795	795	0.03	0.11	0.05	829
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.10	0.12	1.47	0.00	0.00	0.36	0.36	0.00	0.08	0.08	—	352	352	< 0.005	0.01	0.49	356
Vendor	0.01	< 0.005	0.15	0.07	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	129	129	0.01	0.02	0.15	135
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.06	0.06	0.00	0.02	0.02	—	58.2	58.2	< 0.005	< 0.005	0.08	58.9
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	21.4	21.4	< 0.005	< 0.005	0.02	22.3
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.18. Vertical Construction (2027) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.71	0.71	14.0	25.7	0.05	0.54	—	0.54	0.49	—	0.49	—	5,092	5,092	0.21	0.04	—	5,110
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.11	0.11	2.28	4.17	0.01	0.09	—	0.09	0.08	—	0.08	—	827	827	0.03	0.01	—	830
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.02	0.02	0.42	0.76	< 0.005	0.02	—	0.02	0.01	—	0.01	—	137	137	0.01	< 0.005	—	137
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.67	0.59	0.73	8.61	0.00	0.00	2.21	2.21	0.00	0.52	0.52	—	2,133	2,133	0.03	0.08	0.18	2,158
Vendor	0.05	0.02	0.89	0.42	0.01	0.01	0.22	0.23	0.01	0.06	0.07	—	795	795	0.03	0.11	0.05	829
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.11	0.10	0.12	1.47	0.00	0.00	0.36	0.36	0.00	0.08	0.08	—	352	352	< 0.005	0.01	0.49	356
Vendor	0.01	< 0.005	0.15	0.07	< 0.005	< 0.005	0.04	0.04	< 0.005	0.01	0.01	—	129	129	0.01	0.02	0.15	135
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.02	0.02	0.02	0.27	0.00	0.00	0.06	0.06	0.00	0.02	0.02	—	58.2	58.2	< 0.005	< 0.005	0.08	58.9
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	21.4	21.4	< 0.005	< 0.005	0.02	22.3
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.19. Building Construction (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.00	1.00	27.8	34.8	0.04	1.18	—	1.18	1.07	—	1.07	—	4,165	4,165	0.17	0.03	—	4,179
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.25	0.25	7.09	8.86	0.01	0.30	—	0.30	0.27	—	0.27	—	1,061	1,061	0.04	0.01	—	1,065
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	1.29	1.62	< 0.005	0.05	—	0.05	0.05	—	0.05	—	176	176	0.01	< 0.005	—	176
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.68	0.60	0.58	10.2	0.00	0.00	2.21	2.21	0.00	0.52	0.52	—	2,250	2,250	0.10	0.08	7.01	2,283
Vendor	0.05	0.02	0.79	0.38	0.01	0.01	0.21	0.21	0.01	0.06	0.06	—	734	734	0.03	0.10	1.91	767
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.15	0.19	2.31	0.00	0.00	0.56	0.56	0.00	0.13	0.13	—	551	551	0.01	0.02	0.77	558
Vendor	0.01	0.01	0.21	0.10	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	187	187	0.01	0.03	0.21	195
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.42	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	91.3	91.3	< 0.005	< 0.005	0.13	92.5
Vendor	< 0.005	< 0.005	0.04	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	31.0	31.0	< 0.005	< 0.005	0.03	32.3
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.20. Building Construction (2027) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	1.00	1.00	27.8	34.8	0.04	1.18	—	1.18	1.07	—	1.07	—	4,165	4,165	0.17	0.03	—	4,179
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.25	0.25	7.09	8.86	0.01	0.30	—	0.30	0.27	—	0.27	—	1,061	1,061	0.04	0.01	—	1,065
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.05	0.05	1.29	1.62	< 0.005	0.05	—	0.05	0.05	—	0.05	—	176	176	0.01	< 0.005	—	176
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	0.68	0.60	0.58	10.2	0.00	0.00	2.21	2.21	0.00	0.52	0.52	—	2,250	2,250	0.10	0.08	7.01	2,283
Vendor	0.05	0.02	0.79	0.38	0.01	0.01	0.21	0.21	0.01	0.06	0.06	—	734	734	0.03	0.10	1.91	767
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.17	0.15	0.19	2.31	0.00	0.00	0.56	0.56	0.00	0.13	0.13	—	551	551	0.01	0.02	0.77	558
Vendor	0.01	0.01	0.21	0.10	< 0.005	< 0.005	0.05	0.05	< 0.005	0.01	0.02	—	187	187	0.01	0.03	0.21	195
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.03	0.03	0.42	0.00	0.00	0.10	0.10	0.00	0.02	0.02	—	91.3	91.3	< 0.005	< 0.005	0.13	92.5
Vendor	< 0.005	< 0.005	0.04	0.02	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	31.0	31.0	< 0.005	< 0.005	0.03	32.3
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.21. Paving (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.42	0.42	11.3	17.3	0.02	0.51	—	0.51	0.47	—	0.47	—	2,469	2,469	0.10	0.02	—	2,477
Paving	5.26	5.26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.34	0.52	< 0.005	0.02	—	0.02	0.01	—	0.01	—	74.4	74.4	< 0.005	< 0.005	—	74.7
Paving	0.16	0.16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.06	0.10	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	12.3	12.3	< 0.005	< 0.005	—	12.4
Paving	0.03	0.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.05	0.90	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	199	199	0.01	0.01	0.62	202
Vendor	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	91.7	91.7	< 0.005	0.01	0.24	95.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.78	5.78	< 0.005	< 0.005	0.01	5.85
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.76	2.76	< 0.005	< 0.005	< 0.005	2.88

Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.96	0.96	< 0.005	< 0.005	< 0.005	0.97
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.46	0.46	< 0.005	< 0.005	< 0.005	0.48
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.22. Paving (2027) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.42	0.42	11.3	17.3	0.02	0.51	—	0.51	0.47	—	0.47	—	2,469	2,469	0.10	0.02	—	2,477
Paving	5.26	5.26	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.34	0.52	< 0.005	0.02	—	0.02	0.01	—	0.01	—	74.4	74.4	< 0.005	< 0.005	—	74.7
Paving	0.16	0.16	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Off-Roa Equipment	< 0.005	< 0.005	0.06	0.10	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	12.3	12.3	< 0.005	< 0.005	—	12.4
Paving	0.03	0.03	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.06	0.05	0.05	0.90	0.00	0.00	0.20	0.20	0.00	0.05	0.05	—	199	199	0.01	0.01	0.62	202
Vendor	0.01	< 0.005	0.10	0.05	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	91.7	91.7	< 0.005	0.01	0.24	95.8
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	0.02	0.00	0.00	0.01	0.01	0.00	< 0.005	< 0.005	—	5.78	5.78	< 0.005	< 0.005	0.01	5.85
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	2.76	2.76	< 0.005	< 0.005	< 0.005	2.88
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	< 0.005	< 0.005	0.00	0.00	< 0.005	< 0.005	0.00	< 0.005	< 0.005	—	0.96	0.96	< 0.005	< 0.005	< 0.005	0.97
Vendor	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	0.46	0.46	< 0.005	< 0.005	< 0.005	0.48
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.23. Architectural Coating (2027) - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.06	0.06	1.81	2.44	—	0.07	—	0.07	0.07	—	0.07	—	—	—	—	—	—	—
Architectural Coatings	61.0	61.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.06	0.06	1.81	2.44	—	0.07	—	0.07	0.07	—	0.07	—	—	—	—	—	—	—
Architectural Coatings	61.0	61.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.17	0.23	—	0.01	—	0.01	0.01	—	0.01	—	—	—	—	—	—	—
Architectural Coatings	5.85	5.85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.04	—	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	—	—	—	—	—	—
Architectural Coatings	1.07	1.07	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.27	0.24	0.23	4.07	0.00	0.00	0.89	0.89	0.00	0.21	0.21	—	900	900	0.04	0.03	2.80	913
Vendor	0.02	0.01	0.30	0.14	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.02	—	275	275	0.01	0.04	0.72	288
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.27	0.24	0.29	3.45	0.00	0.00	0.89	0.89	0.00	0.21	0.21	—	853	853	0.01	0.03	0.07	863
Vendor	0.02	0.01	0.31	0.14	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.02	—	275	275	0.01	0.04	0.02	287
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.02	0.03	0.35	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	83.0	83.0	< 0.005	< 0.005	0.12	84.1
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	26.4	26.4	< 0.005	< 0.005	0.03	27.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	< 0.005	< 0.005	0.01	0.06	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	13.7	13.7	< 0.005	< 0.005	0.02	13.9
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.37	4.37	< 0.005	< 0.005	< 0.005	4.56
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

3.24. Architectural Coating (2027) - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Location	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Onsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.06	0.06	1.81	2.44	—	0.07	—	0.07	0.07	—	0.07	—	—	—	—	—	—	—
Architectural Coatings	61.0	61.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.06	0.06	1.81	2.44	—	0.07	—	0.07	0.07	—	0.07	—	—	—	—	—	—	—
Architectural Coatings	61.0	61.0	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	0.01	0.01	0.17	0.23	—	0.01	—	0.01	0.01	—	0.01	—	—	—	—	—	—	—

Architect Coatings	5.85	5.85	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Off-Road Equipment	< 0.005	< 0.005	0.03	0.04	—	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	—	—	—	—	—	—
Architectural Coatings	1.07	1.07	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Onsite truck	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Offsite	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.27	0.24	0.23	4.07	0.00	0.00	0.89	0.89	0.00	0.21	0.21	—	900	900	0.04	0.03	2.80	913
Vendor	0.02	0.01	0.30	0.14	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.02	—	275	275	0.01	0.04	0.72	288
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.27	0.24	0.29	3.45	0.00	0.00	0.89	0.89	0.00	0.21	0.21	—	853	853	0.01	0.03	0.07	863
Vendor	0.02	0.01	0.31	0.14	< 0.005	< 0.005	0.08	0.08	< 0.005	0.02	0.02	—	275	275	0.01	0.04	0.02	287
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Worker	0.03	0.02	0.03	0.35	0.00	0.00	0.08	0.08	0.00	0.02	0.02	—	83.0	83.0	< 0.005	< 0.005	0.12	84.1
Vendor	< 0.005	< 0.005	0.03	0.01	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	26.4	26.4	< 0.005	< 0.005	0.03	27.5
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Worker	< 0.005	< 0.005	0.01	0.06	0.00	0.00	0.02	0.02	0.00	< 0.005	< 0.005	—	13.7	13.7	< 0.005	< 0.005	0.02	13.9
Vendor	< 0.005	< 0.005	0.01	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	4.37	4.37	< 0.005	< 0.005	< 0.005	4.56
Hauling	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.37	0.13	5.93	2.67	0.05	0.08	1.90	1.98	0.08	0.51	0.59	—	5,972	5,972	0.23	0.86	16.2	6,251
Refrigerated Warehouse-No Rail	0.15	0.06	2.09	1.11	0.02	0.03	0.75	0.78	0.03	0.20	0.23	—	2,123	2,123	0.08	0.29	6.73	2,219
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	7.72	7.11	3.53	65.5	0.15	0.07	14.8	14.8	0.07	3.74	3.80	—	14,681	14,681	0.60	0.38	42.3	14,853
Total	8.24	7.30	11.5	69.3	0.22	0.18	17.4	17.6	0.17	4.45	4.62	—	22,776	22,776	0.91	1.54	65.2	23,324

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.37	0.13	6.17	2.68	0.05	0.08	1.90	1.98	0.08	0.51	0.59	—	5,973	5,973	0.23	0.86	0.42	6,237
Refrigerated Warehouse-No Rail	0.14	0.06	2.17	1.11	0.02	0.03	0.75	0.78	0.03	0.20	0.23	—	2,123	2,123	0.08	0.30	0.17	2,213
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	7.70	7.08	3.98	59.9	0.14	0.07	14.8	14.8	0.07	3.74	3.80	—	13,960	13,960	0.64	0.42	1.10	14,102
Total	8.21	7.26	12.3	63.7	0.21	0.18	17.4	17.6	0.17	4.45	4.62	—	22,057	22,057	0.95	1.58	1.69	22,552
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.06	0.02	1.09	0.47	0.01	0.01	0.33	0.34	0.01	0.09	0.10	—	948	948	0.04	0.14	1.11	991
Refrigerated Warehouse-No Rail	0.02	0.01	0.35	0.18	< 0.005	< 0.005	0.12	0.12	< 0.005	0.03	0.04	—	307	307	0.01	0.04	0.42	321
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00

User Defined Industrial	1.33	1.22	0.70	10.7	0.02	0.01	2.55	2.56	0.01	0.64	0.66	—	2,239	2,239	0.10	0.07	2.89	2,264
Total	1.42	1.25	2.14	11.4	0.04	0.03	2.99	3.02	0.03	0.76	0.79	—	3,494	3,494	0.15	0.25	4.42	3,575

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.37	0.13	5.93	2.67	0.05	0.08	1.90	1.98	0.08	0.51	0.59	—	5,972	5,972	0.23	0.86	16.2	6,251
Refrigerated Warehouse-No Rail	0.15	0.06	2.09	1.11	0.02	0.03	0.75	0.78	0.03	0.20	0.23	—	2,123	2,123	0.08	0.29	6.73	2,219
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	7.72	7.11	3.53	65.5	0.15	0.07	14.8	14.8	0.07	3.74	3.80	—	14,681	14,681	0.60	0.38	42.3	14,853
Total	8.24	7.30	11.5	69.3	0.22	0.18	17.4	17.6	0.17	4.45	4.62	—	22,776	22,776	0.91	1.54	65.2	23,324
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated Warehouse-Rail	0.37	0.13	6.17	2.68	0.05	0.08	1.90	1.98	0.08	0.51	0.59	—	5,973	5,973	0.23	0.86	0.42	6,237
Refrigerated Warehouse-No Rail	0.14	0.06	2.17	1.11	0.02	0.03	0.75	0.78	0.03	0.20	0.23	—	2,123	2,123	0.08	0.30	0.17	2,213
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	7.70	7.08	3.98	59.9	0.14	0.07	14.8	14.8	0.07	3.74	3.80	—	13,960	13,960	0.64	0.42	1.10	14,102
Total	8.21	7.26	12.3	63.7	0.21	0.18	17.4	17.6	0.17	4.45	4.62	—	22,057	22,057	0.95	1.58	1.69	22,552
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.06	0.02	1.09	0.47	0.01	0.01	0.33	0.34	0.01	0.09	0.10	—	948	948	0.04	0.14	1.11	991
Refrigerated Warehouse-No Rail	0.02	0.01	0.35	0.18	< 0.005	< 0.005	0.12	0.12	< 0.005	0.03	0.04	—	307	307	0.01	0.04	0.42	321
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	1.33	1.22	0.70	10.7	0.02	0.01	2.55	2.56	0.01	0.64	0.66	—	2,239	2,239	0.10	0.07	2.89	2,264
Total	1.42	1.25	2.14	11.4	0.04	0.03	2.99	3.02	0.03	0.76	0.79	—	3,494	3,494	0.15	0.25	4.42	3,575

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,610	1,610	0.15	0.02	—	1,620
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	739	739	0.07	0.01	—	744
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	205	205	0.02	< 0.005	—	206
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,555	2,555	0.24	0.03	—	2,570
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,610	1,610	0.15	0.02	—	1,620

Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	739	739	0.07	0.01	—	744
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	205	205	0.02	< 0.005	—	206
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,555	2,555	0.24	0.03	—	2,570
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	267	267	0.03	< 0.005	—	268
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	122	122	0.01	< 0.005	—	123
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	34.0	34.0	< 0.005	< 0.005	—	34.2
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	423	423	0.04	< 0.005	—	425

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,548	1,548	0.15	0.02	—	1,557
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	739	739	0.07	0.01	—	744
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	205	205	0.02	< 0.005	—	206
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,492	2,492	0.24	0.03	—	2,507
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,548	1,548	0.15	0.02	—	1,557
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	739	739	0.07	0.01	—	744

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	205	205	0.02	< 0.005	—	206
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,492	2,492	0.24	0.03	—	2,507
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	256	256	0.02	< 0.005	—	258
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	122	122	0.01	< 0.005	—	123
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	34.0	34.0	< 0.005	< 0.005	—	34.2
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	413	413	0.04	< 0.005	—	415

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	8.70	8.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architectural Coatings	0.59	0.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.12	2.88	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Total	12.4	12.2	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	8.70	8.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.59	0.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	9.29	9.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	1.59	1.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.11	0.11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.39	0.36	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20
Total	2.08	2.05	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	8.70	8.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.59	0.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.12	2.88	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Total	12.4	12.2	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	8.70	8.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.59	0.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	9.29	9.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	1.59	1.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Architectural Coating	0.11	0.11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.39	0.36	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20
Total	2.08	2.05	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	161	562	722	16.5	0.40	—	1,254
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	17.9	62.4	80.3	1.84	0.04	—	139
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Total	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	161	562	722	16.5	0.40	—	1,254
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	17.9	62.4	80.3	1.84	0.04	—	139
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	26.6	93.0	120	2.74	0.07	—	208
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	2.96	10.3	13.3	0.30	0.01	—	23.1
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	29.6	103	133	3.04	0.07	—	231

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	161	562	722	16.5	0.40	—	1,254
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	17.9	62.4	80.3	1.84	0.04	—	139
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	161	562	722	16.5	0.40	—	1,254
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	17.9	62.4	80.3	1.84	0.04	—	139
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	26.6	93.0	120	2.74	0.07	—	208
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	2.96	10.3	13.3	0.30	0.01	—	23.1
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	29.6	103	133	3.04	0.07	—	231

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	184	0.00	184	18.4	0.00	—	643
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	20.4	0.00	20.4	2.04	0.00	—	71.4
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrig Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	184	0.00	184	18.4	0.00	—	643
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	20.4	0.00	20.4	2.04	0.00	—	71.4
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	30.4	0.00	30.4	3.04	0.00	—	106
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	3.38	0.00	3.38	0.34	0.00	—	11.8
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	33.8	0.00	33.8	3.38	0.00	—	118

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	184	0.00	184	18.4	0.00	—	643
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	20.4	0.00	20.4	2.04	0.00	—	71.4
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	184	0.00	184	18.4	0.00	—	643

Refrigerated Warehouse-No	—	—	—	—	—	—	—	—	—	—	—	20.4	0.00	20.4	2.04	0.00	—	71.4
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	30.4	0.00	30.4	3.04	0.00	—	106
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	3.38	0.00	3.38	0.34	0.00	—	11.8
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	33.8	0.00	33.8	3.38	0.00	—	118

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.54	0.49	1.38	1.26	< 0.005	0.07	0.00	0.07	0.07	0.00	0.07	0.00	252	252	0.01	< 0.005	0.00	253
Emergency Generator	1.26	1.15	3.21	2.93	0.01	0.17	0.00	0.17	0.17	0.00	0.17	0.00	588	588	0.02	< 0.005	0.00	590
Total	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.54	0.49	1.38	1.26	< 0.005	0.07	0.00	0.07	0.07	0.00	0.07	0.00	252	252	0.01	< 0.005	0.00	253
Emergency Generator	1.26	1.15	3.21	2.93	0.01	0.17	0.00	0.17	0.17	0.00	0.17	0.00	588	588	0.02	< 0.005	0.00	590
Total	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.01	0.01	0.03	0.03	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	5.71	5.71	< 0.005	< 0.005	0.00	5.73
Emergency Generator	0.03	0.03	0.08	0.07	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	13.3	13.3	< 0.005	< 0.005	0.00	13.4
Total	0.05	0.04	0.11	0.10	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	19.0	19.0	< 0.005	< 0.005	0.00	19.1

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e

Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.54	0.49	1.38	1.26	< 0.005	0.07	0.00	0.07	0.07	0.00	0.07	0.00	252	252	0.01	< 0.005	0.00	253
Emergency Generator	1.26	1.15	3.21	2.93	0.01	0.17	0.00	0.17	0.17	0.00	0.17	0.00	588	588	0.02	< 0.005	0.00	590
Total	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.54	0.49	1.38	1.26	< 0.005	0.07	0.00	0.07	0.07	0.00	0.07	0.00	252	252	0.01	< 0.005	0.00	253
Emergency Generator	1.26	1.15	3.21	2.93	0.01	0.17	0.00	0.17	0.17	0.00	0.17	0.00	588	588	0.02	< 0.005	0.00	590
Total	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.01	0.01	0.03	0.03	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	5.71	5.71	< 0.005	< 0.005	0.00	5.73
Emergency Generator	0.03	0.03	0.08	0.07	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	13.3	13.3	< 0.005	< 0.005	0.00	13.4
Total	0.05	0.04	0.11	0.10	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	19.0	19.0	< 0.005	< 0.005	0.00	19.1

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Remove	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.1. Construction Schedule

Phase Name	Phase Type	Start Date	End Date	Days Per Week	Work Days per Phase	Phase Description
Clearing	Site Preparation	10/22/2025	10/28/2025	5.00	5.00	5
Earthwork	Grading	10/29/2025	11/20/2025	5.00	17.0	15
Export/Remediation	Grading	11/21/2025	5/5/2026	5.00	118	110
Import	Grading	5/6/2026	9/24/2026	5.00	102	96
Rough Grading	Grading	9/25/2026	11/2/2026	5.00	27.0	27
Site Work Fine Grading	Grading	3/25/2027	4/9/2027	5.00	12.0	10
Vertical Construction	Building Construction	11/3/2026	3/24/2027	5.00	102	94
Building Construction	Building Construction	4/10/2027	8/18/2027	5.00	93.0	90
Paving	Paving	8/19/2027	9/2/2027	5.00	11.0	11
Architectural Coating	Architectural Coating	8/19/2027	10/6/2027	5.00	35.0	11

5.2. Off-Road Equipment

5.2.1. Unmitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

Clearing	Dumpers/Tenders	Diesel	Tier 4 Final	4.00	8.00	16.0	0.38
Clearing	Crawler Tractors	Diesel	Tier 4 Final	2.00	8.00	275	0.37
Earthwork	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	405	0.40
Earthwork	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	215	0.40
Earthwork	Scrapers	Diesel	Tier 3	4.00	8.00	600	0.48
Export/Remediation	Excavators	Diesel	Tier 3	1.00	8.00	158	0.38
Export/Remediation	Other Construction Equipment	Diesel	Tier 3	1.00	8.00	172	0.42
Export/Remediation	Crawler Tractors	Diesel	Tier 3	1.00	8.00	97.0	0.37
Import	Dumpers/Tenders	Diesel	Tier 4 Final	61.0	8.00	16.0	0.38
Import	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	405	0.40
Import	Sweepers/Scrubbers	Diesel	Tier 4 Final	1.00	8.00	64.0	0.46
Rough Grading	Graders	Diesel	Tier 4 Final	1.00	8.00	238	0.41
Rough Grading	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	405	0.40
Rough Grading	Scrapers	Diesel	Tier 3	1.00	8.00	330	0.48
Rough Grading	Scrapers	Diesel	Tier 3	6.00	8.00	600	0.48
Site Work Fine Grading	Graders	Diesel	Tier 4 Final	1.00	8.00	180	0.41
Site Work Fine Grading	Rollers	Diesel	Tier 4 Final	1.00	8.00	80.0	0.38
Site Work Fine Grading	Scrapers	Diesel	Tier 3	1.00	8.00	330	0.48
Site Work Fine Grading	Skid Steer Loaders	Diesel	Tier 4 Final	2.00	8.00	65.0	0.37
Site Work Fine Grading	Crawler Tractors	Diesel	Tier 4 Final	1.00	8.00	250	0.37
Vertical Construction	Graders	Diesel	Tier 4 Final	1.00	8.00	238	0.41
Vertical Construction	Rollers	Diesel	Tier 4 Final	1.00	8.00	80.0	0.38
Vertical Construction	Scrapers	Diesel	Tier 3	2.00	8.00	330	0.48
Vertical Construction	Tractors/Loaders/Backhoes	Diesel	Tier 4 Final	1.00	8.00	275	0.37

Building Construction	Cranes	Diesel	Tier 3	2.00	8.00	231	0.29
Building Construction	Forklifts	Diesel	Tier 3	5.00	8.00	89.0	0.20
Building Construction	Generator Sets	Diesel	Tier 3	2.00	8.00	84.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Tier 3	5.00	8.00	97.0	0.37
Building Construction	Welders	Diesel	Tier 3	2.00	8.00	46.0	0.45
Paving	Pavers	Diesel	Tier 3	2.00	8.00	130	0.42
Paving	Paving Equipment	Diesel	Tier 3	2.00	8.00	132	0.36
Paving	Rollers	Diesel	Tier 3	2.00	8.00	80.0	0.38
Architectural Coating	Air Compressors	Diesel	Tier 3	1.00	8.00	78.0	0.48

5.2.2. Mitigated

Phase Name	Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor
Clearing	Dumpers/Tenders	Diesel	Tier 4 Final	4.00	8.00	16.0	0.38
Clearing	Crawler Tractors	Diesel	Tier 4 Final	2.00	8.00	275	0.37
Earthwork	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	405	0.40
Earthwork	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	215	0.40
Earthwork	Scrapers	Diesel	Tier 3	4.00	8.00	600	0.48
Export/Remediation	Excavators	Diesel	Tier 3	1.00	8.00	158	0.38
Export/Remediation	Other Construction Equipment	Diesel	Tier 3	1.00	8.00	172	0.42
Export/Remediation	Crawler Tractors	Diesel	Tier 3	1.00	8.00	97.0	0.37
Import	Dumpers/Tenders	Diesel	Tier 4 Final	61.0	8.00	16.0	0.38
Import	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	405	0.40
Import	Sweepers/Scrubbers	Diesel	Tier 4 Final	1.00	8.00	64.0	0.46
Rough Grading	Graders	Diesel	Tier 4 Final	1.00	8.00	238	0.41
Rough Grading	Rubber Tired Dozers	Diesel	Tier 4 Final	1.00	8.00	405	0.40
Rough Grading	Scrapers	Diesel	Tier 3	1.00	8.00	330	0.48
Rough Grading	Scrapers	Diesel	Tier 3	6.00	8.00	600	0.48

Site Work Fine Grading	Graders	Diesel	Tier 4 Final	1.00	8.00	180	0.41
Site Work Fine Grading	Rollers	Diesel	Tier 4 Final	1.00	8.00	80.0	0.38
Site Work Fine Grading	Scrapers	Diesel	Tier 3	1.00	8.00	330	0.48
Site Work Fine Grading	Skid Steer Loaders	Diesel	Tier 4 Final	2.00	8.00	65.0	0.37
Site Work Fine Grading	Crawler Tractors	Diesel	Tier 4 Final	1.00	8.00	250	0.37
Vertical Construction	Graders	Diesel	Tier 4 Final	1.00	8.00	238	0.41
Vertical Construction	Rollers	Diesel	Tier 4 Final	1.00	8.00	80.0	0.38
Vertical Construction	Scrapers	Diesel	Tier 3	2.00	8.00	330	0.48
Vertical Construction	Tractors/Loaders/Backhoes	Diesel	Tier 4 Final	1.00	8.00	275	0.37
Building Construction	Cranes	Diesel	Tier 3	2.00	8.00	231	0.29
Building Construction	Forklifts	Diesel	Tier 3	5.00	8.00	89.0	0.20
Building Construction	Generator Sets	Diesel	Tier 3	2.00	8.00	84.0	0.74
Building Construction	Tractors/Loaders/Backhoes	Diesel	Tier 3	5.00	8.00	97.0	0.37
Building Construction	Welders	Diesel	Tier 3	2.00	8.00	46.0	0.45
Paving	Pavers	Diesel	Tier 3	2.00	8.00	130	0.42
Paving	Paving Equipment	Diesel	Tier 3	2.00	8.00	132	0.36
Paving	Rollers	Diesel	Tier 3	2.00	8.00	80.0	0.38
Architectural Coating	Air Compressors	Diesel	Tier 3	1.00	8.00	78.0	0.48

5.3. Construction Vehicles

5.3.1. Unmitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Clearing	—	—	—	—

Clearing	Worker	15.0	18.5	LDA,LDT1,LDT2
Clearing	Vendor	1.00	10.2	HHDT,MHDT
Clearing	Hauling	0.00	20.0	HHDT
Clearing	Onsite truck	—	—	HHDT
Earthwork	—	—	—	—
Earthwork	Worker	15.0	18.5	LDA,LDT1,LDT2
Earthwork	Vendor	4.00	10.2	HHDT,MHDT
Earthwork	Hauling	0.00	20.0	HHDT
Earthwork	Onsite truck	—	—	HHDT
Export/Remediation	—	—	—	—
Export/Remediation	Worker	7.50	18.5	LDA,LDT1,LDT2
Export/Remediation	Vendor	30.0	10.2	HHDT,MHDT
Export/Remediation	Hauling	5.30	20.0	HHDT
Export/Remediation	Onsite truck	—	—	HHDT
Import	—	—	—	—
Import	Worker	158	18.5	LDA,LDT1,LDT2
Import	Vendor	26.0	10.2	HHDT,MHDT
Import	Hauling	368	20.0	HHDT
Import	Onsite truck	—	—	HHDT
Rough Grading	—	—	—	—
Rough Grading	Worker	22.5	18.5	LDA,LDT1,LDT2
Rough Grading	Vendor	7.00	10.2	HHDT,MHDT
Rough Grading	Hauling	0.00	20.0	HHDT
Rough Grading	Onsite truck	—	—	HHDT
Site Work Fine Grading	—	—	—	—
Site Work Fine Grading	Worker	15.0	18.5	LDA,LDT1,LDT2
Site Work Fine Grading	Vendor	3.00	10.2	HHDT,MHDT
Site Work Fine Grading	Hauling	0.00	20.0	HHDT

Site Work Fine Grading	Onsite truck	—	—	HHDT
Vertical Construction	—	—	—	—
Vertical Construction	Worker	169	18.5	LDA,LDT1,LDT2
Vertical Construction	Vendor	26.0	10.2	HHDT,MHDT
Vertical Construction	Hauling	0.00	20.0	HHDT
Vertical Construction	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	169	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	24.0	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	3.00	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	67.7	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	9.00	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.3.2. Mitigated

Phase Name	Trip Type	One-Way Trips per Day	Miles per Trip	Vehicle Mix
Clearing	—	—	—	—
Clearing	Worker	15.0	18.5	LDA,LDT1,LDT2
Clearing	Vendor	1.00	10.2	HHDT,MHDT
Clearing	Hauling	0.00	20.0	HHDT

Clearing	Onsite truck	—	—	HHDT
Earthwork	—	—	—	—
Earthwork	Worker	15.0	18.5	LDA,LDT1,LDT2
Earthwork	Vendor	4.00	10.2	HHDT,MHDT
Earthwork	Hauling	0.00	20.0	HHDT
Earthwork	Onsite truck	—	—	HHDT
Export/Remediation	—	—	—	—
Export/Remediation	Worker	7.50	18.5	LDA,LDT1,LDT2
Export/Remediation	Vendor	30.0	10.2	HHDT,MHDT
Export/Remediation	Hauling	5.30	20.0	HHDT
Export/Remediation	Onsite truck	—	—	HHDT
Import	—	—	—	—
Import	Worker	158	18.5	LDA,LDT1,LDT2
Import	Vendor	26.0	10.2	HHDT,MHDT
Import	Hauling	368	20.0	HHDT
Import	Onsite truck	—	—	HHDT
Rough Grading	—	—	—	—
Rough Grading	Worker	22.5	18.5	LDA,LDT1,LDT2
Rough Grading	Vendor	7.00	10.2	HHDT,MHDT
Rough Grading	Hauling	0.00	20.0	HHDT
Rough Grading	Onsite truck	—	—	HHDT
Site Work Fine Grading	—	—	—	—
Site Work Fine Grading	Worker	15.0	18.5	LDA,LDT1,LDT2
Site Work Fine Grading	Vendor	3.00	10.2	HHDT,MHDT
Site Work Fine Grading	Hauling	0.00	20.0	HHDT
Site Work Fine Grading	Onsite truck	—	—	HHDT
Vertical Construction	—	—	—	—
Vertical Construction	Worker	169	18.5	LDA,LDT1,LDT2

Vertical Construction	Vendor	26.0	10.2	HHDT,MHDT
Vertical Construction	Hauling	0.00	20.0	HHDT
Vertical Construction	Onsite truck	—	—	HHDT
Building Construction	—	—	—	—
Building Construction	Worker	169	18.5	LDA,LDT1,LDT2
Building Construction	Vendor	24.0	10.2	HHDT,MHDT
Building Construction	Hauling	0.00	20.0	HHDT
Building Construction	Onsite truck	—	—	HHDT
Paving	—	—	—	—
Paving	Worker	15.0	18.5	LDA,LDT1,LDT2
Paving	Vendor	3.00	10.2	HHDT,MHDT
Paving	Hauling	0.00	20.0	HHDT
Paving	Onsite truck	—	—	HHDT
Architectural Coating	—	—	—	—
Architectural Coating	Worker	67.7	18.5	LDA,LDT1,LDT2
Architectural Coating	Vendor	9.00	10.2	HHDT,MHDT
Architectural Coating	Hauling	0.00	20.0	HHDT
Architectural Coating	Onsite truck	—	—	HHDT

5.4. Vehicles

5.4.1. Construction Vehicle Control Strategies

Non-applicable. No control strategies activated by user.

5.5. Architectural Coatings

Phase Name	Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
Architectural Coating	0.00	0.00	604,550	201,517	57,682

5.6. Dust Mitigation

5.6.1. Construction Earthmoving Activities

Phase Name	Material Imported (cy)	Material Exported (cy)	Acres Graded (acres)	Material Demolished (sq. ft.)	Acres Paved (acres)
Clearing	—	—	5.00	0.00	—
Earthwork	—	—	85.0	0.00	—
Export/Remediation	—	5,000	59.0	0.00	—
Import	300,000	—	51.0	0.00	—
Rough Grading	—	—	216	0.00	—
Site Work Fine Grading	—	—	24.0	0.00	—
Paving	0.00	0.00	0.00	0.00	22.1

5.6.2. Construction Earthmoving Control Strategies

Control Strategies Applied	Frequency (per day)	PM10 Reduction	PM2.5 Reduction
Water Exposed Area	3	74%	74%

5.7. Construction Paving

Land Use	Area Paved (acres)	% Asphalt
Unrefrigerated Warehouse-No Rail	0.00	0%
Refrigerated Warehouse-No Rail	0.00	0%
Parking Lot	5.67	100%
Other Asphalt Surfaces	16.4	100%
User Defined Industrial	0.00	0%

5.8. Construction Electricity Consumption and Emissions Factors

kWh per Year and Emission Factor (lb/MWh)

Year	kWh per Year	CO2	CH4	N2O

2025	0.00	349	0.03	< 0.005
2026	0.00	346	0.03	< 0.005
2027	0.00	346	0.03	< 0.005

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	70.0	60.2	59.5	24,493	2,138	1,839	1,817	748,027
Refrigerated Warehouse-No Rail	30.0	17.1	16.4	9,566	848	484	464	270,433
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	2,324	1,970	1,951	810,329	21,090	17,883	17,703	7,354,111

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	70.0	60.2	59.5	24,493	2,138	1,839	1,817	748,027
Refrigerated Warehouse-No Rail	30.0	17.1	16.4	9,566	848	484	464	270,433
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	2,324	1,970	1,951	810,329	21,090	17,883	17,703	7,354,111

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	604,550	201,517	57,682

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)

Unrefrigerated Warehouse-No Rail	1,697,708	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	779,382	346	0.0330	0.0040	0.00
Parking Lot	216,359	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-No Rail	1,631,916	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	779,382	346	0.0330	0.0040	0.00
Parking Lot	216,359	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	83,881,313	3,979,055
Refrigerated Warehouse-No Rail	9,320,069	442,111
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00
User Defined Industrial	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	83,881,313	3,979,055
Refrigerated Warehouse-No Rail	9,320,069	442,111
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00
User Defined Industrial	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	341	—
Refrigerated Warehouse-No Rail	37.9	—
Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—
User Defined Industrial	0.00	—

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	341	—
Refrigerated Warehouse-No Rail	37.9	—
Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—
User Defined Industrial	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	User Defined	150	7.50	7.50	7.50	25.0

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	User Defined	150	7.50	7.50	7.50	25.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	1.00	50.0	300	0.73
Emergency Generator	Diesel	1.00	1.00	50.0	700	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	4.89	annual days of extreme heat
Extreme Precipitation	4.25	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A

Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	1	1	2
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2
Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	24.9
AQ-PM	77.1
AQ-DPM	42.0
Drinking Water	29.9
Lead Risk Housing	65.4
Pesticides	66.7
Toxic Releases	98.1
Traffic	72.2
Effect Indicators	—
CleanUp Sites	81.6
Groundwater	90.1
Haz Waste Facilities/Generators	97.8
Impaired Water Bodies	0.00
Solid Waste	80.6
Sensitive Population	—
Asthma	19.8
Cardio-vascular	32.0
Low Birth Weights	70.2
Socioeconomic Factor Indicators	—
Education	17.2
Housing	22.1
Linguistic	39.8
Poverty	18.2
Unemployment	48.3

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	82.07365584
Employed	83.35685872
Median HI	84.17810856
Education	—
Bachelor's or higher	71.73104068
High school enrollment	100
Preschool enrollment	87.91222892
Transportation	—
Auto Access	72.44963429
Active commuting	21.35249583
Social	—
2-parent households	89.99101758
Voting	76.90234826
Neighborhood	—
Alcohol availability	63.86500706
Park access	81.35506224
Retail density	45.11741306
Supermarket access	56.5635827
Tree canopy	47.87629924
Housing	—
Homeownership	66.77787758
Housing habitability	90.5812909
Low-inc homeowner severe housing cost burden	93.19902477
Low-inc renter severe housing cost burden	90.14500192
Uncrowded housing	43.11561658
Health Outcomes	—

Insured adults	78.54484794
Arthritis	45.8
Asthma ER Admissions	79.0
High Blood Pressure	49.4
Cancer (excluding skin)	19.8
Asthma	92.9
Coronary Heart Disease	51.0
Chronic Obstructive Pulmonary Disease	74.0
Diagnosed Diabetes	62.8
Life Expectancy at Birth	36.9
Cognitively Disabled	50.3
Physically Disabled	76.0
Heart Attack ER Admissions	74.5
Mental Health Not Good	84.7
Chronic Kidney Disease	73.0
Obesity	88.9
Pedestrian Injuries	53.9
Physical Health Not Good	73.7
Stroke	64.5
Health Risk Behaviors	—
Binge Drinking	75.2
Current Smoker	83.5
No Leisure Time for Physical Activity	71.9
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	59.5
Elderly	36.3

English Speaking	52.9
Foreign-born	49.0
Outdoor Workers	54.4
Climate Change Adaptive Capacity	—
Impervious Surface Cover	24.5
Traffic Density	54.0
Traffic Access	87.4
Other Indices	—
Hardship	26.4
Other Decision Support	—
2016 Voting	63.5

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	55.0
Healthy Places Index Score for Project Location (b)	88.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Project info taken from site plan
Operations: Vehicle Data	Trip Characteristics based on information provided in the Traffic Analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, MCY). Truck Fleet Mix based on 2, 3 and 4 axle trucks
Operations: Architectural Coatings	SCAQMD Rule 1113
Operations: Energy Use	Natural gas will not be utilized
Operations: Refrigerants	As of 1 January 2022, new commercial refrigeration equipment may not use refrigerants with a GWP of 150 or greater. Further, R-404A (the CalEEMod default) is unacceptable for new supermarket and cold storage systems as of 1 January 2019 and 2023, respectively
Construction: Construction Phases	Construction schedule provided by Project applicant
Construction: Off-Road Equipment	Construction equipment provided by Project Applicant
Construction: Trips and VMT	CalEEMod only assumes Vendor Trips during Vertical Construction and Building Construction phases. The CalEEMod default trips were ratioed between each phase based on the number of days."
Construction: Architectural Coatings	SCAQMD Rule 1113

11796-Del Amo Technology Center (Operational LST) Detailed Report

Table of Contents

1. Basic Project Information

1.1. Basic Project Information

1.2. Land Use Types

1.3. User-Selected Emission Reduction Measures by Emissions Sector

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

2.5. Operations Emissions by Sector, Unmitigated

2.6. Operations Emissions by Sector, Mitigated

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

4.1.2. Mitigated

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

4.2.2. Electricity Emissions By Land Use - Mitigated

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

4.2.4. Natural Gas Emissions By Land Use - Mitigated

4.3. Area Emissions by Source

4.3.1. Unmitigated

4.3.2. Mitigated

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

4.4.2. Mitigated

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

4.5.2. Mitigated

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

4.6.2. Mitigated

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

4.7.2. Mitigated

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

4.8.2. Mitigated

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

4.9.2. Mitigated

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

5.9.2. Mitigated

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

5.10.3. Landscape Equipment

5.10.4. Landscape Equipment - Mitigated

5.11. Operational Energy Consumption

5.11.1. Unmitigated

5.11.2. Mitigated

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

5.12.2. Mitigated

5.13. Operational Waste Generation

5.13.1. Unmitigated

5.13.2. Mitigated

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

5.14.2. Mitigated

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

5.15.2. Mitigated

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

5.16.2. Process Boilers

5.17. User Defined

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

5.18.1.2. Mitigated

5.18.2. Sequestration

5.18.2.1. Unmitigated

5.18.2.2. Mitigated

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

6.2. Initial Climate Risk Scores

6.3. Adjusted Climate Risk Scores

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

7.2. Healthy Places Index Scores

7.3. Overall Health & Equity Scores

7.4. Health & Equity Measures

7.5. Evaluation Scorecard

7.6. Health & Equity Custom Measures

8. User Changes to Default Data

1. Basic Project Information

1.1. Basic Project Information

Data Field	Value
Project Name	11796-Del Amo Technology Center (Operational LST)
Operational Year	2027
Lead Agency	—
Land Use Scale	Project/site
Analysis Level for Defaults	County
Windspeed (m/s)	3.50
Precipitation (days)	17.4
Location	2899 Del Amo Blvd, Torrance, CA 90503, USA
County	Los Angeles-South Coast
City	Torrance
Air District	South Coast AQMD
Air Basin	South Coast
TAZ	4668
EDFZ	7
Electric Utility	Southern California Edison
Gas Utility	Southern California Gas
App Version	2022.1.1.29

1.2. Land Use Types

Land Use Subtype	Size	Unit	Lot Acreage	Building Area (sq ft)	Landscape Area (sq ft)	Special Landscape Area (sq ft)	Population	Description
Unrefrigerated Warehouse-No Rail	363	1000sqft	8.33	362,730	283,720	—	—	High-Cube Fulfillment Center Warehouse

Refrigerated Warehouse-No Rail	40.3	1000sqft	0.93	40,303	31,524	—	—	High-Cube Cold Storage Warehouse
Parking Lot	718	Space	5.67	0.00	0.00	—	—	—
Other Asphalt Surfaces	16.4	Acre	16.4	0.00	0.00	—	—	—
User Defined Industrial	403	User Defined Unit	0.00	0.00	0.00	—	—	PC Trips

1.3. User-Selected Emission Reduction Measures by Emissions Sector

Sector	#	Measure Title
Energy	E-10-B	Establish Onsite Renewable Energy Systems: Solar Power

2. Emissions Summary

2.4. Operations Emissions Compared Against Thresholds

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Un/Mit.	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	20.0	19.4	7.03	37.6	0.02	0.29	0.82	1.11	0.28	0.21	0.49	383	5,448	5,831	39.4	0.67	43.7	7,061
Mit.	20.0	19.4	7.03	37.6	0.02	0.29	0.82	1.11	0.28	0.21	0.49	383	5,385	5,768	39.4	0.67	43.7	6,998
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	1%	1%	< 0.5%	—	—	1%
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	16.9	16.5	7.06	22.2	0.02	0.26	0.82	1.08	0.26	0.21	0.46	383	5,344	5,727	39.5	0.68	41.1	6,958
Mit.	16.9	16.5	7.06	22.2	0.02	0.26	0.82	1.08	0.26	0.21	0.46	383	5,282	5,664	39.4	0.68	41.1	6,895
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	1%	1%	< 0.5%	—	—	1%

Average Daily (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	17.2	16.8	3.03	29.4	0.01	0.07	0.78	0.85	0.06	0.20	0.26	383	4,613	4,996	39.4	0.67	42.2	6,222
Mit.	17.2	16.8	3.03	29.4	0.01	0.07	0.78	0.85	0.06	0.20	0.26	383	4,551	4,933	39.4	0.67	42.2	6,159
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	1%	1%	< 0.5%	—	—	1%
Annual (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unmit.	3.13	3.06	0.55	5.37	< 0.005	0.01	0.14	0.15	0.01	0.04	0.05	63.4	764	827	6.52	0.11	6.98	1,030
Mit.	3.13	3.06	0.55	5.37	< 0.005	0.01	0.14	0.15	0.01	0.04	0.05	63.4	753	817	6.52	0.11	6.98	1,020
% Reduced	—	—	—	—	—	—	—	—	—	—	—	—	1%	1%	< 0.5%	< 0.5%	—	1%

2.5. Operations Emissions by Sector, Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.84	5.63	2.29	15.9	0.01	0.02	0.82	0.84	0.01	0.21	0.22	—	1,358	1,358	0.36	0.20	2.60	1,427
Area	12.4	12.2	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,555	2,555	0.24	0.03	—	2,570
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Total	20.0	19.4	7.03	37.6	0.02	0.29	0.82	1.11	0.28	0.21	0.49	383	5,448	5,831	39.4	0.67	43.7	7,061
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Mobile	5.83	5.61	2.47	18.0	0.01	0.02	0.82	0.84	0.01	0.21	0.22	—	1,326	1,326	0.40	0.21	0.07	1,397
Area	9.29	9.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,555	2,555	0.24	0.03	—	2,570
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Total	16.9	16.5	7.06	22.2	0.02	0.26	0.82	1.08	0.26	0.21	0.46	383	5,344	5,727	39.5	0.68	41.1	6,958
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.50	5.29	2.30	16.8	0.01	0.01	0.78	0.79	0.01	0.20	0.21	—	1,270	1,270	0.37	0.19	1.07	1,338
Area	11.4	11.3	0.10	12.0	< 0.005	0.02	—	0.02	0.02	—	0.02	—	49.4	49.4	< 0.005	< 0.005	—	49.5
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,555	2,555	0.24	0.03	—	2,570
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	0.25	0.22	0.63	0.57	< 0.005	0.03	0.00	0.03	0.03	0.00	0.03	0.00	115	115	< 0.005	< 0.005	0.00	115
Total	17.2	16.8	3.03	29.4	0.01	0.07	0.78	0.85	0.06	0.20	0.26	383	4,613	4,996	39.4	0.67	42.2	6,222
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.00	0.97	0.42	3.07	< 0.005	< 0.005	0.14	0.14	< 0.005	0.04	0.04	—	210	210	0.06	0.03	0.18	222
Area	2.08	2.05	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	423	423	0.04	< 0.005	—	425
Water	—	—	—	—	—	—	—	—	—	—	—	29.6	103	133	3.04	0.07	—	231
Waste	—	—	—	—	—	—	—	—	—	—	—	33.8	0.00	33.8	3.38	0.00	—	118
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80
Stationary	0.05	0.04	0.11	0.10	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	19.0	19.0	< 0.005	< 0.005	0.00	19.1
Total	3.13	3.06	0.55	5.37	< 0.005	0.01	0.14	0.15	0.01	0.04	0.05	63.4	764	827	6.52	0.11	6.98	1,030

2.6. Operations Emissions by Sector, Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Sector	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.84	5.63	2.29	15.9	0.01	0.02	0.82	0.84	0.01	0.21	0.22	—	1,358	1,358	0.36	0.20	2.60	1,427
Area	12.4	12.2	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,492	2,492	0.24	0.03	—	2,507
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Total	20.0	19.4	7.03	37.6	0.02	0.29	0.82	1.11	0.28	0.21	0.49	383	5,385	5,768	39.4	0.67	43.7	6,998
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.83	5.61	2.47	18.0	0.01	0.02	0.82	0.84	0.01	0.21	0.22	—	1,326	1,326	0.40	0.21	0.07	1,397
Area	9.29	9.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,492	2,492	0.24	0.03	—	2,507
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Total	16.9	16.5	7.06	22.2	0.02	0.26	0.82	1.08	0.26	0.21	0.46	383	5,282	5,664	39.4	0.68	41.1	6,895
Average Daily	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	5.50	5.29	2.30	16.8	0.01	0.01	0.78	0.79	0.01	0.20	0.21	—	1,270	1,270	0.37	0.19	1.07	1,338

Area	11.4	11.3	0.10	12.0	< 0.005	0.02	—	0.02	0.02	—	0.02	—	49.4	49.4	< 0.005	< 0.005	—	49.5
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	2,492	2,492	0.24	0.03	—	2,507
Water	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Waste	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Stationary	0.25	0.22	0.63	0.57	< 0.005	0.03	0.00	0.03	0.03	0.00	0.03	0.00	115	115	< 0.005	< 0.005	0.00	115
Total	17.2	16.8	3.03	29.4	0.01	0.07	0.78	0.85	0.06	0.20	0.26	383	4,551	4,933	39.4	0.67	42.2	6,159
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Mobile	1.00	0.97	0.42	3.07	< 0.005	< 0.005	0.14	0.14	< 0.005	0.04	0.04	—	210	210	0.06	0.03	0.18	222
Area	2.08	2.05	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20
Energy	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	413	413	0.04	< 0.005	—	415
Water	—	—	—	—	—	—	—	—	—	—	—	29.6	103	133	3.04	0.07	—	231
Waste	—	—	—	—	—	—	—	—	—	—	—	33.8	0.00	33.8	3.38	0.00	—	118
Refrig.	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80
Stationary	0.05	0.04	0.11	0.10	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	19.0	19.0	< 0.005	< 0.005	0.00	19.1
Total	3.13	3.06	0.55	5.37	< 0.005	0.01	0.14	0.15	0.01	0.04	0.05	63.4	753	817	6.52	0.11	6.98	1,020

4. Operations Emissions Details

4.1. Mobile Emissions by Land Use

4.1.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrig Warehouse-No Rail	0.08	0.04	0.77	0.61	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	172	172	0.03	0.03	0.25	181
Refrigerated Warehouse-No Rail	0.03	0.02	0.28	0.25	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	64.1	64.1	0.01	0.01	0.11	67.6
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	5.72	5.57	1.25	15.0	0.01	0.01	0.78	0.79	0.01	0.20	0.21	—	1,122	1,122	0.31	0.16	2.24	1,179
Total	5.84	5.63	2.29	15.9	0.01	0.02	0.82	0.84	0.01	0.21	0.22	—	1,358	1,358	0.36	0.20	2.60	1,427
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.08	0.04	0.80	0.64	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	173	173	0.03	0.03	0.01	182
Refrigerated Warehouse-No Rail	0.03	0.02	0.29	0.26	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	64.6	64.6	0.01	0.01	< 0.005	68.0
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	5.72	5.55	1.38	17.1	0.01	0.01	0.78	0.79	0.01	0.20	0.21	—	1,088	1,088	0.35	0.17	0.06	1,147

Total	5.83	5.61	2.47	18.0	0.01	0.02	0.82	0.84	0.01	0.21	0.22	—	1,326	1,326	0.40	0.21	0.07	1,397
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.01	0.01	0.14	0.11	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	27.3	27.3	0.01	< 0.005	0.02	28.8
Refrigerated Warehouse-No Rail	0.01	< 0.005	0.05	0.04	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	9.31	9.31	< 0.005	< 0.005	0.01	9.81
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	0.98	0.96	0.24	2.92	< 0.005	< 0.005	0.13	0.14	< 0.005	0.03	0.04	—	174	174	0.05	0.03	0.15	183
Total	1.00	0.97	0.42	3.07	< 0.005	< 0.005	0.14	0.14	< 0.005	0.04	0.04	—	210	210	0.06	0.03	0.18	222

4.1.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.08	0.04	0.77	0.61	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	172	172	0.03	0.03	0.25	181

Refrigerated Wareho Rail	0.03	0.02	0.28	0.25	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	64.1	64.1	0.01	0.01	0.11	67.6
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	5.72	5.57	1.25	15.0	0.01	0.01	0.78	0.79	0.01	0.20	0.21	—	1,122	1,122	0.31	0.16	2.24	1,179
Total	5.84	5.63	2.29	15.9	0.01	0.02	0.82	0.84	0.01	0.21	0.22	—	1,358	1,358	0.36	0.20	2.60	1,427
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.08	0.04	0.80	0.64	< 0.005	< 0.005	0.03	0.03	< 0.005	0.01	0.01	—	173	173	0.03	0.03	0.01	182
Refrigerated Warehouse-No Rail	0.03	0.02	0.29	0.26	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	64.6	64.6	0.01	0.01	< 0.005	68.0
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	5.72	5.55	1.38	17.1	0.01	0.01	0.78	0.79	0.01	0.20	0.21	—	1,088	1,088	0.35	0.17	0.06	1,147
Total	5.83	5.61	2.47	18.0	0.01	0.02	0.82	0.84	0.01	0.21	0.22	—	1,326	1,326	0.40	0.21	0.07	1,397
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated	0.01	0.01	0.14	0.11	< 0.005	< 0.005	0.01	0.01	< 0.005	< 0.005	< 0.005	—	27.3	27.3	0.01	< 0.005	0.02	28.8
Refrigerated Warehouse-No Rail	0.01	< 0.005	0.05	0.04	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	< 0.005	—	9.31	9.31	< 0.005	< 0.005	0.01	9.81
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	0.98	0.96	0.24	2.92	< 0.005	< 0.005	0.13	0.14	< 0.005	0.03	0.04	—	174	174	0.05	0.03	0.15	183
Total	1.00	0.97	0.42	3.07	< 0.005	< 0.005	0.14	0.14	< 0.005	0.04	0.04	—	210	210	0.06	0.03	0.18	222

4.2. Energy

4.2.1. Electricity Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,610	1,610	0.15	0.02	—	1,620
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	739	739	0.07	0.01	—	744

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	205	205	0.02	< 0.005	—	206
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,555	2,555	0.24	0.03	—	2,570
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,610	1,610	0.15	0.02	—	1,620
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	739	739	0.07	0.01	—	744
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	205	205	0.02	< 0.005	—	206
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,555	2,555	0.24	0.03	—	2,570
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	267	267	0.03	< 0.005	—	268

Refriger Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	122	122	0.01	< 0.005	—	123
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	34.0	34.0	< 0.005	< 0.005	—	34.2
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	423	423	0.04	< 0.005	—	425

4.2.2. Electricity Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,548	1,548	0.15	0.02	—	1,557
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	739	739	0.07	0.01	—	744
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	205	205	0.02	< 0.005	—	206
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,492	2,492	0.24	0.03	—	2,507
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	1,548	1,548	0.15	0.02	—	1,557
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	739	739	0.07	0.01	—	744
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	205	205	0.02	< 0.005	—	206
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	2,492	2,492	0.24	0.03	—	2,507
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	256	256	0.02	< 0.005	—	258
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	122	122	0.01	< 0.005	—	123

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	—	34.0	34.0	< 0.005	< 0.005	—	34.2
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	—	413	413	0.04	< 0.005	—	415

4.2.3. Natural Gas Emissions By Land Use - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.2.4. Natural Gas Emissions By Land Use - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated Wareho Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Refrigerated Warehouse-No Rail	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00
Total	0.00	0.00	0.00	0.00	0.00	0.00	—	0.00	0.00	—	0.00	—	0.00	0.00	0.00	0.00	—	0.00

4.3. Area Emissions by Source

4.3.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	8.70	8.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.59	0.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.12	2.88	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Total	12.4	12.2	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	8.70	8.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.59	0.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	9.29	9.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Consumer Product	1.59	1.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.11	0.11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.39	0.36	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20
Total	2.08	2.05	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20

4.3.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Source	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	8.70	8.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.59	0.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	3.12	2.88	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Total	12.4	12.2	0.15	17.5	< 0.005	0.03	—	0.03	0.02	—	0.02	—	72.1	72.1	< 0.005	< 0.005	—	72.3
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Consumer	8.70	8.70	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.59	0.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	9.29	9.29	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Consumer Products	1.59	1.59	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Architectural Coatings	0.11	0.11	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Landscape Equipment	0.39	0.36	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20
Total	2.08	2.05	0.02	2.19	< 0.005	< 0.005	—	< 0.005	< 0.005	—	< 0.005	—	8.17	8.17	< 0.005	< 0.005	—	8.20

4.4. Water Emissions by Land Use

4.4.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	161	562	722	16.5	0.40	—	1,254

Refriger Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	17.9	62.4	80.3	1.84	0.04	—	139
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	161	562	722	16.5	0.40	—	1,254
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	17.9	62.4	80.3	1.84	0.04	—	139
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Unrefrigerated Warehouse-Rail	—	—	—	—	—	—	—	—	—	—	—	26.6	93.0	120	2.74	0.07	—	208
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	2.96	10.3	13.3	0.30	0.01	—	23.1
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	29.6	103	133	3.04	0.07	—	231

4.4.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	161	562	722	16.5	0.40	—	1,254
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	17.9	62.4	80.3	1.84	0.04	—	139

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	161	562	722	16.5	0.40	—	1,254
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	17.9	62.4	80.3	1.84	0.04	—	139
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	179	624	803	18.4	0.44	—	1,394
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	26.6	93.0	120	2.74	0.07	—	208

Refriger Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	2.96	10.3	13.3	0.30	0.01	—	23.1
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	29.6	103	133	3.04	0.07	—	231

4.5. Waste Emissions by Land Use

4.5.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	184	0.00	184	18.4	0.00	—	643
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	20.4	0.00	20.4	2.04	0.00	—	71.4
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	184	0.00	184	18.4	0.00	—	643
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	20.4	0.00	20.4	2.04	0.00	—	71.4
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	30.4	0.00	30.4	3.04	0.00	—	106

Refrigerated Warehouse-No	—	—	—	—	—	—	—	—	—	—	—	3.38	0.00	3.38	0.34	0.00	—	11.8
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	33.8	0.00	33.8	3.38	0.00	—	118

4.5.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	184	0.00	184	18.4	0.00	—	643
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	20.4	0.00	20.4	2.04	0.00	—	71.4
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00

User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	184	0.00	184	18.4	0.00	—	643
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	20.4	0.00	20.4	2.04	0.00	—	71.4
Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	204	0.00	204	20.4	0.00	—	714
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Unrefrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	30.4	0.00	30.4	3.04	0.00	—	106
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	3.38	0.00	3.38	0.34	0.00	—	11.8

Parking Lot	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Other Asphalt Surfaces	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
User Defined Industrial	—	—	—	—	—	—	—	—	—	—	—	0.00	0.00	0.00	0.00	0.00	—	0.00
Total	—	—	—	—	—	—	—	—	—	—	—	33.8	0.00	33.8	3.38	0.00	—	118

4.6. Refrigerant Emissions by Land Use

4.6.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Refriger Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80

4.6.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	41.1	41.1
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Refrigerated Warehouse-No Rail	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	6.80	6.80

4.7. Offroad Emissions By Equipment Type

4.7.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.7.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.8. Stationary Emissions By Equipment Type

4.8.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.54	0.49	1.38	1.26	< 0.005	0.07	0.00	0.07	0.07	0.00	0.07	0.00	252	252	0.01	< 0.005	0.00	253
Emergency Generator	1.26	1.15	3.21	2.93	0.01	0.17	0.00	0.17	0.17	0.00	0.17	0.00	588	588	0.02	< 0.005	0.00	590
Total	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.54	0.49	1.38	1.26	< 0.005	0.07	0.00	0.07	0.07	0.00	0.07	0.00	252	252	0.01	< 0.005	0.00	253
Emergency Generator	1.26	1.15	3.21	2.93	0.01	0.17	0.00	0.17	0.17	0.00	0.17	0.00	588	588	0.02	< 0.005	0.00	590
Total	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.01	0.01	0.03	0.03	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	5.71	5.71	< 0.005	< 0.005	0.00	5.73

Emergency Generator	0.03	0.03	0.08	0.07	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	13.3	13.3	< 0.005	< 0.005	0.00	13.4
Total	0.05	0.04	0.11	0.10	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	19.0	19.0	< 0.005	< 0.005	0.00	19.1

4.8.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.54	0.49	1.38	1.26	< 0.005	0.07	0.00	0.07	0.07	0.00	0.07	0.00	252	252	0.01	< 0.005	0.00	253
Emergency Generator	1.26	1.15	3.21	2.93	0.01	0.17	0.00	0.17	0.17	0.00	0.17	0.00	588	588	0.02	< 0.005	0.00	590
Total	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.54	0.49	1.38	1.26	< 0.005	0.07	0.00	0.07	0.07	0.00	0.07	0.00	252	252	0.01	< 0.005	0.00	253
Emergency Generator	1.26	1.15	3.21	2.93	0.01	0.17	0.00	0.17	0.17	0.00	0.17	0.00	588	588	0.02	< 0.005	0.00	590
Total	1.80	1.64	4.59	4.18	0.01	0.24	0.00	0.24	0.24	0.00	0.24	0.00	840	840	0.03	0.01	0.00	842
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Fire Pump	0.01	0.01	0.03	0.03	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	5.71	5.71	< 0.005	< 0.005	0.00	5.73

Emergency	0.03	0.03	0.08	0.07	< 0.005	< 0.005	0.00	< 0.005	< 0.005	0.00	< 0.005	0.00	13.3	13.3	< 0.005	< 0.005	0.00	13.4
Total	0.05	0.04	0.11	0.10	< 0.005	0.01	0.00	0.01	0.01	0.00	0.01	0.00	19.0	19.0	< 0.005	< 0.005	0.00	19.1

4.9. User Defined Emissions By Equipment Type

4.9.1. Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.9.2. Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Equipment Type	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10. Soil Carbon Accumulation By Vegetation Type

4.10.1. Soil Carbon Accumulation By Vegetation Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.2. Above and Belowground Carbon Accumulation by Land Use Type - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.3. Avoided and Sequestered Emissions by Species - Unmitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.4. Soil Carbon Accumulation By Vegetation Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Vegetation	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.5. Above and Belowground Carbon Accumulation by Land Use Type - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Land Use	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Total	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

4.10.6. Avoided and Sequestered Emissions by Species - Mitigated

Criteria Pollutants (lb/day for daily, ton/yr for annual) and GHGs (lb/day for daily, MT/yr for annual)

Species	TOG	ROG	NOx	CO	SO2	PM10E	PM10D	PM10T	PM2.5E	PM2.5D	PM2.5T	BCO2	NBCO2	CO2T	CH4	N2O	R	CO2e
Daily, Summer (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Daily, Winter (Max)	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Annual	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Avoided	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Sequestered	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Removed	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Subtotal	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—

5. Activity Data

5.9. Operational Mobile Sources

5.9.1. Unmitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	70.0	60.2	59.5	24,493	33.6	28.9	28.6	11,757
Refrigerated Warehouse-No Rail	30.0	17.1	16.4	9,566	14.4	8.22	7.87	4,592
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00

Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	2,324	1,970	1,951	810,329	1,115	946	936	388,958

5.9.2. Mitigated

Land Use Type	Trips/Weekday	Trips/Saturday	Trips/Sunday	Trips/Year	VMT/Weekday	VMT/Saturday	VMT/Sunday	VMT/Year
Unrefrigerated Warehouse-No Rail	70.0	60.2	59.5	24,493	33.6	28.9	28.6	11,757
Refrigerated Warehouse-No Rail	30.0	17.1	16.4	9,566	14.4	8.22	7.87	4,592
Parking Lot	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
Other Asphalt Surfaces	0.00	0.00	0.00	0.00	0.00	0.00	0.00	0.00
User Defined Industrial	2,324	1,970	1,951	810,329	1,115	946	936	388,958

5.10. Operational Area Sources

5.10.1. Hearths

5.10.1.1. Unmitigated

5.10.1.2. Mitigated

5.10.2. Architectural Coatings

Residential Interior Area Coated (sq ft)	Residential Exterior Area Coated (sq ft)	Non-Residential Interior Area Coated (sq ft)	Non-Residential Exterior Area Coated (sq ft)	Parking Area Coated (sq ft)
0	0.00	604,550	201,517	57,682

5.10.3. Landscape Equipment

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.10.4. Landscape Equipment - Mitigated

Season	Unit	Value
Snow Days	day/yr	0.00
Summer Days	day/yr	250

5.11. Operational Energy Consumption

5.11.1. Unmitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-No Rail	1,697,708	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	779,382	346	0.0330	0.0040	0.00
Parking Lot	216,359	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00

5.11.2. Mitigated

Electricity (kWh/yr) and CO2 and CH4 and N2O and Natural Gas (kBTU/yr)

Land Use	Electricity (kWh/yr)	CO2	CH4	N2O	Natural Gas (kBTU/yr)
Unrefrigerated Warehouse-No Rail	1,631,916	346	0.0330	0.0040	0.00
Refrigerated Warehouse-No Rail	779,382	346	0.0330	0.0040	0.00

Parking Lot	216,359	346	0.0330	0.0040	0.00
Other Asphalt Surfaces	0.00	346	0.0330	0.0040	0.00
User Defined Industrial	0.00	346	0.0330	0.0040	0.00

5.12. Operational Water and Wastewater Consumption

5.12.1. Unmitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	83,881,313	3,979,055
Refrigerated Warehouse-No Rail	9,320,069	442,111
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00
User Defined Industrial	0.00	0.00

5.12.2. Mitigated

Land Use	Indoor Water (gal/year)	Outdoor Water (gal/year)
Unrefrigerated Warehouse-No Rail	83,881,313	3,979,055
Refrigerated Warehouse-No Rail	9,320,069	442,111
Parking Lot	0.00	0.00
Other Asphalt Surfaces	0.00	0.00
User Defined Industrial	0.00	0.00

5.13. Operational Waste Generation

5.13.1. Unmitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	341	—
Refrigerated Warehouse-No Rail	37.9	—

Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—
User Defined Industrial	0.00	—

5.13.2. Mitigated

Land Use	Waste (ton/year)	Cogeneration (kWh/year)
Unrefrigerated Warehouse-No Rail	341	—
Refrigerated Warehouse-No Rail	37.9	—
Parking Lot	0.00	—
Other Asphalt Surfaces	0.00	—
User Defined Industrial	0.00	—

5.14. Operational Refrigeration and Air Conditioning Equipment

5.14.1. Unmitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	User Defined	150	7.50	7.50	7.50	25.0

5.14.2. Mitigated

Land Use Type	Equipment Type	Refrigerant	GWP	Quantity (kg)	Operations Leak Rate	Service Leak Rate	Times Serviced
Refrigerated Warehouse-No Rail	Cold storage	User Defined	150	7.50	7.50	7.50	25.0

5.15. Operational Off-Road Equipment

5.15.1. Unmitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.15.2. Mitigated

Equipment Type	Fuel Type	Engine Tier	Number per Day	Hours Per Day	Horsepower	Load Factor

5.16. Stationary Sources

5.16.1. Emergency Generators and Fire Pumps

Equipment Type	Fuel Type	Number per Day	Hours per Day	Hours per Year	Horsepower	Load Factor
Fire Pump	Diesel	1.00	1.00	50.0	300	0.73
Emergency Generator	Diesel	1.00	1.00	50.0	700	0.73

5.16.2. Process Boilers

Equipment Type	Fuel Type	Number	Boiler Rating (MMBtu/hr)	Daily Heat Input (MMBtu/day)	Annual Heat Input (MMBtu/yr)

5.17. User Defined

Equipment Type	Fuel Type

5.18. Vegetation

5.18.1. Land Use Change

5.18.1.1. Unmitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1.2. Mitigated

Vegetation Land Use Type	Vegetation Soil Type	Initial Acres	Final Acres

5.18.1. Biomass Cover Type

5.18.1.1. Unmitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.1.2. Mitigated

Biomass Cover Type	Initial Acres	Final Acres

5.18.2. Sequestration

5.18.2.1. Unmitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

5.18.2.2. Mitigated

Tree Type	Number	Electricity Saved (kWh/year)	Natural Gas Saved (btu/year)

6. Climate Risk Detailed Report

6.1. Climate Risk Summary

Cal-Adapt midcentury 2040–2059 average projections for four hazards are reported below for your project location. These are under Representation Concentration Pathway (RCP) 8.5 which assumes GHG emissions will continue to rise strongly through 2050 and then plateau around 2100.

Climate Hazard	Result for Project Location	Unit
Temperature and Extreme Heat	4.89	annual days of extreme heat
Extreme Precipitation	4.25	annual days with precipitation above 20 mm
Sea Level Rise	—	meters of inundation depth
Wildfire	0.00	annual hectares burned

Temperature and Extreme Heat data are for grid cell in which your project are located. The projection is based on the 98th historical percentile of daily maximum/minimum temperatures from observed historical data (32 climate model ensemble from Cal-Adapt, 2040–2059 average under RCP 8.5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Extreme Precipitation data are for the grid cell in which your project are located. The threshold of 20 mm is equivalent to about ¾ an inch of rain, which would be light to moderate rainfall if received over a full day or heavy rain if received over a period of 2 to 4 hours. Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.
Sea Level Rise data are for the grid cell in which your project are located. The projections are from Radke et al. (2017), as reported in Cal-Adapt (Radke et al., 2017, CEC-500-2017-008), and consider inundation location and depth for the San Francisco Bay, the Sacramento-San Joaquin River Delta and California coast resulting different increments of sea level rise coupled with extreme storm events. Users may select from four scenarios to view the range in potential inundation depth for the grid cell. The four scenarios are: No rise, 0.5 meter, 1.0 meter, 1.41 meters
Wildfire data are for the grid cell in which your project are located. The projections are from UC Davis, as reported in Cal-Adapt (2040–2059 average under RCP 8.5), and consider historical data of climate, vegetation, population density, and large (> 400 ha) fire history. Users may select from four model simulations to view the range in potential wildfire probabilities for the grid cell. The four simulations make different assumptions about expected rainfall and temperature are: Warmer/drier (HadGEM2-ES), Cooler/wetter (CNRM-CM5), Average conditions (CanESM2), Range of different rainfall and temperature possibilities (MIROC5). Each grid cell is 6 kilometers (km) by 6 km, or 3.7 miles (mi) by 3.7 mi.

6.2. Initial Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	0	0	N/A
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	0	0	N/A
Wildfire	1	0	0	N/A
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	0	0	0	N/A

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores do not include implementation of climate risk reduction measures.

6.3. Adjusted Climate Risk Scores

Climate Hazard	Exposure Score	Sensitivity Score	Adaptive Capacity Score	Vulnerability Score
Temperature and Extreme Heat	1	1	1	2
Extreme Precipitation	N/A	N/A	N/A	N/A
Sea Level Rise	1	1	1	2

Wildfire	1	1	1	2
Flooding	N/A	N/A	N/A	N/A
Drought	N/A	N/A	N/A	N/A
Snowpack Reduction	N/A	N/A	N/A	N/A
Air Quality Degradation	1	1	1	2

The sensitivity score reflects the extent to which a project would be adversely affected by exposure to a climate hazard. Exposure is rated on a scale of 1 to 5, with a score of 5 representing the greatest exposure.
The adaptive capacity of a project refers to its ability to manage and reduce vulnerabilities from projected climate hazards. Adaptive capacity is rated on a scale of 1 to 5, with a score of 5 representing the greatest ability to adapt.
The overall vulnerability scores are calculated based on the potential impacts and adaptive capacity assessments for each hazard. Scores include implementation of climate risk reduction measures.

6.4. Climate Risk Reduction Measures

7. Health and Equity Details

7.1. CalEnviroScreen 4.0 Scores

The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Exposure Indicators	—
AQ-Ozone	24.9
AQ-PM	77.1
AQ-DPM	42.0
Drinking Water	29.9
Lead Risk Housing	65.4
Pesticides	66.7
Toxic Releases	98.1
Traffic	72.2
Effect Indicators	—
CleanUp Sites	81.6
Groundwater	90.1

Haz Waste Facilities/Generators	97.8
Impaired Water Bodies	0.00
Solid Waste	80.6
Sensitive Population	—
Asthma	19.8
Cardio-vascular	32.0
Low Birth Weights	70.2
Socioeconomic Factor Indicators	—
Education	17.2
Housing	22.1
Linguistic	39.8
Poverty	18.2
Unemployment	48.3

7.2. Healthy Places Index Scores

The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

Indicator	Result for Project Census Tract
Economic	—
Above Poverty	82.07365584
Employed	83.35685872
Median HI	84.17810856
Education	—
Bachelor's or higher	71.73104068
High school enrollment	100
Preschool enrollment	87.91222892
Transportation	—
Auto Access	72.44963429
Active commuting	21.35249583

Social	—
2-parent households	89.99101758
Voting	76.90234826
Neighborhood	—
Alcohol availability	63.86500706
Park access	81.35506224
Retail density	45.11741306
Supermarket access	56.5635827
Tree canopy	47.87629924
Housing	—
Homeownership	66.77787758
Housing habitability	90.5812909
Low-inc homeowner severe housing cost burden	93.19902477
Low-inc renter severe housing cost burden	90.14500192
Uncrowded housing	43.11561658
Health Outcomes	—
Insured adults	78.54484794
Arthritis	45.8
Asthma ER Admissions	79.0
High Blood Pressure	49.4
Cancer (excluding skin)	19.8
Asthma	92.9
Coronary Heart Disease	51.0
Chronic Obstructive Pulmonary Disease	74.0
Diagnosed Diabetes	62.8
Life Expectancy at Birth	36.9
Cognitively Disabled	50.3
Physically Disabled	76.0

Heart Attack ER Admissions	74.5
Mental Health Not Good	84.7
Chronic Kidney Disease	73.0
Obesity	88.9
Pedestrian Injuries	53.9
Physical Health Not Good	73.7
Stroke	64.5
Health Risk Behaviors	—
Binge Drinking	75.2
Current Smoker	83.5
No Leisure Time for Physical Activity	71.9
Climate Change Exposures	—
Wildfire Risk	0.0
SLR Inundation Area	0.0
Children	59.5
Elderly	36.3
English Speaking	52.9
Foreign-born	49.0
Outdoor Workers	54.4
Climate Change Adaptive Capacity	—
Impervious Surface Cover	24.5
Traffic Density	54.0
Traffic Access	87.4
Other Indices	—
Hardship	26.4
Other Decision Support	—
2016 Voting	63.5

7.3. Overall Health & Equity Scores

Metric	Result for Project Census Tract
CalEnviroScreen 4.0 Score for Project Location (a)	55.0
Healthy Places Index Score for Project Location (b)	88.0
Project Located in a Designated Disadvantaged Community (Senate Bill 535)	No
Project Located in a Low-Income Community (Assembly Bill 1550)	No
Project Located in a Community Air Protection Program Community (Assembly Bill 617)	No

a: The maximum CalEnviroScreen score is 100. A high score (i.e., greater than 50) reflects a higher pollution burden compared to other census tracts in the state.
b: The maximum Health Places Index score is 100. A high score (i.e., greater than 50) reflects healthier community conditions compared to other census tracts in the state.

7.4. Health & Equity Measures

No Health & Equity Measures selected.

7.5. Evaluation Scorecard

Health & Equity Evaluation Scorecard not completed.

7.6. Health & Equity Custom Measures

No Health & Equity Custom Measures created.

8. User Changes to Default Data

Screen	Justification
Land Use	Project info taken from site plan
Operations: Vehicle Data	Trip Characteristics based on information provided in the Traffic Analysis
Operations: Fleet Mix	Passenger Car Mix estimated based on CalEEMod default fleet mix and the ratio of the vehicle classes (LDA, LDT1, LDT2, MDV, MCY). Truck Fleet Mix based on 2, 3 and 4 axle trucks
Operations: Architectural Coatings	SCAQMD Rule 1113
Operations: Energy Use	Natural gas will not be utilized
Operations: Refrigerants	As of 1 January 2022, new commercial refrigeration equipment may not use refrigerants with a GWP of 150 or greater. Further, R-404A (the CalEEMod default) is unacceptable for new supermarket and cold storage systems as of 1 January 2019 and 2023, respectively
Construction: Construction Phases	Construction schedule provided by Project applicant

Construction: Off-Road Equipment	Construction equipment provided by Project Applicant
Construction: Trips and VMT	CalEEMod only assumes Vendor Trips during Vertical Construction and Building Construction phases. The CalEEMod default trips were ratioed between each phase based on the number of days."
Construction: Architectural Coatings	SCAQMD Rule 1113

TRU Emissions

2027	Year
Los Angeles (SC)	Region

Transport Refrigeration Unit - Instate Trailer

8	No. of Units
4	Hours/day

Transport Refrigeration Unit - Instate Truck

7	No. of Units
4	Hours/day

Total Two-Way TRU Trips per day
30

	Activity (hrs/year)
Transport Refrigeration Unit - Instate Trailer	12,477,705
Transport Refrigeration Unit - Instate Truck	815,645

Unit		**Emission Factor**						
		ROG	**NO_X**	**CO**	**SO_X**	**PM_{10}**	**$PM_{2.5}$**	**CO_2**
Transport Refrigeration Unit - Instate Trailer	Emissions (tons/day)	1.55E+00	1.44E+00	1.53E-01	0.00E+00	2.55E-02	2.35E-02	2.71E+02
	Emissions (lbs/hr)	9.06E-02	8.44E-02	8.93E-03	0.00E+00	1.49E-03	1.37E-03	1.59E+01
Transport Refrigeration Unit - Instate Truck	Emissions (tons/day)	6.88E-02	8.50E-02	7.49E-03	0.00E+00	4.48E-03	4.12E-03	1.39E+01
	Emissions (lbs/hr)	6.16E-02	7.61E-02	6.70E-03	0.00E+00	4.01E-03	3.69E-03	1.24E+01

Unit	**Emissions (lbs/day)**						**MT/yr**
	ROG	**NO_X**	**CO**	**SO_X**	**PM_{10}**	**$PM_{2.5}$**	**CO_2**
Transport Refrigeration Unit - Instate Trailer	2.90	2.70	0.29	0.00	0.05	0.04	84.14
Transport Refrigeration Unit - Instate Truck	1.72	2.13	0.19	0.00	0.11	0.10	57.64
Total	4.63	4.83	0.47	0.00	0.16	0.15	141.78

This page intentionally left blank

APPENDIX 3.2:

LST MODELING

```
** Lakes Environmental AERMOD MPI
**
**************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 12/10/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\13705 HRA\11796-Con LST CO\11796-Con LST
CO.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Lakes\AERMOD View\13705 HRA\13705 CON HRA\13705 CON HRA.isc
   MODELOPT DFAULT CONC
   AVERTIME 1 8
   URBANOPT 9818605
   POLLUTID CO
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "11796-Con LST CO.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     375911.028  3746104.716       30.000
   LOCATION VOL2         VOLUME     375888.563  3746113.923       30.000
   LOCATION VOL3         VOLUME     375856.161  3746124.969       30.000
   LOCATION VOL4         VOLUME     375813.449  3746140.434       30.000
   LOCATION VOL5         VOLUME     375770.737  3746158.844       30.000
   LOCATION VOL6         VOLUME     375727.288  3746174.309       30.000
   LOCATION VOL7         VOLUME     375682.367  3746191.247       30.000
   LOCATION VOL8         VOLUME     375639.654  3746200.084       30.000
   LOCATION VOL9         VOLUME     375587.369  3746217.758       30.000
   LOCATION VOL10        VOLUME     375622.717  3746215.548       30.000
   LOCATION VOL11        VOLUME     375589.578  3746259.733       30.000
   LOCATION VOL12        VOLUME     375589.578  3746303.182       30.000
```

LOCATION VOL13	VOLUME	375588.105	3746346.631	30.000
LOCATION VOL14	VOLUME	375593.260	3746388.606	30.000
LOCATION VOL15	VOLUME	375596.206	3746431.319	29.990
LOCATION VOL16	VOLUME	375609.461	3746474.031	29.520
LOCATION VOL17	VOLUME	375621.244	3746516.743	29.060
LOCATION VOL18	VOLUME	375637.445	3746533.681	29.000
LOCATION VOL19	VOLUME	375661.747	3746507.170	29.130
LOCATION VOL20	VOLUME	375696.359	3746485.077	29.150
LOCATION VOL21	VOLUME	375722.133	3746453.411	29.030
LOCATION VOL22	VOLUME	375744.226	3746429.846	29.000
LOCATION VOL23	VOLUME	375764.845	3746410.699	29.090
LOCATION VOL24	VOLUME	375784.729	3746389.343	29.090
LOCATION VOL25	VOLUME	375806.821	3746371.669	29.000
LOCATION VOL26	VOLUME	375837.751	3746351.786	29.000
LOCATION VOL27	VOLUME	375854.688	3746320.856	29.150
LOCATION VOL28	VOLUME	375886.354	3746306.864	29.260
LOCATION VOL29	VOLUME	375907.710	3746278.880	29.360
LOCATION VOL30	VOLUME	375926.857	3746258.997	29.290
LOCATION VOL31	VOLUME	375950.422	3746239.850	29.060
LOCATION VOL32	VOLUME	375972.515	3746217.021	29.190
LOCATION VOL33	VOLUME	375991.662	3746197.138	29.240
LOCATION VOL34	VOLUME	376015.963	3746179.464	29.120
LOCATION VOL35	VOLUME	376035.847	3746157.372	28.990
LOCATION VOL36	VOLUME	376056.466	3746138.225	29.060
LOCATION VOL37	VOLUME	376081.505	3746120.551	29.090
LOCATION VOL38	VOLUME	376124.217	3746096.985	28.890
LOCATION VOL39	VOLUME	376080.032	3746096.249	29.190
LOCATION VOL40	VOLUME	376037.320	3746092.567	29.530
LOCATION VOL41	VOLUME	375997.553	3746090.358	29.780
LOCATION VOL42	VOLUME	375954.104	3746094.040	29.990
LOCATION VOL43	VOLUME	376014.491	3746135.279	29.310
LOCATION VOL44	VOLUME	375973.251	3746153.689	29.690
LOCATION VOL45	VOLUME	375973.988	3746133.070	29.770
LOCATION VOL46	VOLUME	375931.276	3746137.488	30.000
LOCATION VOL47	VOLUME	375948.950	3746175.046	29.730
LOCATION VOL48	VOLUME	375929.803	3746217.758	29.490
LOCATION VOL49	VOLUME	375883.408	3746263.416	29.700
LOCATION VOL50	VOLUME	375842.905	3746309.073	29.280
LOCATION VOL51	VOLUME	375799.457	3746345.894	29.020
LOCATION VOL52	VOLUME	375756.745	3746367.987	29.380
LOCATION VOL53	VOLUME	375720.660	3746411.435	29.230
LOCATION VOL54	VOLUME	375677.948	3746451.202	29.470
LOCATION VOL55	VOLUME	375652.910	3746474.767	29.480
LOCATION VOL56	VOLUME	375639.654	3746432.055	29.970
LOCATION VOL57	VOLUME	375679.421	3746408.490	29.680
LOCATION VOL58	VOLUME	375634.500	3746388.606	30.000
LOCATION VOL59	VOLUME	375631.554	3746345.158	30.000
LOCATION VOL60	VOLUME	375633.027	3746303.918	30.000
LOCATION VOL61	VOLUME	375633.027	3746258.997	30.000
LOCATION VOL62	VOLUME	375675.739	3746367.250	29.880

```
   LOCATION VOL63        VOLUME     375717.715  3746369.460       29.670
   LOCATION VOL64        VOLUME     375675.739  3746324.538       30.000
   LOCATION VOL65        VOLUME     375675.739  3746281.090       30.000
   LOCATION VOL66        VOLUME     375667.638  3746236.168       30.000
   LOCATION VOL67        VOLUME     375711.087  3746238.377       30.000
   LOCATION VOL68        VOLUME     375719.187  3746326.011       30.000
   LOCATION VOL69        VOLUME     375760.427  3746323.802       29.590
   LOCATION VOL70        VOLUME     375719.187  3746281.826       30.000
   LOCATION VOL71        VOLUME     375712.560  3746211.130       30.000
   LOCATION VOL72        VOLUME     375803.875  3746303.182       29.340
   LOCATION VOL73        VOLUME     375760.427  3746279.617       29.810
   LOCATION VOL74        VOLUME     375755.272  3746238.377       30.000
   LOCATION VOL75        VOLUME     375757.481  3746203.029       30.000
   LOCATION VOL76        VOLUME     375842.169  3746265.625       29.750
   LOCATION VOL77        VOLUME     375800.193  3746261.206       29.800
   LOCATION VOL78        VOLUME     375797.984  3746219.967       30.000
   LOCATION VOL79        VOLUME     375801.666  3746184.619       30.000
   LOCATION VOL80        VOLUME     375840.696  3746224.385       30.000
   LOCATION VOL81        VOLUME     375884.881  3746221.440       29.920
   LOCATION VOL82        VOLUME     375842.169  3746180.937       30.000
   LOCATION VOL83        VOLUME     375884.881  3746179.464       29.960
   LOCATION VOL84        VOLUME     375888.563  3746144.116       30.000
   LOCATION VOL85        VOLUME     375892.245  3746158.108       29.980
   LOCATION VOL86        VOLUME     375920.229  3746183.146       29.790
** Source Parameters **
   SRCPARAM VOL1         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL2         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL3         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL4         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL5         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL6         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL7         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL8         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL9         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL10        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL11        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL12        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL13        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL14        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL15        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL16        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL17        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL18        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL19        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL20        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL21        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL22        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL23        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL24        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL25        0.0180217951     5.000     9.591     1.400
```

```
SRCPARAM VOL26        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL27        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL28        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL29        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL30        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL31        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL32        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL33        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL34        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL35        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL36        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL37        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL38        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL39        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL40        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL41        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL42        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL43        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL44        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL45        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL46        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL47        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL48        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL49        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL50        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL51        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL52        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL53        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL54        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL55        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL56        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL57        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL58        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL59        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL60        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL61        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL62        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL63        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL64        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL65        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL66        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL67        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL68        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL69        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL70        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL71        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL72        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL73        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL74        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL75        0.0180217951     5.000     9.591     1.400
```

```
   SRCPARAM VOL76        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL77        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL78        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL79        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL80        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL81        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL82        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL83        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL84        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL85        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL86        0.0180217951     5.000     9.591     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 2"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL64        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL65        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL66        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL67        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL68        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL69        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL70        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL71        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL72        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL73        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL74        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL75        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL76        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL77        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL78        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL79        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** WeekDays:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL80        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL81        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL82        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL83        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Saturday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL84        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL85        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL86        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
** Sunday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "11796-Con LST CO.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE ..\KHHR_V11_trimmed.sfc
   PROFFILE ..\KHHR_V11_trimmed.pfl
   SURFDATA 3167 2016
   UAIRDATA 3190 2016
   PROFBASE 19.17 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
   RECTABLE 8 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "11796-CON LST CO.AD\01H1GALL.PLT" 31
   PLOTFILE 8 ALL 1ST "11796-CON LST CO.AD\08H1GALL.PLT" 32
   SUMMFILE "11796-Con LST CO.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------
```

```
 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186    1527       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187    1527       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 *********************************
 *** SETUP Finishes Successfully ***
 *********************************

 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:22:39

                                    PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                              ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for    86 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   9818605.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
```

```
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Accepts FLAGPOLE Receptor . Heights.
      * The User Specified a Pollutant Type of: CO

 **Model Calculates  2 Short Term Average(s) of:   1-HR   8-HR

 **This Run Includes:     86 Source(s);       1 Source Group(s); and      68
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     86 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                 and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  22112

 **Output Options Selected:
          Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
          Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
          Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours

 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =    19.17 ;  Decay
Coef. =    0.000     ;  Rot. Angle =     0.0
                  Emission Units = GRAMS/SEC                                ;
Emission Rate Unit Factor =   0.10000E+07
                  Output Units   = MICROGRAMS/M**3

 **Approximate Storage Requirements of Model =      3.6 MB of RAM.

 **Input Runstream File:          aermod.inp

 **Output Print File:             aermod.out
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. SCALAR CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT EMISSION RATE VARY BY
VOL1	0	0.18022E-01	375911.0	3746104.7	30.0	5.00	9.59	1.40	YES	HRDOW
VOL2	0	0.18022E-01	375888.6	3746113.9	30.0	5.00	9.59	1.40	YES	HRDOW
VOL3	0	0.18022E-01	375856.2	3746125.0	30.0	5.00	9.59	1.40	YES	HRDOW
VOL4	0	0.18022E-01	375813.4	3746140.4	30.0	5.00	9.59	1.40	YES	HRDOW
VOL5	0	0.18022E-01	375770.7	3746158.8	30.0	5.00	9.59	1.40	YES	HRDOW
VOL6	0	0.18022E-01	375727.3	3746174.3	30.0	5.00	9.59	1.40	YES	HRDOW
VOL7	0	0.18022E-01	375682.4	3746191.2	30.0	5.00	9.59	1.40	YES	HRDOW
VOL8	0	0.18022E-01	375639.7	3746200.1	30.0	5.00	9.59	1.40	YES	HRDOW
VOL9	0	0.18022E-01	375587.4	3746217.8	30.0	5.00	9.59	1.40	YES	HRDOW
VOL10	0	0.18022E-01	375622.7	3746215.5	30.0	5.00	9.59	1.40	YES	HRDOW
VOL11	0	0.18022E-01	375589.6	3746259.7	30.0	5.00	9.59	1.40	YES	HRDOW
VOL12	0	0.18022E-01	375589.6	3746303.2	30.0	5.00	9.59	1.40	YES	HRDOW
VOL13	0	0.18022E-01	375588.1	3746346.6	30.0	5.00	9.59			

```
1.40     YES   HRDOW            NO
 VOL14           0   0.18022E-01  375593.3 3746388.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL15           0   0.18022E-01  375596.2 3746431.3    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL16           0   0.18022E-01  375609.5 3746474.0    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL17           0   0.18022E-01  375621.2 3746516.7    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL18           0   0.18022E-01  375637.4 3746533.7    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL19           0   0.18022E-01  375661.7 3746507.2    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL20           0   0.18022E-01  375696.4 3746485.1    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL21           0   0.18022E-01  375722.1 3746453.4    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL22           0   0.18022E-01  375744.2 3746429.8    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL23           0   0.18022E-01  375764.8 3746410.7    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL24           0   0.18022E-01  375784.7 3746389.3    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL25           0   0.18022E-01  375806.8 3746371.7    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL26           0   0.18022E-01  375837.8 3746351.8    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL27           0   0.18022E-01  375854.7 3746320.9    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL28           0   0.18022E-01  375886.4 3746306.9    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL29           0   0.18022E-01  375907.7 3746278.9    29.4     5.00     9.59
1.40     YES   HRDOW            NO
 VOL30           0   0.18022E-01  375926.9 3746259.0    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL31           0   0.18022E-01  375950.4 3746239.8    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL32           0   0.18022E-01  375972.5 3746217.0    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL33           0   0.18022E-01  375991.7 3746197.1    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL34           0   0.18022E-01  376016.0 3746179.5    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL35           0   0.18022E-01  376035.8 3746157.4    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL36           0   0.18022E-01  376056.5 3746138.2    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL37           0   0.18022E-01  376081.5 3746120.6    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL38           0   0.18022E-01  376124.2 3746097.0    28.9     5.00     9.59
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL41	0	0.18022E-01	375997.6	3746090.4	29.8	5.00	9.59	1.40	YES	HRDOW	NO
VOL42	0	0.18022E-01	375954.1	3746094.0	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL43	0	0.18022E-01	376014.5	3746135.3	29.3	5.00	9.59	1.40	YES	HRDOW	NO
VOL44	0	0.18022E-01	375973.3	3746153.7	29.7	5.00	9.59	1.40	YES	HRDOW	NO
VOL45	0	0.18022E-01	375974.0	3746133.1	29.8	5.00	9.59	1.40	YES	HRDOW	NO
VOL46	0	0.18022E-01	375931.3	3746137.5	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL47	0	0.18022E-01	375949.0	3746175.0	29.7	5.00	9.59	1.40	YES	HRDOW	NO
VOL48	0	0.18022E-01	375929.8	3746217.8	29.5	5.00	9.59	1.40	YES	HRDOW	NO
VOL49	0	0.18022E-01	375883.4	3746263.4	29.7	5.00	9.59	1.40	YES	HRDOW	NO
VOL50	0	0.18022E-01	375842.9	3746309.1	29.3	5.00	9.59	1.40	YES	HRDOW	NO
VOL51	0	0.18022E-01	375799.5	3746345.9	29.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL52	0	0.18022E-01	375756.7	3746368.0	29.4	5.00	9.59	1.40	YES	HRDOW	NO
VOL53	0	0.18022E-01	375720.7	3746411.4	29.2	5.00	9.59				

```
1.40     YES   HRDOW            NO
 VOL54           0   0.18022E-01  375677.9 3746451.2    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL55           0   0.18022E-01  375652.9 3746474.8    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL56           0   0.18022E-01  375639.7 3746432.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL57           0   0.18022E-01  375679.4 3746408.5    29.7     5.00     9.59
1.40     YES   HRDOW            NO
 VOL58           0   0.18022E-01  375634.5 3746388.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL59           0   0.18022E-01  375631.6 3746345.2    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL60           0   0.18022E-01  375633.0 3746303.9    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL61           0   0.18022E-01  375633.0 3746259.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL62           0   0.18022E-01  375675.7 3746367.2    29.9     5.00     9.59
1.40     YES   HRDOW            NO
 VOL63           0   0.18022E-01  375717.7 3746369.5    29.7     5.00     9.59
1.40     YES   HRDOW            NO
 VOL64           0   0.18022E-01  375675.7 3746324.5    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL65           0   0.18022E-01  375675.7 3746281.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL66           0   0.18022E-01  375667.6 3746236.2    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL67           0   0.18022E-01  375711.1 3746238.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL68           0   0.18022E-01  375719.2 3746326.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL69           0   0.18022E-01  375760.4 3746323.8    29.6     5.00     9.59
1.40     YES   HRDOW            NO
 VOL70           0   0.18022E-01  375719.2 3746281.8    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL71           0   0.18022E-01  375712.6 3746211.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL72           0   0.18022E-01  375803.9 3746303.2    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL73           0   0.18022E-01  375760.4 3746279.6    29.8     5.00     9.59
1.40     YES   HRDOW            NO
 VOL74           0   0.18022E-01  375755.3 3746238.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL75           0   0.18022E-01  375757.5 3746203.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL76           0   0.18022E-01  375842.2 3746265.6    29.8     5.00     9.59
1.40     YES   HRDOW            NO
 VOL77           0   0.18022E-01  375800.2 3746261.2    29.8     5.00     9.59
1.40     YES   HRDOW            NO
 VOL78           0   0.18022E-01  375798.0 3746220.0    30.0     5.00     9.59
```

```
1.40     YES   HRDOW            NO
 VOL79           0   0.18022E-01  375801.7 3746184.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL80           0   0.18022E-01  375840.7 3746224.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                                *** VOLUME SOURCE DATA ***

               NUMBER EMISSION RATE                    BASE    RELEASE    INIT.
INIT.   URBAN  EMISSION RATE   AIRCRAFT
   SOURCE       PART.  (GRAMS/SEC)     X        Y      ELEV.   HEIGHT      SY
SZ     SOURCE  SCALAR VARY
     ID         CATS.               (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS)             BY
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -

 VOL81           0   0.18022E-01  375884.9 3746221.4    29.9     5.00     9.59
1.40     YES   HRDOW            NO
 VOL82           0   0.18022E-01  375842.2 3746180.9    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL83           0   0.18022E-01  375884.9 3746179.5    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL84           0   0.18022E-01  375888.6 3746144.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL85           0   0.18022E-01  375892.2 3746158.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL86           0   0.18022E-01  375920.2 3746183.1    29.8     5.00     9.59
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE   5
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                              *** SOURCE IDs DEFINING SOURCE GROUPS
***

 SRCGROUP ID                                          SOURCE IDs
```

```
              9818605.   VOL1        , VOL2        , VOL3        , VOL4        ,
VOL5        , VOL6        , VOL7        ,
 VOL8        ,

              VOL9        , VOL10       , VOL11       , VOL12       , VOL13       ,
VOL14       , VOL15       , VOL16       ,

              VOL17       , VOL18       , VOL19       , VOL20       , VOL21       ,
VOL22       , VOL23       , VOL24       ,

              VOL25       , VOL26       , VOL27       , VOL28       , VOL29       ,
VOL30       , VOL31       , VOL32       ,

              VOL33       , VOL34       , VOL35       , VOL36       , VOL37       ,
VOL38       , VOL39       , VOL40       ,

              VOL41       , VOL42       , VOL43       , VOL44       , VOL45       ,
VOL46       , VOL47       , VOL48       ,

              VOL49       , VOL50       , VOL51       , VOL52       , VOL53       ,
VOL54       , VOL55       , VOL56       ,

              VOL57       , VOL58       , VOL59       , VOL60       , VOL61       ,
VOL62       , VOL63       , VOL64       ,

              VOL65       , VOL66       , VOL67       , VOL68       , VOL69       ,
VOL70       , VOL71       , VOL72       ,

              VOL73       , VOL74       , VOL75       , VOL76       , VOL77       ,
VOL78       , VOL79       , VOL80       ,

              VOL81       , VOL82       , VOL83       , VOL84       , VOL85       ,
VOL86       ,
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:22:39

                                   PAGE   7
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL1         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL3   ; SOURCE TYPE = VOLUME   :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL4 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                   PAGE  12
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL6          ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:22:39

                                    PAGE  13
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL7         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:22:39

                                    PAGE  14
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL8         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                   PAGE  15
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL9         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
```

14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL10   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  17
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL11        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  18
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
```

OF WEEK (HRDOW) *

 SOURCE ID = VOL12   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL13   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL14   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL15   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL16         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  23
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL17         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  24
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL18        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL20 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:22:39

                                  PAGE  28
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL22        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL23   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL24   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  31
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL25        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL26        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL27   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL28   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:22:39

                                  PAGE  35
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL29        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL30 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL31        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  38
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL32        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

```
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                      ***        22:22:39

                                   PAGE  39
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL33        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL34   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                   PAGE  43
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL37        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
```

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL38   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
 SOURCE ID = VOL39         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  46
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL40         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  47
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL41        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL42   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL43   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                   PAGE  50
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL44        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL45   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL47 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
 - - -
```

```
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:22:39

                                  PAGE  55
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL49        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL52   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL53   ; SOURCE TYPE = VOLUME   :

HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- - - -

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL54 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                   PAGE  62
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL56        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:22:39

                                   PAGE  63
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL57        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:22:39

                                   PAGE  64
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL58   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL60   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  67
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL61        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  68
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
```

OF WEEK (HRDOW) *

 SOURCE ID = VOL62   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL63   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

```
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:22:39

                                  PAGE  70
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL64        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL65   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL66         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                   PAGE  73
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL67         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  74
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL68        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL70 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:22:39

                                  PAGE  78
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL72        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL73   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL74   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                  PAGE  81
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL75        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL76        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL77   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL78   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:22:39

                                  PAGE  85
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL79        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL80   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                          DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                          DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL81 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL82 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                      ***        22:22:39

                                  PAGE  89
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL83        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL84   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

DAY OF WEEK = SATURDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

DAY OF WEEK = SUNDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```


DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
```

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(375504.4, 3746422.6, 30.0, 30.0, 0.0); (375520.7, 3746156.7, 30.0, 30.0, 0.0);
(375525.3, 3746068.3, 30.0, 30.0, 0.0); (375458.3, 3745980.4, 30.0, 30.0, 0.0);
(376027.3, 3746023.9, 30.0, 30.0, 0.0); (376184.5, 3746006.9, 29.0, 29.0, 0.0);
(376450.3, 3746051.5, 26.0, 26.0, 0.0); (376765.8, 3745950.3, 23.4, 23.4, 0.0);
(377122.8, 3745912.9, 22.0, 22.0, 0.0); (377119.3, 3745800.3, 22.6, 22.6, 0.0);
(377099.8, 3745758.9, 23.0, 23.0, 0.0); (377013.2, 3745766.6, 23.2, 23.2, 0.0);
(377084.5, 3745665.0, 23.3, 23.3, 0.0); (377106.3, 3745575.4, 23.9, 23.9, 0.0);
(377027.4, 3745416.0, 25.0, 25.0, 0.0); (377081.8, 3745287.7, 25.2, 25.2, 0.0);
(377132.0, 3745291.9, 25.0, 25.0, 0.0); (377040.8, 3745231.4, 25.7, 25.7, 0.0);
(377105.3, 3745340.5, 25.0, 25.0, 0.0); (377112.0, 3746220.4, 21.0, 21.0, 0.0);
(377001.0, 3746095.7, 22.0, 22.0, 0.0); (377206.0, 3747290.6, 21.0, 21.0, 0.0);

```
     ( 377122.3, 3747265.5,      21.0,      21.0,       0.0);         ( 377096.2,
3747264.6,      21.0,      21.0,       0.0);
     ( 377192.0, 3747358.0,      21.0,      21.0,       0.0);         ( 377148.8,
3747294.4,      21.0,      21.0,       0.0);
     ( 377330.8, 3747461.4,      21.0,      21.0,       0.0);         ( 377347.7,
3747688.8,      21.0,      21.0,       0.0);
     ( 377260.4, 3747813.5,      21.0,      21.0,       0.0);         ( 377282.2,
3748069.5,      21.0,      21.0,       0.0);
     ( 377236.7, 3748067.9,      21.0,      21.0,       0.0);         ( 377385.8,
3748065.9,      20.8,      20.8,       0.0);
     ( 377282.0, 3748002.4,      21.0,      21.0,       0.0);         ( 377093.4,
3747947.2,      21.0,      21.0,       0.0);
     ( 377114.8, 3747859.9,      21.0,      21.0,       0.0);         ( 377159.6,
3747840.0,      21.0,      21.0,       0.0);
     ( 377347.1, 3747830.1,      21.0,      21.0,       0.0);         ( 376416.5,
3747678.9,      23.0,      23.0,       0.0);
     ( 376139.1, 3747690.1,      24.0,      24.0,       0.0);         ( 376472.4,
3747826.3,      23.0,      23.0,       0.0);
     ( 376816.5, 3744704.5,      27.0,      27.0,       0.0);         ( 373778.6,
3745752.9,      30.0,      30.0,       0.0);
     ( 373508.1, 3745982.6,      30.0,      30.0,       0.0);         ( 375580.9,
3746684.6,      28.2,      28.2,       0.0);
     ( 375639.8, 3746811.3,      27.9,      27.9,       0.0);         ( 375646.0,
3746877.3,      27.2,      27.2,       0.0);
     ( 375666.6, 3747058.4,      26.9,      26.9,       0.0);         ( 375668.3,
3747178.9,      26.9,      26.9,       0.0);
     ( 375433.7, 3747237.8,      28.0,      28.0,       0.0);         ( 375254.3,
3747288.6,      29.0,      29.0,       0.0);
     ( 375142.8, 3747281.5,      29.0,      29.0,       0.0);         ( 375351.2,
3747239.4,      28.0,      28.0,       0.0);
     ( 375883.4, 3747279.2,      26.0,      26.0,       0.0);         ( 376037.0,
3747277.2,      25.0,      25.0,       0.0);
     ( 376553.7, 3747266.0,      22.4,      22.4,       0.0);         ( 378243.6,
3747249.9,      19.9,      19.9,       0.0);
     ( 378274.9, 3747250.2,      19.8,      19.8,       0.0);         ( 378117.4,
3747252.8,      20.8,      20.8,       0.0);
     ( 378507.9, 3747523.7,      17.8,      17.8,       0.0);         ( 378611.9,
3747484.9,      17.0,      17.0,       0.0);
     ( 378446.6, 3747640.5,      17.0,      17.0,       0.0);         ( 378878.7,
3747434.1,      17.0,      17.0,       0.0);
     ( 378938.9, 3747440.8,      17.0,      17.0,       0.0);         ( 378922.6,
3747182.5,      17.3,      17.3,       0.0);
     ( 378977.1, 3747296.2,      17.0,      17.0,       0.0);         ( 379160.0,
3747327.1,      17.0,      17.0,       0.0);
     ( 379137.0, 3747433.4,      17.0,      17.0,       0.0);         ( 378815.8,
3747584.1,      17.0,      17.0,       0.0);
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***       22:22:39
```

*** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***

(1=YES; 0=NO)

1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
1 1 1 1 1 1 1 1 1 1 1 1 1 1 1

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES ***

(METERS/SEC)

1.54,   3.09,   5.14,   8.23,   10.80,

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

   Surface file: ..\KHHR_V11_trimmed.sfc
                Met Version: 22112
   Profile file: ..\KHHR_V11_trimmed.pfl

Surface format: FREE

Profile format: FREE

Surface station no.: 3167 Upper air station no.: 3190
Name: UNKNOWN Name: UNKNOWN

Year: 2016 Year: 2016

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
16	01	01	1	01	-10.3	0.136	-9.000	-9.000	-999.	120.	22.1	0.21	1.29	1.00	1.31	333.	7.9	282.0	2.0
16	01	01	1	02	-10.1	0.135	-9.000	-9.000	-999.	119.	21.9	0.21	1.29	1.00	1.30	344.	7.9	281.4	2.0
16	01	01	1	03	-9.3	0.129	-9.000	-9.000	-999.	111.	20.9	0.21	1.29	1.00	1.25	352.	7.9	281.4	2.0
16	01	01	1	04	-10.6	0.138	-9.000	-9.000	-999.	123.	22.5	0.21	1.29	1.00	1.33	358.	7.9	280.9	2.0
16	01	01	1	05	-10.4	0.136	-9.000	-9.000	-999.	121.	22.2	0.22	1.29	1.00	1.30	322.	7.9	280.3	2.0
16	01	01	1	06	-13.4	0.156	-9.000	-9.000	-999.	148.	26.8	0.22	1.29	1.00	1.47	325.	7.9	280.9	2.0
16	01	01	1	07	-9.7	0.132	-9.000	-9.000	-999.	115.	21.4	0.22	1.29	1.00	1.26	329.	7.9	280.3	2.0
16	01	01	1	08	-16.4	0.202	-9.000	-9.000	-999.	218.	45.6	0.22	1.29	0.55	1.84	15.	7.9	281.4	2.0
16	01	01	1	09	26.9	0.246	0.362	0.005	64.	293.	-50.4	0.22	1.29	0.32	1.97	24.	7.9	284.2	2.0
16	01	01	1	10	82.3	0.301	0.834	0.005	256.	396.	-30.1	0.23	1.29	0.24	2.28	36.	7.9	286.4	2.0
16	01	01	1	11	121.4	0.322	1.193	0.005	509.	439.	-25.0	0.23	1.29	0.21	2.39	42.	7.9	288.8	2.0
16	01	01	1	12	141.1	0.291	1.349	0.005	633.	376.	-15.8	0.23	1.29	0.20	2.04	38.	7.9	290.3	2.0
16	01	01	1	13	140.5	0.248	1.576	0.005	1012.	298.	-9.9	0.29	1.29	0.20	1.50	66.	7.9	291.4	2.0
16	01	01	1	14	119.4	0.218	1.605	0.010	1258.	245.	-7.9	0.23	1.29	0.21	1.38	52.	7.9	291.4	2.0
16	01	01	1	15	79.4	0.146	1.444	0.011	1376.	135.	-3.5	0.05	1.29	0.24	1.33	103.	7.9	292.0	2.0
16	01	01	1	16	23.2	0.190	0.963	0.012	1392.	199.	-26.9	0.22	1.29	0.33	1.45	321.	7.9	291.4	2.0
16	01	01	1	17	-18.8	0.217	-9.000	-9.000	-999.	242.	51.7	0.05	1.29	0.59	2.89	249.	7.9	288.8	2.0
16	01	01	1	18	-20.1	0.203	-9.000	-9.000	-999.	219.	45.2	0.24	1.29	1.00	1.82	284.	7.9	287.0	2.0

```
 16 01 01   1 19  -12.0  0.148 -9.000 -9.000 -999.  137.     24.5  0.22   1.29
1.00    1.40  310.    7.9  286.4    2.0
 16 01 01   1 20   -9.7  0.133 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  333.    7.9  285.9    2.0
 16 01 01   1 21   -8.5  0.124 -9.000 -9.000 -999.  104.     20.1  0.21   1.29
1.00    1.20  337.    7.9  285.9    2.0
 16 01 01   1 22   -6.7  0.110 -9.000 -9.000 -999.   87.     17.8  0.22   1.29
1.00    1.06  328.    7.9  285.9    2.0
 16 01 01   1 23   -9.7  0.132 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  344.    7.9  285.3    2.0
 16 01 01   1 24  -10.5  0.138 -9.000 -9.000 -999.  123.     22.6  0.22   1.29
1.00    1.31  327.    7.9  285.3    2.0


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 16 01 01 01    7.9 1  333.    1.31   282.1   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:22:39

                                   PAGE  96
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                              *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP:  ALL      ***
                                  INCLUDING SOURCE(S):     VOL1        , VOL2
 , VOL3        , VOL4        , VOL5        ,
                 VOL6        , VOL7        , VOL8        , VOL9        , VOL10
 , VOL11       , VOL12       , VOL13       ,
                 VOL14       , VOL15       , VOL16       , VOL17       , VOL18
 , VOL19       , VOL20       , VOL21       ,
                 VOL22       , VOL23       , VOL24       , VOL25       , VOL26
 , VOL27       , VOL28       ,  . . .      ,

                                               *** DISCRETE CARTESIAN RECEPTOR POINTS
***

                                          ** CONC OF CO       IN MICROGRAMS/M**3
                    **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)
Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - -
        375504.40   3746422.65       50.16647  (20121111)               375520.66
 3746156.71       33.85115  (21012914)
```

```
       375525.31   3746068.32       21.89943  (21012914)                375458.35
3745980.39       13.25544  (21012914)
       376027.28   3746023.89       47.95591  (16010711)                376184.52
3746006.90       30.12504  (17110210)
       376450.33   3746051.53        9.34501  (17011015)                376765.76
3745950.26        3.83203  (20100809)
       377122.79   3745912.91        2.21490  (18031315)                377119.34
3745800.28        2.15280  (21042312)
       377099.81   3745758.90        2.17652  (21042312)                377013.22
3745766.57        2.38673  (21042312)
       377084.48   3745665.04        1.85344  (21042312)                377106.32
3745575.39        2.01331  (17110210)
       377027.40   3745416.02        2.45246  (17110210)                377081.80
3745287.68        2.00090  (17110210)
       377131.99   3745291.89        2.00272  (17110210)                377040.81
3745231.36        1.72764  (17110210)
       377105.28   3745340.55        2.15423  (17110210)                377111.99
3746220.41        3.78069  (16011915)
       377000.96   3746095.73        3.82020  (17011015)                377205.99
3747290.61        1.59936  (21122715)
       377122.30   3747265.54        1.61293  (21122715)                377096.25
3747264.56        1.57464  (21122715)
       377191.99   3747358.03        1.29467  (17011314)                377148.78
3747294.40        1.49444  (21122715)
       377330.78   3747461.45        1.12499  (17011314)                377347.71
3747688.77        1.05154  (17110215)
       377260.43   3747813.51        1.16801  (20012015)                377282.25
3748069.48        1.06847  (20012015)
       377236.66   3748067.86        1.06583  (20012015)                377385.82
3748065.90        1.04759  (20012015)
       377282.04   3748002.42        1.10749  (20012015)                377093.43
3747947.16        1.14648  (20012015)
       377114.75   3747859.95        1.23732  (20012015)                377159.60
3747840.02        1.23758  (20012015)
       377347.08   3747830.10        1.07434  (20012015)                376416.51
3747678.93        1.39644  (17090414)
       376139.13   3747690.11        1.76215  (18112814)                376472.39
3747826.26        1.21931  (17090414)
       376816.50   3744704.49        1.24781  (16010711)                373778.57
3745752.93        1.26653  (21120714)
       373508.13   3745982.62        1.10079  (21120714)                375580.91
3746684.56       16.87079  (17103009)
       375639.80   3746811.26        8.73786  (17103011)                375646.05
3746877.29        7.09337  (17103011)
       375666.57   3747058.42        4.30943  (17091909)                375668.35
3747178.87        3.39214  (17110113)
       375433.69   3747237.76        3.02458  (17103010)                375254.34
3747288.62        2.90545  (17103009)
       375142.81   3747281.48        3.22894  (17103009)                375351.20
3747239.38        3.15986  (17110111)
```

       375504.40   3746422.65   24.29272 (17010216)   375520.66
 3746156.71   14.09452 (20041016)
       375525.31   3746068.32   8.72626 (21012016)   375458.35
 3745980.39   4.72609 (21012016)
       376027.28   3746023.89   19.74686 (16020116)   376184.52

```
3746006.90        8.87553  (20121416)
       376450.33   3746051.53        3.63385  (18122516)                376765.76
3745950.26        1.44043  (18122516)
       377122.79   3745912.91        0.80052  (18122516)                377119.34
3745800.28        0.65684  (18122516)
       377099.81   3745758.90        0.61188  (18122516)                377013.22
3745766.57        0.67587  (18122516)
       377084.48   3745665.04        0.50239  (18122516)                377106.32
3745575.39        0.41114  (18122516)
       377027.40   3745416.02        0.41543  (20121416)                377081.80
3745287.68        0.41448  (20121416)
       377131.99   3745291.89        0.36625  (20121416)                377040.81
3745231.36        0.46729  (20121416)
       377105.28   3745340.55        0.37087  (20121416)                377111.99
3746220.41        1.36118  (16011916)
       377000.96   3746095.73        1.25177  (16011916)                377205.99
3747290.61        0.75047  (21041316)
       377122.30   3747265.54        0.77508  (21041316)                377096.25
3747264.56        0.76985  (21041316)
       377191.99   3747358.03        0.64458  (21041316)                377148.78
3747294.40        0.73314  (21041316)
       377330.78   3747461.45        0.54566  (21041316)                377347.71
3747688.77        0.37873  (17110216)
       377260.43   3747813.51        0.32363  (17110216)                377282.25
3748069.48        0.20066  (17110216)
       377236.66   3748067.86        0.18903  (16050516)                377385.82
3748065.90        0.22967  (17110216)
       377282.04   3748002.42        0.23270  (17110216)                377093.43
3747947.16        0.21783  (16050516)
       377114.75   3747859.95        0.25845  (17110216)                377159.60
3747840.02        0.28505  (17110216)
       377347.08   3747830.10        0.32670  (17110216)                376416.51
3747678.93        0.45091  (17090416)
       376139.13   3747690.11        0.51485  (17090416)                376472.39
3747826.26        0.38624  (17090416)
       376816.50   3744704.49        0.51317  (16020116)                373778.57
3745752.93        0.42312  (21120716)
       373508.13   3745982.62        0.40982  (21123016)                375580.91
3746684.56        9.05087  (17103016)
       375639.80   3746811.26        4.47188  (17103016)                375646.05
3746877.29        3.30693  (17103016)
       375666.57   3747058.42        2.06206  (18010916)                375668.35
3747178.87        1.59193  (18010916)
       375433.69   3747237.76        1.60139  (17103016)                375254.34
3747288.62        1.40595  (17103016)
       375142.81   3747281.48        1.16084  (17103016)                375351.20
3747239.38        1.63630  (17103016)
       375883.41   3747279.17        1.18247  (18010916)                376037.04
3747277.19        1.00086  (17090416)
       376553.70   3747266.00        0.62504  (16050516)                378243.59
```

3747249.86   0.45074 (21051316)
       378274.87   3747250.21   0.44619 (21051316)   378117.44
3747252.85   0.48713 (16040816)
       378507.87   3747523.66   0.39798 (16040816)   378611.88
3747484.95   0.37622 (16040816)
       378446.61   3747640.47   0.39640 (16040816)   378878.71
3747434.12   0.34341 (16050416)
       378938.91   3747440.77   0.33764 (16050416)   378922.58
3747182.46   0.35175 (20052916)
       378977.07   3747296.18   0.33636 (16050416)   379160.03
3747327.13   0.31040 (16050416)
       379136.95   3747433.41   0.31897 (16050416)   378815.84
3747584.14   0.34768 (21020216)

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                                *** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

                                   ** CONC OF CO   IN MICROGRAMS/M**3
               **

                                                        DATE
                                        NETWORK
GROUP ID   AVERAGE CONC   (YYMMDDHH)   RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)   OF TYPE GRID-ID
- - - -

*** THE SUMMARY OF HIGHEST 8-HR RESULTS ***

** CONC OF CO IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE	CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH 1ST HIGH VALUE IS	24.29272	ON 17010216:	AT (375504.40, 3746422.65, 30.00, 30.00, 0.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 4 Warning Message(s)
A Total of 1422 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 888 Calm Hours Identified

A Total of 534 Missing Hours Identified (1.22 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

```
    ********   WARNING MESSAGES   ********
 ME W186    1527       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187    1527       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 MX W450   26305       CHKDAT: Record Out of Sequence in Meteorological File at:
  20010101
 MX W450   26305       CHKDAT: Record Out of Sequence in Meteorological File at:
1 year gap

    ************************************
    *** AERMOD Finishes Successfully ***
    ************************************
** Lakes Environmental AERMOD MPI
**
****************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 12/10/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\13705 HRA\11796-Con LST NOX\11796-Con
LST NOX.ADI
**
****************************************
**
**
****************************************
** AERMOD Control Pathway
****************************************
**
**
CO STARTING
   TITLEONE C:\Lakes\AERMOD View\13705 HRA\13705 CON HRA\13705 CON HRA.isc
   MODELOPT DFAULT CONC
   AVERTIME 1
   URBANOPT 9818605
   POLLUTID NOX
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "11796-Con LST NOX.err"
CO FINISHED
**
****************************************
** AERMOD Source Pathway
****************************************
**
**
SO STARTING
** Source Location **
```

```
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     375911.028  3746104.716       30.000
   LOCATION VOL2         VOLUME     375888.563  3746113.923       30.000
   LOCATION VOL3         VOLUME     375856.161  3746124.969       30.000
   LOCATION VOL4         VOLUME     375813.449  3746140.434       30.000
   LOCATION VOL5         VOLUME     375770.737  3746158.844       30.000
   LOCATION VOL6         VOLUME     375727.288  3746174.309       30.000
   LOCATION VOL7         VOLUME     375682.367  3746191.247       30.000
   LOCATION VOL8         VOLUME     375639.654  3746200.084       30.000
   LOCATION VOL9         VOLUME     375587.369  3746217.758       30.000
   LOCATION VOL10        VOLUME     375622.717  3746215.548       30.000
   LOCATION VOL11        VOLUME     375589.578  3746259.733       30.000
   LOCATION VOL12        VOLUME     375589.578  3746303.182       30.000
   LOCATION VOL13        VOLUME     375588.105  3746346.631       30.000
   LOCATION VOL14        VOLUME     375593.260  3746388.606       30.000
   LOCATION VOL15        VOLUME     375596.206  3746431.319       29.990
   LOCATION VOL16        VOLUME     375609.461  3746474.031       29.520
   LOCATION VOL17        VOLUME     375621.244  3746516.743       29.060
   LOCATION VOL18        VOLUME     375637.445  3746533.681       29.000
   LOCATION VOL19        VOLUME     375661.747  3746507.170       29.130
   LOCATION VOL20        VOLUME     375696.359  3746485.077       29.150
   LOCATION VOL21        VOLUME     375722.133  3746453.411       29.030
   LOCATION VOL22        VOLUME     375744.226  3746429.846       29.000
   LOCATION VOL23        VOLUME     375764.845  3746410.699       29.090
   LOCATION VOL24        VOLUME     375784.729  3746389.343       29.090
   LOCATION VOL25        VOLUME     375806.821  3746371.669       29.000
   LOCATION VOL26        VOLUME     375837.751  3746351.786       29.000
   LOCATION VOL27        VOLUME     375854.688  3746320.856       29.150
   LOCATION VOL28        VOLUME     375886.354  3746306.864       29.260
   LOCATION VOL29        VOLUME     375907.710  3746278.880       29.360
   LOCATION VOL30        VOLUME     375926.857  3746258.997       29.290
   LOCATION VOL31        VOLUME     375950.422  3746239.850       29.060
   LOCATION VOL32        VOLUME     375972.515  3746217.021       29.190
   LOCATION VOL33        VOLUME     375991.662  3746197.138       29.240
   LOCATION VOL34        VOLUME     376015.963  3746179.464       29.120
   LOCATION VOL35        VOLUME     376035.847  3746157.372       28.990
   LOCATION VOL36        VOLUME     376056.466  3746138.225       29.060
   LOCATION VOL37        VOLUME     376081.505  3746120.551       29.090
   LOCATION VOL38        VOLUME     376124.217  3746096.985       28.890
   LOCATION VOL39        VOLUME     376080.032  3746096.249       29.190
   LOCATION VOL40        VOLUME     376037.320  3746092.567       29.530
   LOCATION VOL41        VOLUME     375997.553  3746090.358       29.780
   LOCATION VOL42        VOLUME     375954.104  3746094.040       29.990
   LOCATION VOL43        VOLUME     376014.491  3746135.279       29.310
   LOCATION VOL44        VOLUME     375973.251  3746153.689       29.690
   LOCATION VOL45        VOLUME     375973.988  3746133.070       29.770
   LOCATION VOL46        VOLUME     375931.276  3746137.488       30.000
   LOCATION VOL47        VOLUME     375948.950  3746175.046       29.730
   LOCATION VOL48        VOLUME     375929.803  3746217.758       29.490
   LOCATION VOL49        VOLUME     375883.408  3746263.416       29.700
```

```
   LOCATION VOL50        VOLUME     375842.905  3746309.073       29.280
   LOCATION VOL51        VOLUME     375799.457  3746345.894       29.020
   LOCATION VOL52        VOLUME     375756.745  3746367.987       29.380
   LOCATION VOL53        VOLUME     375720.660  3746411.435       29.230
   LOCATION VOL54        VOLUME     375677.948  3746451.202       29.470
   LOCATION VOL55        VOLUME     375652.910  3746474.767       29.480
   LOCATION VOL56        VOLUME     375639.654  3746432.055       29.970
   LOCATION VOL57        VOLUME     375679.421  3746408.490       29.680
   LOCATION VOL58        VOLUME     375634.500  3746388.606       30.000
   LOCATION VOL59        VOLUME     375631.554  3746345.158       30.000
   LOCATION VOL60        VOLUME     375633.027  3746303.918       30.000
   LOCATION VOL61        VOLUME     375633.027  3746258.997       30.000
   LOCATION VOL62        VOLUME     375675.739  3746367.250       29.880
   LOCATION VOL63        VOLUME     375717.715  3746369.460       29.670
   LOCATION VOL64        VOLUME     375675.739  3746324.538       30.000
   LOCATION VOL65        VOLUME     375675.739  3746281.090       30.000
   LOCATION VOL66        VOLUME     375667.638  3746236.168       30.000
   LOCATION VOL67        VOLUME     375711.087  3746238.377       30.000
   LOCATION VOL68        VOLUME     375719.187  3746326.011       30.000
   LOCATION VOL69        VOLUME     375760.427  3746323.802       29.590
   LOCATION VOL70        VOLUME     375719.187  3746281.826       30.000
   LOCATION VOL71        VOLUME     375712.560  3746211.130       30.000
   LOCATION VOL72        VOLUME     375803.875  3746303.182       29.340
   LOCATION VOL73        VOLUME     375760.427  3746279.617       29.810
   LOCATION VOL74        VOLUME     375755.272  3746238.377       30.000
   LOCATION VOL75        VOLUME     375757.481  3746203.029       30.000
   LOCATION VOL76        VOLUME     375842.169  3746265.625       29.750
   LOCATION VOL77        VOLUME     375800.193  3746261.206       29.800
   LOCATION VOL78        VOLUME     375797.984  3746219.967       30.000
   LOCATION VOL79        VOLUME     375801.666  3746184.619       30.000
   LOCATION VOL80        VOLUME     375840.696  3746224.385       30.000
   LOCATION VOL81        VOLUME     375884.881  3746221.440       29.920
   LOCATION VOL82        VOLUME     375842.169  3746180.937       30.000
   LOCATION VOL83        VOLUME     375884.881  3746179.464       29.960
   LOCATION VOL84        VOLUME     375888.563  3746144.116       30.000
   LOCATION VOL85        VOLUME     375892.245  3746158.108       29.980
   LOCATION VOL86        VOLUME     375920.229  3746183.146       29.790
** Source Parameters **
   SRCPARAM VOL1         0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL2         0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL3         0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL4         0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL5         0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL6         0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL7         0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL8         0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL9         0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL10        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL11        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL12        0.0143538071     5.000     9.591     1.400
```

```
SRCPARAM VOL13        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL14        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL15        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL16        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL17        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL18        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL19        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL20        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL21        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL22        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL23        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL24        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL25        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL26        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL27        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL28        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL29        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL30        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL31        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL32        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL33        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL34        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL35        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL36        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL37        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL38        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL39        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL40        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL41        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL42        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL43        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL44        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL45        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL46        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL47        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL48        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL49        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL50        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL51        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL52        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL53        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL54        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL55        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL56        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL57        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL58        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL59        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL60        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL61        0.0143538071     5.000     9.591     1.400
SRCPARAM VOL62        0.0143538071     5.000     9.591     1.400
```

```
   SRCPARAM VOL63        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL64        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL65        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL66        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL67        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL68        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL69        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL70        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL71        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL72        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL73        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL74        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL75        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL76        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL77        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL78        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL79        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL80        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL81        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL82        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL83        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL84        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL85        0.0143538071     5.000     9.591     1.400
   SRCPARAM VOL86        0.0143538071     5.000     9.591     1.400
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 2"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL64        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL65        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL66        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL67        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL68        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL69        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL69        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL70        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL71        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL72        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL73        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL74        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL75        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL76        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL77        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL78        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL79        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL79        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL80        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL81        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL82        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL83        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL84        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL85        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL86        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**********************************
** AERMOD Receptor Pathway
**********************************
**
**
RE STARTING
   INCLUDED "11796-Con LST NOX.rou"
RE FINISHED
**
**********************************
** AERMOD Meteorology Pathway
**********************************
**
**
ME STARTING
   SURFFILE ..\KHHR_V11_trimmed.sfc
   PROFFILE ..\KHHR_V11_trimmed.pfl
   SURFDATA 3167 2016
   UAIRDATA 3190 2016
   PROFBASE 19.17 METERS
ME FINISHED
**
**********************************
** AERMOD Output Pathway
**********************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
```

```
   RECTABLE 1 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "11796-CON LST NOX.AD\01H1GALL.PLT" 31
   SUMMFILE "11796-Con LST NOX.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186    1527       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187    1527       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 ***********************************
 *** SETUP Finishes Successfully ***
 ***********************************

 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:28:30

                                    PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                              ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
```

```
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for    86 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   9818605.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Accepts FLAGPOLE Receptor . Heights.
      * The User Specified a Pollutant Type of: NOX

 **Model Calculates  1 Short Term Average(s) of:   1-HR

 **This Run Includes:     86 Source(s);       1 Source Group(s); and      68
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     86 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                 and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  22112

 **Output Options Selected:
          Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
          Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
          Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours

 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =    19.17 ;  Decay
```

Coef. =   0.000   ; Rot. Angle =   0.0
                  Emission Units = GRAMS/SEC   ;
Emission Rate Unit Factor =   0.10000E+07
                  Output Units   = MICROGRAMS/M**3

 **Approximate Storage Requirements of Model =   3.6 MB of RAM.

 **Input Runstream File: aermod.inp

 **Output Print File: aermod.out

 **Detailed Error/Message File: 11796-Con LST NOX.err

 **File for Summary of Results: 11796-Con LST NOX.sum

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                                    *** VOLUME SOURCE DATA ***

               NUMBER EMISSION RATE   BASE   RELEASE   INIT.
INIT.   URBAN EMISSION RATE   AIRCRAFT
   SOURCE   PART. (GRAMS/SEC)   X   Y   ELEV.   HEIGHT   SY
SZ   SOURCE SCALAR VARY
     ID   CATS.   (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS)   BY
 -
- -

 VOL1   0   0.14354E-01 375911.0 3746104.7   30.0   5.00   9.59
1.40   YES   HRDOW   NO
 VOL2   0   0.14354E-01 375888.6 3746113.9   30.0   5.00   9.59
1.40   YES   HRDOW   NO
 VOL3   0   0.14354E-01 375856.2 3746125.0   30.0   5.00   9.59
1.40   YES   HRDOW   NO
 VOL4   0   0.14354E-01 375813.4 3746140.4   30.0   5.00   9.59
1.40   YES   HRDOW   NO
 VOL5   0   0.14354E-01 375770.7 3746158.8   30.0   5.00   9.59
1.40   YES   HRDOW   NO
 VOL6   0   0.14354E-01 375727.3 3746174.3   30.0   5.00   9.59
1.40   YES   HRDOW   NO
 VOL7   0   0.14354E-01 375682.4 3746191.2   30.0   5.00   9.59
1.40   YES   HRDOW   NO

```
 VOL8            0   0.14354E-01  375639.7 3746200.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL9            0   0.14354E-01  375587.4 3746217.8    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL10           0   0.14354E-01  375622.7 3746215.5    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL11           0   0.14354E-01  375589.6 3746259.7    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL12           0   0.14354E-01  375589.6 3746303.2    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL13           0   0.14354E-01  375588.1 3746346.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL14           0   0.14354E-01  375593.3 3746388.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL15           0   0.14354E-01  375596.2 3746431.3    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL16           0   0.14354E-01  375609.5 3746474.0    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL17           0   0.14354E-01  375621.2 3746516.7    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL18           0   0.14354E-01  375637.4 3746533.7    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL19           0   0.14354E-01  375661.7 3746507.2    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL20           0   0.14354E-01  375696.4 3746485.1    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL21           0   0.14354E-01  375722.1 3746453.4    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL22           0   0.14354E-01  375744.2 3746429.8    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL23           0   0.14354E-01  375764.8 3746410.7    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL24           0   0.14354E-01  375784.7 3746389.3    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL25           0   0.14354E-01  375806.8 3746371.7    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL26           0   0.14354E-01  375837.8 3746351.8    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL27           0   0.14354E-01  375854.7 3746320.9    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL28           0   0.14354E-01  375886.4 3746306.9    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL29           0   0.14354E-01  375907.7 3746278.9    29.4     5.00     9.59
1.40     YES   HRDOW            NO
 VOL30           0   0.14354E-01  375926.9 3746259.0    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL31           0   0.14354E-01  375950.4 3746239.8    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL32           0   0.14354E-01  375972.5 3746217.0    29.2     5.00     9.59
1.40     YES   HRDOW            NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT EMISSION RATE SCALAR VARY BY
VOL41	0	0.14354E-01	375997.6	3746090.4	29.8	5.00	9.59	1.40	YES	HRDOW NO
VOL42	0	0.14354E-01	375954.1	3746094.0	30.0	5.00	9.59	1.40	YES	HRDOW NO
VOL43	0	0.14354E-01	376014.5	3746135.3	29.3	5.00	9.59	1.40	YES	HRDOW NO
VOL44	0	0.14354E-01	375973.3	3746153.7	29.7	5.00	9.59	1.40	YES	HRDOW NO
VOL45	0	0.14354E-01	375974.0	3746133.1	29.8	5.00	9.59	1.40	YES	HRDOW NO
VOL46	0	0.14354E-01	375931.3	3746137.5	30.0	5.00	9.59	1.40	YES	HRDOW NO
VOL47	0	0.14354E-01	375949.0	3746175.0	29.7	5.00	9.59	1.40	YES	HRDOW NO

```
 VOL48           0   0.14354E-01  375929.8 3746217.8    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL49           0   0.14354E-01  375883.4 3746263.4    29.7     5.00     9.59
1.40     YES   HRDOW            NO
 VOL50           0   0.14354E-01  375842.9 3746309.1    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL51           0   0.14354E-01  375799.5 3746345.9    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL52           0   0.14354E-01  375756.7 3746368.0    29.4     5.00     9.59
1.40     YES   HRDOW            NO
 VOL53           0   0.14354E-01  375720.7 3746411.4    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL54           0   0.14354E-01  375677.9 3746451.2    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL55           0   0.14354E-01  375652.9 3746474.8    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL56           0   0.14354E-01  375639.7 3746432.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL57           0   0.14354E-01  375679.4 3746408.5    29.7     5.00     9.59
1.40     YES   HRDOW            NO
 VOL58           0   0.14354E-01  375634.5 3746388.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL59           0   0.14354E-01  375631.6 3746345.2    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL60           0   0.14354E-01  375633.0 3746303.9    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL61           0   0.14354E-01  375633.0 3746259.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL62           0   0.14354E-01  375675.7 3746367.2    29.9     5.00     9.59
1.40     YES   HRDOW            NO
 VOL63           0   0.14354E-01  375717.7 3746369.5    29.7     5.00     9.59
1.40     YES   HRDOW            NO
 VOL64           0   0.14354E-01  375675.7 3746324.5    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL65           0   0.14354E-01  375675.7 3746281.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL66           0   0.14354E-01  375667.6 3746236.2    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL67           0   0.14354E-01  375711.1 3746238.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL68           0   0.14354E-01  375719.2 3746326.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL69           0   0.14354E-01  375760.4 3746323.8    29.6     5.00     9.59
1.40     YES   HRDOW            NO
 VOL70           0   0.14354E-01  375719.2 3746281.8    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL71           0   0.14354E-01  375712.6 3746211.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL72           0   0.14354E-01  375803.9 3746303.2    29.3     5.00     9.59
1.40     YES   HRDOW            NO
```

```
 VOL73            0   0.14354E-01  375760.4 3746279.6    29.8     5.00     9.59
1.40     YES   HRDOW            NO
 VOL74            0   0.14354E-01  375755.3 3746238.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL75            0   0.14354E-01  375757.5 3746203.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL76            0   0.14354E-01  375842.2 3746265.6    29.8     5.00     9.59
1.40     YES   HRDOW            NO
 VOL77            0   0.14354E-01  375800.2 3746261.2    29.8     5.00     9.59
1.40     YES   HRDOW            NO
 VOL78            0   0.14354E-01  375798.0 3746220.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL79            0   0.14354E-01  375801.7 3746184.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL80            0   0.14354E-01  375840.7 3746224.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE   4
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                                    *** VOLUME SOURCE DATA ***

               NUMBER EMISSION RATE                    BASE    RELEASE    INIT.
INIT.   URBAN  EMISSION RATE   AIRCRAFT
   SOURCE       PART.  (GRAMS/SEC)     X        Y      ELEV.   HEIGHT      SY
SZ     SOURCE  SCALAR VARY
     ID         CATS.               (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS)              BY
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -

 VOL81            0   0.14354E-01  375884.9 3746221.4    29.9     5.00     9.59
1.40     YES   HRDOW            NO
 VOL82            0   0.14354E-01  375842.2 3746180.9    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL83            0   0.14354E-01  375884.9 3746179.5    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL84            0   0.14354E-01  375888.6 3746144.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL85            0   0.14354E-01  375892.2 3746158.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL86            0   0.14354E-01  375920.2 3746183.1    29.8     5.00     9.59
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
```

*** SOURCE IDs DEFINING SOURCE GROUPS
***

SRCGROUP ID	SOURCE IDs

ALL VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 ,
VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 ,
VOL17 , VOL18 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 ,
VOL25 , VOL26 , VOL27 , VOL28 , VOL29 , VOL30 , VOL31 , VOL32 ,
VOL33 , VOL34 , VOL35 , VOL36 , VOL37 , VOL38 , VOL39 , VOL40 ,
VOL41 , VOL42 , VOL43 , VOL44 , VOL45 , VOL46 , VOL47 , VOL48 ,
VOL49 , VOL50 , VOL51 , VOL52 , VOL53 , VOL54 , VOL55 , VOL56 ,
VOL57 , VOL58 , VOL59 , VOL60 , VOL61 , VOL62 , VOL63 , VOL64 ,
VOL65 , VOL66 , VOL67 , VOL68 , VOL69 , VOL70 , VOL71 , VOL72 ,
VOL73 , VOL74 , VOL75 , VOL76 , VOL77 , VOL78 , VOL79 , VOL80 ,
VOL81 , VOL82 , VOL83 , VOL84 , VOL85 , VOL86 ,

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
	9818605.	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 ,
		VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 ,
		VOL17 , VOL18 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 ,
		VOL25 , VOL26 , VOL27 , VOL28 , VOL29 , VOL30 , VOL31 , VOL32 ,
		VOL33 , VOL34 , VOL35 , VOL36 , VOL37 , VOL38 , VOL39 , VOL40 ,
		VOL41 , VOL42 , VOL43 , VOL44 , VOL45 , VOL46 , VOL47 , VOL48 ,
		VOL49 , VOL50 , VOL51 , VOL52 , VOL53 , VOL54 , VOL55 , VOL56 ,
		VOL57 , VOL58 , VOL59 , VOL60 , VOL61 , VOL62 , VOL63 , VOL64 ,
		VOL65 , VOL66 , VOL67 , VOL68 , VOL69 , VOL70 , VOL71 , VOL72 ,
		VOL73 , VOL74 , VOL75 , VOL76 , VOL77 , VOL78 , VOL79 , VOL80 ,
		VOL81 , VOL82 , VOL83 , VOL84 , VOL85 , VOL86 ,

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL2 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL3   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:28:30

                                    PAGE  10
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL4          ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:28:30

                                    PAGE  11
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL5   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL7   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  14
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL8         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  15
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
```

OF WEEK (HRDOW) *

 SOURCE ID = VOL9   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL12   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL13        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                   PAGE  20
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL14        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  21
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL15        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL16 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL17 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - -

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:28:30

                                  PAGE  25
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL19        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL20   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL21   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  28
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL22        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                   PAGE  29
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL23        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL24   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL25   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                    DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:28:30

                                  PAGE  32
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL26        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL27   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL28        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                   PAGE  35
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL29        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

```
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                   PAGE  36
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL30        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL31   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                   PAGE  40
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL34        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
```

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL35   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
 SOURCE ID = VOL36         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  43
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL37         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL38 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - -

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL39   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL40   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                   PAGE  47
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL41        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL42   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL43 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL44 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
 - - -
```

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL46   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL47 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL48 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL49 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - -

22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL50   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL52 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                   PAGE  59
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL53        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:28:30

                                   PAGE  60
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL54        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:28:30

                                   PAGE  61
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

 SOURCE ID = VOL55   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL57   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  64
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL58        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  65
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
```

OF WEEK (HRDOW) *

 SOURCE ID = VOL59   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL60   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL62   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL63         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  70
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL64         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  71
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL65        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL66 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL67 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - -

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:28:30

                                  PAGE  75
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL69        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL70   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL71   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  78
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL72        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

```
                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL73        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL74   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL75   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:28:30

                                  PAGE  82
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL76        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL79 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                      ***        22:28:30

                                   PAGE  86
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL80        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL81   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL82   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                   PAGE  90
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL84        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
```

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL85   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
 SOURCE ID = VOL86         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:28:30

                                   PAGE  93
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          *** DISCRETE CARTESIAN RECEPTORS ***
                                        (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
                                                    (METERS)

     ( 375504.4, 3746422.6,      30.0,      30.0,       0.0);         ( 375520.7,
3746156.7,      30.0,      30.0,       0.0);
     ( 375525.3, 3746068.3,      30.0,      30.0,       0.0);         ( 375458.3,
3745980.4,      30.0,      30.0,       0.0);
     ( 376027.3, 3746023.9,      30.0,      30.0,       0.0);         ( 376184.5,
3746006.9,      29.0,      29.0,       0.0);
     ( 376450.3, 3746051.5,      26.0,      26.0,       0.0);         ( 376765.8,
3745950.3,      23.4,      23.4,       0.0);
     ( 377122.8, 3745912.9,      22.0,      22.0,       0.0);         ( 377119.3,
3745800.3,      22.6,      22.6,       0.0);
     ( 377099.8, 3745758.9,      23.0,      23.0,       0.0);         ( 377013.2,
```

```
3745766.6,      23.2,      23.2,       0.0);
     ( 377084.5, 3745665.0,      23.3,      23.3,       0.0);         ( 377106.3,
3745575.4,      23.9,      23.9,       0.0);
     ( 377027.4, 3745416.0,      25.0,      25.0,       0.0);         ( 377081.8,
3745287.7,      25.2,      25.2,       0.0);
     ( 377132.0, 3745291.9,      25.0,      25.0,       0.0);         ( 377040.8,
3745231.4,      25.7,      25.7,       0.0);
     ( 377105.3, 3745340.5,      25.0,      25.0,       0.0);         ( 377112.0,
3746220.4,      21.0,      21.0,       0.0);
     ( 377001.0, 3746095.7,      22.0,      22.0,       0.0);         ( 377206.0,
3747290.6,      21.0,      21.0,       0.0);
     ( 377122.3, 3747265.5,      21.0,      21.0,       0.0);         ( 377096.2,
3747264.6,      21.0,      21.0,       0.0);
     ( 377192.0, 3747358.0,      21.0,      21.0,       0.0);         ( 377148.8,
3747294.4,      21.0,      21.0,       0.0);
     ( 377330.8, 3747461.4,      21.0,      21.0,       0.0);         ( 377347.7,
3747688.8,      21.0,      21.0,       0.0);
     ( 377260.4, 3747813.5,      21.0,      21.0,       0.0);         ( 377282.2,
3748069.5,      21.0,      21.0,       0.0);
     ( 377236.7, 3748067.9,      21.0,      21.0,       0.0);         ( 377385.8,
3748065.9,      20.8,      20.8,       0.0);
     ( 377282.0, 3748002.4,      21.0,      21.0,       0.0);         ( 377093.4,
3747947.2,      21.0,      21.0,       0.0);
     ( 377114.8, 3747859.9,      21.0,      21.0,       0.0);         ( 377159.6,
3747840.0,      21.0,      21.0,       0.0);
     ( 377347.1, 3747830.1,      21.0,      21.0,       0.0);         ( 376416.5,
3747678.9,      23.0,      23.0,       0.0);
     ( 376139.1, 3747690.1,      24.0,      24.0,       0.0);         ( 376472.4,
3747826.3,      23.0,      23.0,       0.0);
     ( 376816.5, 3744704.5,      27.0,      27.0,       0.0);         ( 373778.6,
3745752.9,      30.0,      30.0,       0.0);
     ( 373508.1, 3745982.6,      30.0,      30.0,       0.0);         ( 375580.9,
3746684.6,      28.2,      28.2,       0.0);
     ( 375639.8, 3746811.3,      27.9,      27.9,       0.0);         ( 375646.0,
3746877.3,      27.2,      27.2,       0.0);
     ( 375666.6, 3747058.4,      26.9,      26.9,       0.0);         ( 375668.3,
3747178.9,      26.9,      26.9,       0.0);
     ( 375433.7, 3747237.8,      28.0,      28.0,       0.0);         ( 375254.3,
3747288.6,      29.0,      29.0,       0.0);
     ( 375142.8, 3747281.5,      29.0,      29.0,       0.0);         ( 375351.2,
3747239.4,      28.0,      28.0,       0.0);
     ( 375883.4, 3747279.2,      26.0,      26.0,       0.0);         ( 376037.0,
3747277.2,      25.0,      25.0,       0.0);
     ( 376553.7, 3747266.0,      22.4,      22.4,       0.0);         ( 378243.6,
3747249.9,      19.9,      19.9,       0.0);
     ( 378274.9, 3747250.2,      19.8,      19.8,       0.0);         ( 378117.4,
3747252.8,      20.8,      20.8,       0.0);
     ( 378507.9, 3747523.7,      17.8,      17.8,       0.0);         ( 378611.9,
3747484.9,      17.0,      17.0,       0.0);
     ( 378446.6, 3747640.5,      17.0,      17.0,       0.0);         ( 378878.7,
```

3747434.1,   17.0,   17.0,   0.0);
     (378938.9, 3747440.8,   17.0,   17.0,   0.0);   (378922.6,
3747182.5,   17.3,   17.3,   0.0);
     (378977.1, 3747296.2,   17.0,   17.0,   0.0);   (379160.0,
3747327.1,   17.0,   17.0,   0.0);
     (379137.0, 3747433.4,   17.0,   17.0,   0.0);   (378815.8,
3747584.1,   17.0,   17.0,   0.0);

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                                *** METEOROLOGICAL DAYS SELECTED FOR PROCESSING ***
                                                                    (1=YES; 0=NO)

           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1

               NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

                                    *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES ***
                                                                    (METERS/SEC)

                                                    1.54,   3.09,   5.14,   8.23,
10.80,

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

   Surface file: ..\KHHR_V11_trimmed.sfc
                  Met Version: 22112
   Profile file: ..\KHHR_V11_trimmed.pfl

   Surface format: FREE

   Profile format: FREE

   Surface station no.:   3167   Upper air station no.:   3190
                  Name: UNKNOWN   Name: UNKNOWN

                  Year: 2016   Year: 2016

 First 24 hours of scalar data
 YR MO DY JDY HR   H0   U*   W* DT/DZ ZICNV ZIMCH M-O LEN   Z0 BOWEN
ALBEDO REF WS   WD   HT REF TA   HT
- -
- - - - - - - - - - - - - - - - - - -
 16 01 01   1 01 -10.3 0.136 -9.000 -9.000 -999. 120.   22.1 0.21   1.29
1.00   1.31 333.   7.9 282.0   2.0
 16 01 01   1 02 -10.1 0.135 -9.000 -9.000 -999. 119.   21.9 0.21   1.29
1.00   1.30 344.   7.9 281.4   2.0
 16 01 01   1 03   -9.3 0.129 -9.000 -9.000 -999. 111.   20.9 0.21   1.29
1.00   1.25 352.   7.9 281.4   2.0
 16 01 01   1 04 -10.6 0.138 -9.000 -9.000 -999. 123.   22.5 0.21   1.29
1.00   1.33 358.   7.9 280.9   2.0
 16 01 01   1 05 -10.4 0.136 -9.000 -9.000 -999. 121.   22.2 0.22   1.29
1.00   1.30 322.   7.9 280.3   2.0
 16 01 01   1 06 -13.4 0.156 -9.000 -9.000 -999. 148.   26.8 0.22   1.29
1.00   1.47 325.   7.9 280.9   2.0
 16 01 01   1 07   -9.7 0.132 -9.000 -9.000 -999. 115.   21.4 0.22   1.29
1.00   1.26 329.   7.9 280.3   2.0
 16 01 01   1 08 -16.4 0.202 -9.000 -9.000 -999. 218.   45.6 0.22   1.29
0.55   1.84   15.   7.9 281.4   2.0
 16 01 01   1 09   26.9 0.246 0.362 0.005   64. 293.   -50.4 0.22   1.29
0.32   1.97   24.   7.9 284.2   2.0
 16 01 01   1 10   82.3 0.301 0.834 0.005 256. 396.   -30.1 0.23   1.29
0.24   2.28   36.   7.9 286.4   2.0
 16 01 01   1 11 121.4 0.322 1.193 0.005 509. 439.   -25.0 0.23   1.29
0.21   2.39   42.   7.9 288.8   2.0
 16 01 01   1 12 141.1 0.291 1.349 0.005 633. 376.   -15.8 0.23   1.29
0.20   2.04   38.   7.9 290.3   2.0
 16 01 01   1 13 140.5 0.248 1.576 0.005 1012. 298.   -9.9 0.29   1.29

```
0.20    1.50   66.    7.9  291.4    2.0
 16 01 01   1 14  119.4  0.218  1.605  0.010 1258.  245.     -7.9  0.23   1.29
0.21    1.38   52.    7.9  291.4    2.0
 16 01 01   1 15   79.4  0.146  1.444  0.011 1376.  135.     -3.5  0.05   1.29
0.24    1.33  103.    7.9  292.0    2.0
 16 01 01   1 16   23.2  0.190  0.963  0.012 1392.  199.    -26.9  0.22   1.29
0.33    1.45  321.    7.9  291.4    2.0
 16 01 01   1 17  -18.8  0.217 -9.000 -9.000 -999.  242.     51.7  0.05   1.29
0.59    2.89  249.    7.9  288.8    2.0
 16 01 01   1 18  -20.1  0.203 -9.000 -9.000 -999.  219.     45.2  0.24   1.29
1.00    1.82  284.    7.9  287.0    2.0
 16 01 01   1 19  -12.0  0.148 -9.000 -9.000 -999.  137.     24.5  0.22   1.29
1.00    1.40  310.    7.9  286.4    2.0
 16 01 01   1 20   -9.7  0.133 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  333.    7.9  285.9    2.0
 16 01 01   1 21   -8.5  0.124 -9.000 -9.000 -999.  104.     20.1  0.21   1.29
1.00    1.20  337.    7.9  285.9    2.0
 16 01 01   1 22   -6.7  0.110 -9.000 -9.000 -999.   87.     17.8  0.22   1.29
1.00    1.06  328.    7.9  285.9    2.0
 16 01 01   1 23   -9.7  0.132 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  344.    7.9  285.3    2.0
 16 01 01   1 24  -10.5  0.138 -9.000 -9.000 -999.  123.     22.6  0.22   1.29
1.00    1.31  327.    7.9  285.3    2.0


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 16 01 01 01    7.9 1  333.    1.31   282.1   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:28:30

                                  PAGE  96
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                              *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP:  ALL      ***
                                 INCLUDING SOURCE(S):     VOL1        , VOL2
 , VOL3        , VOL4        , VOL5        ,
                  VOL6        , VOL7        , VOL8        , VOL9        , VOL10
 , VOL11       , VOL12       , VOL13       ,
                  VOL14       , VOL15       , VOL16       , VOL17       , VOL18
 , VOL19       , VOL20       , VOL21       ,
                  VOL22       , VOL23       , VOL24       , VOL25       , VOL26
 , VOL27       , VOL28       ,  . . .      ,

                                          *** DISCRETE CARTESIAN RECEPTOR POINTS
```

***

** CONC OF NOX IN MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
375504.40	3746422.65	39.95605	(20121111)	375520.66	3746156.71	26.96140	(21012914)
375525.31	3746068.32	17.44222	(21012914)	375458.35	3745980.39	10.55755	(21012914)
376027.28	3746023.89	38.19541	(16010711)	376184.52	3746006.90	23.99367	(17110210)
376450.33	3746051.53	7.44301	(17011015)	376765.76	3745950.26	3.05210	(20100809)
377122.79	3745912.91	1.76410	(18031315)	377119.34	3745800.28	1.71464	(21042312)
377099.81	3745758.90	1.73354	(21042312)	377013.22	3745766.57	1.90096	(21042312)
377084.48	3745665.04	1.47621	(21042312)	377106.32	3745575.39	1.60354	(17110210)
377027.40	3745416.02	1.95331	(17110210)	377081.80	3745287.68	1.59366	(17110210)
377131.99	3745291.89	1.59510	(17110210)	377040.81	3745231.36	1.37601	(17110210)
377105.28	3745340.55	1.71578	(17110210)	377111.99	3746220.41	3.01120	(16011915)
377000.96	3746095.73	3.04267	(17011015)	377205.99	3747290.61	1.27384	(21122715)
377122.30	3747265.54	1.28465	(21122715)	377096.25	3747264.56	1.25415	(21122715)
377191.99	3747358.03	1.03116	(17011314)	377148.78	3747294.40	1.19028	(21122715)
377330.78	3747461.45	0.89602	(17011314)	377347.71	3747688.77	0.83752	(17110215)
377260.43	3747813.51	0.93029	(20012015)	377282.25	3748069.48	0.85100	(20012015)
377236.66	3748067.86	0.84890	(20012015)	377385.82	3748065.90	0.83437	(20012015)
377282.04	3748002.42	0.88208	(20012015)	377093.43	3747947.16	0.91314	(20012015)
377114.75	3747859.95	0.98549	(20012015)	377159.60	3747840.02	0.98569	(20012015)
377347.08	3747830.10	0.85568	(20012015)	376416.51	3747678.93	1.11222	(17090414)
376139.13	3747690.11	1.40350	(18112814)	376472.39	3747826.26	0.97114	(17090414)
376816.50	3744704.49	0.99385	(16010711)	373778.57			

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF NOX IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE	CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH	1ST HIGH VALUE IS	39.95605	ON 20121111: AT (375504.40,		

3746422.65,   30.00,   30.00,   0.00) DC

 *** RECEPTOR TYPES: GC = GRIDCART
                      GP = GRIDPOLR
                      DC = DISCCART
                      DP = DISCPOLR

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

 *** Message Summary : AERMOD Model Execution ***

  --------- Summary of Total Messages --------

 A Total of   0 Fatal Error Message(s)
 A Total of   4 Warning Message(s)
 A Total of   1422 Informational Message(s)

 A Total of   43848 Hours Were Processed

 A Total of   888 Calm Hours Identified

 A Total of   534 Missing Hours Identified (1.22 Percent)

    ******** FATAL ERROR MESSAGES ********
               *** NONE ***

    ********   WARNING MESSAGES   ********
 ME W186   1527   MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187   1527   MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 MX W450   26305   CHKDAT: Record Out of Sequence in Meteorological File at:
  20010101
 MX W450   26305   CHKDAT: Record Out of Sequence in Meteorological File at:
1 year gap

    ****
    *** AERMOD Finishes Successfully ***
    ****
** Lakes Environmental AERMOD MPI
**
****

```
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 12/10/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\13705 HRA\11796-Con LST PM10\11796-Con
LST PM10.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Lakes\AERMOD View\13705 HRA\13705 CON HRA\13705 CON HRA.isc
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 9818605
   POLLUTID PM_10
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "11796-Con LST PM10.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     375911.028  3746104.716       30.000
   LOCATION VOL2         VOLUME     375888.563  3746113.923       30.000
   LOCATION VOL3         VOLUME     375856.161  3746124.969       30.000
   LOCATION VOL4         VOLUME     375813.449  3746140.434       30.000
   LOCATION VOL5         VOLUME     375770.737  3746158.844       30.000
   LOCATION VOL6         VOLUME     375727.288  3746174.309       30.000
   LOCATION VOL7         VOLUME     375682.367  3746191.247       30.000
   LOCATION VOL8         VOLUME     375639.654  3746200.084       30.000
   LOCATION VOL9         VOLUME     375587.369  3746217.758       30.000
   LOCATION VOL10        VOLUME     375622.717  3746215.548       30.000
   LOCATION VOL11        VOLUME     375589.578  3746259.733       30.000
   LOCATION VOL12        VOLUME     375589.578  3746303.182       30.000
   LOCATION VOL13        VOLUME     375588.105  3746346.631       30.000
   LOCATION VOL14        VOLUME     375593.260  3746388.606       30.000
   LOCATION VOL15        VOLUME     375596.206  3746431.319       29.990
```

LOCATION VOL16	VOLUME	375609.461	3746474.031	29.520
LOCATION VOL17	VOLUME	375621.244	3746516.743	29.060
LOCATION VOL18	VOLUME	375637.445	3746533.681	29.000
LOCATION VOL19	VOLUME	375661.747	3746507.170	29.130
LOCATION VOL20	VOLUME	375696.359	3746485.077	29.150
LOCATION VOL21	VOLUME	375722.133	3746453.411	29.030
LOCATION VOL22	VOLUME	375744.226	3746429.846	29.000
LOCATION VOL23	VOLUME	375764.845	3746410.699	29.090
LOCATION VOL24	VOLUME	375784.729	3746389.343	29.090
LOCATION VOL25	VOLUME	375806.821	3746371.669	29.000
LOCATION VOL26	VOLUME	375837.751	3746351.786	29.000
LOCATION VOL27	VOLUME	375854.688	3746320.856	29.150
LOCATION VOL28	VOLUME	375886.354	3746306.864	29.260
LOCATION VOL29	VOLUME	375907.710	3746278.880	29.360
LOCATION VOL30	VOLUME	375926.857	3746258.997	29.290
LOCATION VOL31	VOLUME	375950.422	3746239.850	29.060
LOCATION VOL32	VOLUME	375972.515	3746217.021	29.190
LOCATION VOL33	VOLUME	375991.662	3746197.138	29.240
LOCATION VOL34	VOLUME	376015.963	3746179.464	29.120
LOCATION VOL35	VOLUME	376035.847	3746157.372	28.990
LOCATION VOL36	VOLUME	376056.466	3746138.225	29.060
LOCATION VOL37	VOLUME	376081.505	3746120.551	29.090
LOCATION VOL38	VOLUME	376124.217	3746096.985	28.890
LOCATION VOL39	VOLUME	376080.032	3746096.249	29.190
LOCATION VOL40	VOLUME	376037.320	3746092.567	29.530
LOCATION VOL41	VOLUME	375997.553	3746090.358	29.780
LOCATION VOL42	VOLUME	375954.104	3746094.040	29.990
LOCATION VOL43	VOLUME	376014.491	3746135.279	29.310
LOCATION VOL44	VOLUME	375973.251	3746153.689	29.690
LOCATION VOL45	VOLUME	375973.988	3746133.070	29.770
LOCATION VOL46	VOLUME	375931.276	3746137.488	30.000
LOCATION VOL47	VOLUME	375948.950	3746175.046	29.730
LOCATION VOL48	VOLUME	375929.803	3746217.758	29.490
LOCATION VOL49	VOLUME	375883.408	3746263.416	29.700
LOCATION VOL50	VOLUME	375842.905	3746309.073	29.280
LOCATION VOL51	VOLUME	375799.457	3746345.894	29.020
LOCATION VOL52	VOLUME	375756.745	3746367.987	29.380
LOCATION VOL53	VOLUME	375720.660	3746411.435	29.230
LOCATION VOL54	VOLUME	375677.948	3746451.202	29.470
LOCATION VOL55	VOLUME	375652.910	3746474.767	29.480
LOCATION VOL56	VOLUME	375639.654	3746432.055	29.970
LOCATION VOL57	VOLUME	375679.421	3746408.490	29.680
LOCATION VOL58	VOLUME	375634.500	3746388.606	30.000
LOCATION VOL59	VOLUME	375631.554	3746345.158	30.000
LOCATION VOL60	VOLUME	375633.027	3746303.918	30.000
LOCATION VOL61	VOLUME	375633.027	3746258.997	30.000
LOCATION VOL62	VOLUME	375675.739	3746367.250	29.880
LOCATION VOL63	VOLUME	375717.715	3746369.460	29.670
LOCATION VOL64	VOLUME	375675.739	3746324.538	30.000
LOCATION VOL65	VOLUME	375675.739	3746281.090	30.000

```
   LOCATION VOL66        VOLUME     375667.638  3746236.168       30.000
   LOCATION VOL67        VOLUME     375711.087  3746238.377       30.000
   LOCATION VOL68        VOLUME     375719.187  3746326.011       30.000
   LOCATION VOL69        VOLUME     375760.427  3746323.802       29.590
   LOCATION VOL70        VOLUME     375719.187  3746281.826       30.000
   LOCATION VOL71        VOLUME     375712.560  3746211.130       30.000
   LOCATION VOL72        VOLUME     375803.875  3746303.182       29.340
   LOCATION VOL73        VOLUME     375760.427  3746279.617       29.810
   LOCATION VOL74        VOLUME     375755.272  3746238.377       30.000
   LOCATION VOL75        VOLUME     375757.481  3746203.029       30.000
   LOCATION VOL76        VOLUME     375842.169  3746265.625       29.750
   LOCATION VOL77        VOLUME     375800.193  3746261.206       29.800
   LOCATION VOL78        VOLUME     375797.984  3746219.967       30.000
   LOCATION VOL79        VOLUME     375801.666  3746184.619       30.000
   LOCATION VOL80        VOLUME     375840.696  3746224.385       30.000
   LOCATION VOL81        VOLUME     375884.881  3746221.440       29.920
   LOCATION VOL82        VOLUME     375842.169  3746180.937       30.000
   LOCATION VOL83        VOLUME     375884.881  3746179.464       29.960
   LOCATION VOL84        VOLUME     375888.563  3746144.116       30.000
   LOCATION VOL85        VOLUME     375892.245  3746158.108       29.980
   LOCATION VOL86        VOLUME     375920.229  3746183.146       29.790
   LOCATION PAREA1       AREAPOLY   375626.566  3746557.923       29.000
** Source Parameters **
   SRCPARAM VOL1         0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL2         0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL3         0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL4         0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL5         0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL6         0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL7         0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL8         0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL9         0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL10        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL11        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL12        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL13        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL14        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL15        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL16        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL17        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL18        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL19        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL20        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL21        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL22        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL23        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL24        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL25        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL26        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL27        0.0005567565     5.000     9.591     1.400
```

```
SRCPARAM VOL28        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL29        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL30        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL31        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL32        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL33        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL34        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL35        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL36        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL37        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL38        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL39        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL40        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL41        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL42        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL43        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL44        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL45        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL46        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL47        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL48        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL49        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL50        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL51        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL52        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL53        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL54        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL55        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL56        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL57        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL58        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL59        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL60        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL61        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL62        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL63        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL64        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL65        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL66        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL67        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL68        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL69        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL70        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL71        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL72        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL73        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL74        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL75        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL76        0.0005567565     5.000     9.591     1.400
SRCPARAM VOL77        0.0005567565     5.000     9.591     1.400
```

```
   SRCPARAM VOL78        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL79        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL80        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL81        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL82        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL83        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL84        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL85        0.0005567565     5.000     9.591     1.400
   SRCPARAM VOL86        0.0005567565     5.000     9.591     1.400
   SRCPARAM PAREA1       4.6705E-07     0.000       37     1.000
   AREAVERT PAREA1       375626.566 3746557.923 375615.752 3746542.098
   AREAVERT PAREA1       375604.411 3746520.734 375585.685 3746475.897
   AREAVERT PAREA1       375580.410 3746459.544 375575.926 3746441.873
   AREAVERT PAREA1       375571.970 3746423.411 375570.387 3746413.124
   AREAVERT PAREA1       375569.068 3746306.306 375567.222 3746195.268
   AREAVERT PAREA1       375601.509 3746193.949 375627.621 3746190.256
   AREAVERT PAREA1       375656.897 3746185.773 375680.898 3746178.388
   AREAVERT PAREA1       375710.174 3746168.629 375742.879 3746152.804
   AREAVERT PAREA1       375777.694 3746136.979 375834.927 3746112.450
   AREAVERT PAREA1       375880.820 3746092.669 375909.568 3746081.328
   AREAVERT PAREA1       375932.515 3746073.943 375952.296 3746068.932
   AREAVERT PAREA1       375961.263 3746066.822 375961.263 3746070.251
   AREAVERT PAREA1       375979.989 3746068.141 375995.287 3746067.613
   AREAVERT PAREA1       376010.321 3746067.613 376028.519 3746069.459
   AREAVERT PAREA1       376043.025 3746071.042 376080.742 3746074.998
   AREAVERT PAREA1       376149.316 3746083.174 376120.568 3746109.549
   AREAVERT PAREA1       376117.930 3746107.175 375968.384 3746243.798
   AREAVERT PAREA1       375664.809 3746526.273 375633.159 3746555.285
   AREAVERT PAREA1       375631.841 3746553.967
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 2"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL64        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL65        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL66        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL67        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL68        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL69        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL70        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL71        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL72        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL72        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL73        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL74        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL75        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL76        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL77        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL78        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL79        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL80        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL81        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL82        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL82        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL83        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL84        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL85        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL86        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "11796-Con LST PM10.rou"
RE FINISHED
**
```

```
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE ..\KHHR_V11_trimmed.sfc
   PROFFILE ..\KHHR_V11_trimmed.pfl
   SURFDATA 3167 2016
   UAIRDATA 3190 2016
   PROFBASE 19.17 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "11796-CON LST PM10.AD\24H1GALL.PLT" 31
   SUMMFILE "11796-Con LST PM10.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186    1563       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187    1563       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 ***********************************
 *** SETUP Finishes Successfully ***
 ***********************************
```

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                          ***   MODEL SETUP OPTIONS SUMMARY
  ***
 - - -

```
 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  22112

 **Output Options Selected:
         Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
         Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
         Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours

 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =    19.17 ;  Decay
Coef. =    0.000     ;  Rot. Angle =     0.0
                  Emission Units = GRAMS/SEC                                ;
Emission Rate Unit Factor =   0.10000E+07
                  Output Units   = MICROGRAMS/M**3

 **Approximate Storage Requirements of Model =      3.7 MB of RAM.

 **Input Runstream File:          aermod.inp

 **Output Print File:             aermod.out


 **Detailed Error/Message File:   11796-Con LST PM10.err

 **File for Summary of Results:   11796-Con LST PM10.sum

↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE   2
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                                  *** VOLUME SOURCE DATA ***

               NUMBER EMISSION RATE                    BASE    RELEASE    INIT.
INIT.   URBAN  EMISSION RATE   AIRCRAFT
   SOURCE       PART.  (GRAMS/SEC)     X        Y      ELEV.   HEIGHT      SY
```

SZ	SOURCE	SCALAR VARY						
ID		CATS.	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
		BY						
VOL1		0	0.55676E-03	375911.0	3746104.7	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL2		0	0.55676E-03	375888.6	3746113.9	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL3		0	0.55676E-03	375856.2	3746125.0	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL4		0	0.55676E-03	375813.4	3746140.4	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL5		0	0.55676E-03	375770.7	3746158.8	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL6		0	0.55676E-03	375727.3	3746174.3	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL7		0	0.55676E-03	375682.4	3746191.2	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL8		0	0.55676E-03	375639.7	3746200.1	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL9		0	0.55676E-03	375587.4	3746217.8	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL10		0	0.55676E-03	375622.7	3746215.5	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL11		0	0.55676E-03	375589.6	3746259.7	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL12		0	0.55676E-03	375589.6	3746303.2	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL13		0	0.55676E-03	375588.1	3746346.6	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL14		0	0.55676E-03	375593.3	3746388.6	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL15		0	0.55676E-03	375596.2	3746431.3	30.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL16		0	0.55676E-03	375609.5	3746474.0	29.5	5.00	9.59
1.40	YES	HRDOW	NO					
VOL17		0	0.55676E-03	375621.2	3746516.7	29.1	5.00	9.59
1.40	YES	HRDOW	NO					
VOL18		0	0.55676E-03	375637.4	3746533.7	29.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL19		0	0.55676E-03	375661.7	3746507.2	29.1	5.00	9.59
1.40	YES	HRDOW	NO					
VOL20		0	0.55676E-03	375696.4	3746485.1	29.2	5.00	9.59
1.40	YES	HRDOW	NO					
VOL21		0	0.55676E-03	375722.1	3746453.4	29.0	5.00	9.59
1.40	YES	HRDOW	NO					
VOL22		0	0.55676E-03	375744.2	3746429.8	29.0	5.00	9.59
1.40	YES	HRDOW	NO					

```
 VOL23            0   0.55676E-03  375764.8 3746410.7    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL24            0   0.55676E-03  375784.7 3746389.3    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL25            0   0.55676E-03  375806.8 3746371.7    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL26            0   0.55676E-03  375837.8 3746351.8    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL27            0   0.55676E-03  375854.7 3746320.9    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL28            0   0.55676E-03  375886.4 3746306.9    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL29            0   0.55676E-03  375907.7 3746278.9    29.4     5.00     9.59
1.40     YES   HRDOW            NO
 VOL30            0   0.55676E-03  375926.9 3746259.0    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL31            0   0.55676E-03  375950.4 3746239.8    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL32            0   0.55676E-03  375972.5 3746217.0    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL33            0   0.55676E-03  375991.7 3746197.1    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL34            0   0.55676E-03  376016.0 3746179.5    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL35            0   0.55676E-03  376035.8 3746157.4    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL36            0   0.55676E-03  376056.5 3746138.2    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL37            0   0.55676E-03  376081.5 3746120.6    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL38            0   0.55676E-03  376124.2 3746097.0    28.9     5.00     9.59
1.40     YES   HRDOW            NO
 VOL39            0   0.55676E-03  376080.0 3746096.2    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL40            0   0.55676E-03  376037.3 3746092.6    29.5     5.00     9.59
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE   3
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                                  *** VOLUME SOURCE DATA ***

               NUMBER EMISSION RATE                    BASE    RELEASE    INIT.
INIT.   URBAN  EMISSION RATE   AIRCRAFT
   SOURCE       PART.  (GRAMS/SEC)     X        Y      ELEV.   HEIGHT      SY
```

SZ	SOURCE ID	SCALAR CATS.	VARY BY						
				(METERS)	(METERS)	(METERS)	(METERS)	(METERS)	(METERS)
VOL41		0	0.55676E-03	375997.6	3746090.4	29.8	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL42		0	0.55676E-03	375954.1	3746094.0	30.0	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL43		0	0.55676E-03	376014.5	3746135.3	29.3	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL44		0	0.55676E-03	375973.3	3746153.7	29.7	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL45		0	0.55676E-03	375974.0	3746133.1	29.8	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL46		0	0.55676E-03	375931.3	3746137.5	30.0	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL47		0	0.55676E-03	375949.0	3746175.0	29.7	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL48		0	0.55676E-03	375929.8	3746217.8	29.5	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL49		0	0.55676E-03	375883.4	3746263.4	29.7	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL50		0	0.55676E-03	375842.9	3746309.1	29.3	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL51		0	0.55676E-03	375799.5	3746345.9	29.0	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL52		0	0.55676E-03	375756.7	3746368.0	29.4	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL53		0	0.55676E-03	375720.7	3746411.4	29.2	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL54		0	0.55676E-03	375677.9	3746451.2	29.5	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL55		0	0.55676E-03	375652.9	3746474.8	29.5	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL56		0	0.55676E-03	375639.7	3746432.1	30.0	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL57		0	0.55676E-03	375679.4	3746408.5	29.7	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL58		0	0.55676E-03	375634.5	3746388.6	30.0	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL59		0	0.55676E-03	375631.6	3746345.2	30.0	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL60		0	0.55676E-03	375633.0	3746303.9	30.0	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL61		0	0.55676E-03	375633.0	3746259.0	30.0	5.00	9.59	1.40
	YES	HRDOW	NO						
VOL62		0	0.55676E-03	375675.7	3746367.2	29.9	5.00	9.59	1.40
	YES	HRDOW	NO						

```
 VOL63            0   0.55676E-03  375717.7 3746369.5    29.7     5.00     9.59
1.40     YES   HRDOW            NO
 VOL64            0   0.55676E-03  375675.7 3746324.5    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL65            0   0.55676E-03  375675.7 3746281.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL66            0   0.55676E-03  375667.6 3746236.2    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL67            0   0.55676E-03  375711.1 3746238.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL68            0   0.55676E-03  375719.2 3746326.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL69            0   0.55676E-03  375760.4 3746323.8    29.6     5.00     9.59
1.40     YES   HRDOW            NO
 VOL70            0   0.55676E-03  375719.2 3746281.8    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL71            0   0.55676E-03  375712.6 3746211.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL72            0   0.55676E-03  375803.9 3746303.2    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL73            0   0.55676E-03  375760.4 3746279.6    29.8     5.00     9.59
1.40     YES   HRDOW            NO
 VOL74            0   0.55676E-03  375755.3 3746238.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL75            0   0.55676E-03  375757.5 3746203.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL76            0   0.55676E-03  375842.2 3746265.6    29.8     5.00     9.59
1.40     YES   HRDOW            NO
 VOL77            0   0.55676E-03  375800.2 3746261.2    29.8     5.00     9.59
1.40     YES   HRDOW            NO
 VOL78            0   0.55676E-03  375798.0 3746220.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL79            0   0.55676E-03  375801.7 3746184.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL80            0   0.55676E-03  375840.7 3746224.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
```


*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE	NUMBER PART.	EMISSION RATE (GRAMS/SEC)	X	Y	BASE ELEV.	RELEASE HEIGHT	INIT. SY	INIT.	URBAN	EMISSION RATE	AIRCRAFT

```
SZ     SOURCE  SCALAR VARY
     ID         CATS.               (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS)             BY
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -

 VOL81            0   0.55676E-03  375884.9 3746221.4    29.9     5.00     9.59
1.40     YES   HRDOW            NO
 VOL82            0   0.55676E-03  375842.2 3746180.9    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL83            0   0.55676E-03  375884.9 3746179.5    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL84            0   0.55676E-03  375888.6 3746144.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL85            0   0.55676E-03  375892.2 3746158.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL86            0   0.55676E-03  375920.2 3746183.1    29.8     5.00     9.59
1.40     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE   5
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                                *** AREAPOLY SOURCE DATA ***

               NUMBER EMISSION RATE   LOCATION OF AREA  BASE     RELEASE  NUMBER
  INIT.   URBAN  EMISSION RATE    AIRCRAFT
   SOURCE       PART.  (GRAMS/SEC       X        Y      ELEV.    HEIGHT  OF VERTS.
   SZ     SOURCE  SCALAR VARY
     ID         CATS.   /METER**2)   (METERS) (METERS) (METERS) (METERS)
(METERS)             BY
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - -

 PAREA1           0   0.46705E-06  375626.6 3746557.9    29.0     0.00      37
   1.00     YES   HRDOW            NO
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE   6
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                              *** SOURCE IDs DEFINING SOURCE GROUPS
```

***

 SRCGROUP ID   SOURCE IDs
 -----------   ----------

  ALL   VOL1   , VOL2   , VOL3   , VOL4   , VOL5   ,
VOL6   , VOL7   , VOL8   ,

             VOL9   , VOL10   , VOL11   , VOL12   , VOL13   ,
VOL14   , VOL15   , VOL16   ,

             VOL17   , VOL18   , VOL19   , VOL20   , VOL21   ,
VOL22   , VOL23   , VOL24   ,

             VOL25   , VOL26   , VOL27   , VOL28   , VOL29   ,
VOL30   , VOL31   , VOL32   ,

             VOL33   , VOL34   , VOL35   , VOL36   , VOL37   ,
VOL38   , VOL39   , VOL40   ,

             VOL41   , VOL42   , VOL43   , VOL44   , VOL45   ,
VOL46   , VOL47   , VOL48   ,

             VOL49   , VOL50   , VOL51   , VOL52   , VOL53   ,
VOL54   , VOL55   , VOL56   ,

             VOL57   , VOL58   , VOL59   , VOL60   , VOL61   ,
VOL62   , VOL63   , VOL64   ,

             VOL65   , VOL66   , VOL67   , VOL68   , VOL69   ,
VOL70   , VOL71   , VOL72   ,

             VOL73   , VOL74   , VOL75   , VOL76   , VOL77   ,
VOL78   , VOL79   , VOL80   ,

             VOL81   , VOL82   , VOL83   , VOL84   , VOL85   ,
VOL86   , PAREA1   ,

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                        *** SOURCE IDs DEFINED AS URBAN SOURCES
***

```
  URBAN ID   URBAN POP                                        SOURCE IDs
  --------   ---------                                        ----------


              9818605.   VOL1        , VOL2        , VOL3        , VOL4        ,
VOL5        , VOL6        , VOL7        ,
 VOL8        ,

              VOL9        , VOL10       , VOL11       , VOL12       , VOL13       ,
VOL14       , VOL15       , VOL16       ,

              VOL17       , VOL18       , VOL19       , VOL20       , VOL21       ,
VOL22       , VOL23       , VOL24       ,

              VOL25       , VOL26       , VOL27       , VOL28       , VOL29       ,
VOL30       , VOL31       , VOL32       ,

              VOL33       , VOL34       , VOL35       , VOL36       , VOL37       ,
VOL38       , VOL39       , VOL40       ,

              VOL41       , VOL42       , VOL43       , VOL44       , VOL45       ,
VOL46       , VOL47       , VOL48       ,

              VOL49       , VOL50       , VOL51       , VOL52       , VOL53       ,
VOL54       , VOL55       , VOL56       ,

              VOL57       , VOL58       , VOL59       , VOL60       , VOL61       ,
VOL62       , VOL63       , VOL64       ,

              VOL65       , VOL66       , VOL67       , VOL68       , VOL69       ,
VOL70       , VOL71       , VOL72       ,

              VOL73       , VOL74       , VOL75       , VOL76       , VOL77       ,
VOL78       , VOL79       , VOL80       ,

              VOL81       , VOL82       , VOL83       , VOL84       , VOL85       ,
VOL86       , PAREA1      ,
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                          ***       22:34:06

                                    PAGE   8
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL1          ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
```

```
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -
```

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:34:06

                                  PAGE  10
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL3         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL4   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL5   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  13
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL6          ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  14
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL7         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL8 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01
14	.1000E+01	15	.1000E+01	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00
6	.0000E+00	7	.0000E+00	8	.0000E+00				
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00
14	.0000E+00	15	.0000E+00	16	.0000E+00				
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00
22	.0000E+00	23	.0000E+00	24	.0000E+00				

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL9 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR				

DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:34:06

                                  PAGE  17
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL10        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - -

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL12        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  20
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL13        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

```
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  21
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL14        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL15   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL16        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  24
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL17        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL18   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL19   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
 SOURCE ID = VOL20         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  28
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL21         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL22 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - -

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL23   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL24   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  32
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL25        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  33
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL26        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL27 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
 - - -
```

```
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:34:06

                                   PAGE  37
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL30        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL31 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL32 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR
- - - -

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL34   ; SOURCE TYPE = VOLUME   :

HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- - - -

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL35 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL36 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  44
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL37        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:34:06

                                   PAGE  45
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL38        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:34:06

                                   PAGE  46
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL39        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  47
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL40        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
```

14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL41   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  49
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL42        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  50
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
```

OF WEEK (HRDOW) *

 SOURCE ID = VOL43   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL44   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL46   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL47        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  55
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL48        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  56
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL49        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL50 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL51 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:34:06

                                  PAGE  60
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL53        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL54   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL55   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  63
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL56        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                    DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  64
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL57        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL58   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL59   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:34:06

                                  PAGE  67
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL60        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL61   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL62        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  70
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL63        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

```
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                      ***        22:34:06

                                   PAGE  71
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL64        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL65   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL68   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL69   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
 SOURCE ID = VOL70         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  78
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL71         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL72 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL73   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL74   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  82
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL75        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL76   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL77 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL78 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
 - - -
```

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL80   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL81   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL82   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL83   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

```
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  91
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL84        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL85 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL86 ; SOURCE TYPE = VOLUME :
HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR HOUR SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                  PAGE  94
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = PAREA1       ; SOURCE TYPE = AREAPOLY :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(375504.4, 3746422.6, 30.0, 30.0, 0.0); (375520.7, 3746156.7, 30.0, 30.0, 0.0);
(375525.3, 3746068.3, 30.0, 30.0, 0.0); (375458.3, 3745980.4, 30.0, 30.0, 0.0);
(376027.3, 3746023.9, 30.0, 30.0, 0.0); (376184.5, 3746006.9, 29.0, 29.0, 0.0);
(376450.3, 3746051.5, 26.0, 26.0, 0.0); (376765.8, 3745950.3, 23.4, 23.4, 0.0);
(377122.8, 3745912.9, 22.0, 22.0, 0.0); (377119.3, 3745800.3, 22.6, 22.6, 0.0);
(377099.8, 3745758.9, 23.0, 23.0, 0.0); (377013.2, 3745766.6, 23.2, 23.2, 0.0);
(377084.5, 3745665.0, 23.3, 23.3, 0.0); (377106.3, 3745575.4, 23.9, 23.9, 0.0);
(377027.4, 3745416.0, 25.0, 25.0, 0.0); (377081.8, 3745287.7, 25.2, 25.2, 0.0);
(377132.0, 3745291.9, 25.0, 25.0, 0.0); (377040.8, 3745231.4, 25.7, 25.7, 0.0);
(377105.3, 3745340.5, 25.0, 25.0, 0.0); (377112.0, 3746220.4, 21.0, 21.0, 0.0);
(377001.0, 3746095.7, 22.0, 22.0, 0.0); (377206.0, 3747290.6, 21.0, 21.0, 0.0);
(377122.3, 3747265.5, 21.0, 21.0, 0.0); (377096.2, 3747264.6, 21.0, 21.0, 0.0);
(377192.0, 3747358.0, 21.0, 21.0, 0.0); (377148.8, 3747294.4, 21.0, 21.0, 0.0);
(377330.8, 3747461.4, 21.0, 21.0, 0.0); (377347.7, 3747688.8, 21.0, 21.0, 0.0);
(377260.4, 3747813.5, 21.0, 21.0, 0.0); (377282.2, 3748069.5, 21.0, 21.0, 0.0);
(377236.7, 3748067.9, 21.0, 21.0, 0.0); (377385.8, 3748065.9, 20.8, 20.8, 0.0);

```
     ( 377282.0, 3748002.4,      21.0,      21.0,       0.0);         ( 377093.4,
3747947.2,      21.0,      21.0,       0.0);
     ( 377114.8, 3747859.9,      21.0,      21.0,       0.0);         ( 377159.6,
3747840.0,      21.0,      21.0,       0.0);
     ( 377347.1, 3747830.1,      21.0,      21.0,       0.0);         ( 376416.5,
3747678.9,      23.0,      23.0,       0.0);
     ( 376139.1, 3747690.1,      24.0,      24.0,       0.0);         ( 376472.4,
3747826.3,      23.0,      23.0,       0.0);
     ( 376816.5, 3744704.5,      27.0,      27.0,       0.0);         ( 373778.6,
3745752.9,      30.0,      30.0,       0.0);
     ( 373508.1, 3745982.6,      30.0,      30.0,       0.0);         ( 375580.9,
3746684.6,      28.2,      28.2,       0.0);
     ( 375639.8, 3746811.3,      27.9,      27.9,       0.0);         ( 375646.0,
3746877.3,      27.2,      27.2,       0.0);
     ( 375666.6, 3747058.4,      26.9,      26.9,       0.0);         ( 375668.3,
3747178.9,      26.9,      26.9,       0.0);
     ( 375433.7, 3747237.8,      28.0,      28.0,       0.0);         ( 375254.3,
3747288.6,      29.0,      29.0,       0.0);
     ( 375142.8, 3747281.5,      29.0,      29.0,       0.0);         ( 375351.2,
3747239.4,      28.0,      28.0,       0.0);
     ( 375883.4, 3747279.2,      26.0,      26.0,       0.0);         ( 376037.0,
3747277.2,      25.0,      25.0,       0.0);
     ( 376553.7, 3747266.0,      22.4,      22.4,       0.0);         ( 378243.6,
3747249.9,      19.9,      19.9,       0.0);
     ( 378274.9, 3747250.2,      19.8,      19.8,       0.0);         ( 378117.4,
3747252.8,      20.8,      20.8,       0.0);
     ( 378507.9, 3747523.7,      17.8,      17.8,       0.0);         ( 378611.9,
3747484.9,      17.0,      17.0,       0.0);
     ( 378446.6, 3747640.5,      17.0,      17.0,       0.0);         ( 378878.7,
3747434.1,      17.0,      17.0,       0.0);
     ( 378938.9, 3747440.8,      17.0,      17.0,       0.0);         ( 378922.6,
3747182.5,      17.3,      17.3,       0.0);
     ( 378977.1, 3747296.2,      17.0,      17.0,       0.0);         ( 379160.0,
3747327.1,      17.0,      17.0,       0.0);
     ( 379137.0, 3747433.4,      17.0,      17.0,       0.0);         ( 378815.8,
3747584.1,      17.0,      17.0,       0.0);
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***       22:34:06

                                   PAGE  96
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          *** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***
                                                              (1=YES; 0=NO)

           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
```

```
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1
```

NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON WHAT IS INCLUDED IN THE DATA FILE.

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES ***

(METERS/SEC)

1.54, 3.09, 5.14, 8.23, 10.80,

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file: ..\KHHR_V11_trimmed.sfc
Met Version: 22112
Profile file: ..\KHHR_V11_trimmed.pfl

Surface format: FREE

Profile format: FREE

Surface station no.: 3167 Upper air station no.: 3190
Name: UNKNOWN Name: UNKNOWN

Year: 2016 Year: 2016

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
16	01	01	1	01	-10.3	0.136	-9.000	-9.000	-999.	120.	22.1	0.21	1.29	1.00	1.31	333.	7.9	282.0	2.0
16	01	01	1	02	-10.1	0.135	-9.000	-9.000	-999.	119.	21.9	0.21	1.29	1.00	1.30	344.	7.9	281.4	2.0
16	01	01	1	03	-9.3	0.129	-9.000	-9.000	-999.	111.	20.9	0.21	1.29	1.00	1.25	352.	7.9	281.4	2.0
16	01	01	1	04	-10.6	0.138	-9.000	-9.000	-999.	123.	22.5	0.21	1.29	1.00	1.33	358.	7.9	280.9	2.0
16	01	01	1	05	-10.4	0.136	-9.000	-9.000	-999.	121.	22.2	0.22	1.29	1.00	1.30	322.	7.9	280.3	2.0
16	01	01	1	06	-13.4	0.156	-9.000	-9.000	-999.	148.	26.8	0.22	1.29	1.00	1.47	325.	7.9	280.9	2.0
16	01	01	1	07	-9.7	0.132	-9.000	-9.000	-999.	115.	21.4	0.22	1.29	1.00	1.26	329.	7.9	280.3	2.0
16	01	01	1	08	-16.4	0.202	-9.000	-9.000	-999.	218.	45.6	0.22	1.29	0.55	1.84	15.	7.9	281.4	2.0
16	01	01	1	09	26.9	0.246	0.362	0.005	64.	293.	-50.4	0.22	1.29	0.32	1.97	24.	7.9	284.2	2.0
16	01	01	1	10	82.3	0.301	0.834	0.005	256.	396.	-30.1	0.23	1.29	0.24	2.28	36.	7.9	286.4	2.0
16	01	01	1	11	121.4	0.322	1.193	0.005	509.	439.	-25.0	0.23	1.29	0.21	2.39	42.	7.9	288.8	2.0
16	01	01	1	12	141.1	0.291	1.349	0.005	633.	376.	-15.8	0.23	1.29	0.20	2.04	38.	7.9	290.3	2.0
16	01	01	1	13	140.5	0.248	1.576	0.005	1012.	298.	-9.9	0.29	1.29	0.20	1.50	66.	7.9	291.4	2.0
16	01	01	1	14	119.4	0.218	1.605	0.010	1258.	245.	-7.9	0.23	1.29	0.21	1.38	52.	7.9	291.4	2.0
16	01	01	1	15	79.4	0.146	1.444	0.011	1376.	135.	-3.5	0.05	1.29	0.24	1.33	103.	7.9	292.0	2.0
16	01	01	1	16	23.2	0.190	0.963	0.012	1392.	199.	-26.9	0.22	1.29	0.33	1.45	321.	7.9	291.4	2.0
16	01	01	1	17	-18.8	0.217	-9.000	-9.000	-999.	242.	51.7	0.05	1.29	0.59	2.89	249.	7.9	288.8	2.0
16	01	01	1	18	-20.1	0.203	-9.000	-9.000	-999.	219.	45.2	0.24	1.29	1.00	1.82	284.	7.9	287.0	2.0
16	01	01	1	19	-12.0	0.148	-9.000	-9.000	-999.	137.	24.5	0.22	1.29	1.00	1.40	310.	7.9	286.4	2.0
16	01	01	1	20	-9.7	0.133	-9.000	-9.000	-999.	116.	21.7	0.21	1.29	1.00	1.28	333.	7.9	285.9	2.0
16	01	01	1	21	-8.5	0.124	-9.000	-9.000	-999.	104.	20.1	0.21	1.29	1.00	1.20	337.	7.9	285.9	2.0
16	01	01	1	22	-6.7	0.110	-9.000	-9.000	-999.	87.	17.8	0.22	1.29	1.00	1.06	328.	7.9	285.9	2.0
16	01	01	1	23	-9.7	0.132	-9.000	-9.000	-999.	116.	21.7	0.21	1.29	1.00	1.28	344.	7.9	285.3	2.0

```
 16 01 01   1 24  -10.5  0.138 -9.000 -9.000 -999.  123.     22.6  0.22   1.29
1.00    1.31  327.    7.9  285.3    2.0


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 16 01 01 01    7.9 1  333.    1.31   282.1   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:34:06

                                   PAGE  98
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                               *** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP:  ALL      ***
                                  INCLUDING SOURCE(S):     VOL1        , VOL2
 , VOL3        , VOL4        , VOL5        ,
                 VOL6        , VOL7        , VOL8        , VOL9        , VOL10
 , VOL11       , VOL12       , VOL13       ,
                 VOL14       , VOL15       , VOL16       , VOL17       , VOL18
 , VOL19       , VOL20       , VOL21       ,
                 VOL22       , VOL23       , VOL24       , VOL25       , VOL26
 , VOL27       , VOL28       ,  . . .      ,

                                            *** DISCRETE CARTESIAN RECEPTOR POINTS
***

                                         ** CONC OF PM_10    IN MICROGRAMS/M**3
                   **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)
Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        375504.40   3746422.65        0.73413c (17120724)               375520.66
 3746156.71        0.43412  (16122624)
        375525.31   3746068.32        0.29108b (21012024)               375458.35
 3745980.39        0.15011b (21012024)
        376027.28   3746023.89        0.54988c (17121124)               376184.52
 3746006.90        0.25964b (20123124)
        376450.33   3746051.53        0.09429c (16110824)               376765.76
 3745950.26        0.03686c (16110824)
        377122.79   3745912.91        0.02445c (16110824)               377119.34
 3745800.28        0.01889  (17030224)
        377099.81   3745758.90        0.01764  (17030224)               377013.22
 3745766.57        0.01885c (21042324)
```

```
       377084.48   3745665.04        0.01260c (21042324)               377106.32
3745575.39        0.01231  (17112124)
       377027.40   3745416.02        0.01225  (21021224)               377081.80
3745287.68        0.01177b (20123124)
       377131.99   3745291.89        0.00968b (20123124)               377040.81
3745231.36        0.01506b (20123124)
       377105.28   3745340.55        0.01025  (21021224)               377111.99
3746220.41        0.03825  (16011924)
       377000.96   3746095.73        0.03526  (17111724)               377205.99
3747290.61        0.02097  (21041324)
       377122.30   3747265.54        0.02132  (21041324)               377096.25
3747264.56        0.02098  (21041324)
       377191.99   3747358.03        0.01721  (21041324)               377148.78
3747294.40        0.02004  (21041324)
       377330.78   3747461.45        0.01445  (21041324)               377347.71
3747688.77        0.01102  (17110224)
       377260.43   3747813.51        0.00951  (18112024)               377282.25
3748069.48        0.00783  (21033124)
       377236.66   3748067.86        0.00802  (21033124)               377385.82
3748065.90        0.00770  (18112024)
       377282.04   3748002.42        0.00775  (21033124)               377093.43
3747947.16        0.00863  (21033124)
       377114.75   3747859.95        0.00855  (21033124)               377159.60
3747840.02        0.00863  (18112024)
       377347.08   3747830.10        0.00966  (18112024)               376416.51
3747678.93        0.01175  (17090424)
       376139.13   3747690.11        0.01294  (17090424)               376472.39
3747826.26        0.01006  (17090424)
       376816.50   3744704.49        0.01363  (16020124)               373778.57
3745752.93        0.01395  (21120724)
       373508.13   3745982.62        0.01194c (21123024)               375580.91
3746684.56        0.26631  (17103024)
       375639.80   3746811.26        0.11799  (18010924)               375646.05
3746877.29        0.09524  (18010924)
       375666.57   3747058.42        0.05863  (18010924)               375668.35
3747178.87        0.04420  (18010924)
       375433.69   3747237.76        0.04317  (17103024)               375254.34
3747288.62        0.04053  (17103024)
       375142.81   3747281.48        0.03381  (17103024)               375351.20
3747239.38        0.04610  (17103024)
       375883.41   3747279.17        0.02901  (18010924)               376037.04
3747277.19        0.02601  (17090424)
       376553.70   3747266.00        0.01607  (16050524)               378243.59
3747249.86        0.01808  (20012824)
       378274.87   3747250.21        0.01787  (20012824)               378117.44
3747252.85        0.01875  (20012824)
       378507.87   3747523.66        0.01531  (20012824)               378611.88
3747484.95        0.01568  (20012824)
       378446.61   3747640.47        0.01296  (20012824)               378878.71
3747434.12        0.01451  (20012824)
```

```
 A Total of         1422 Informational Message(s)

 A Total of        43848 Hours Were Processed

 A Total of          888 Calm Hours Identified

 A Total of          534 Missing Hours Identified (  1.22 Percent)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186    1563       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187    1563       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 MX W450   26305       CHKDAT: Record Out of Sequence in Meteorological File at:
  20010101
 MX W450   26305       CHKDAT: Record Out of Sequence in Meteorological File at:
1 year gap

    ************************************
    *** AERMOD Finishes Successfully ***
    ************************************
** Lakes Environmental AERMOD MPI
**
****************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 12/10/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\13705 HRA\11796-Con LST PM25\11796-Con
LST PM25.ADI
**
****************************************
**
**
****************************************
** AERMOD Control Pathway
****************************************
**
**
CO STARTING
   TITLEONE C:\Lakes\AERMOD View\13705 HRA\13705 CON HRA\13705 CON HRA.isc
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 9818605
```

```
   POLLUTID PM_2.5
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "11796-Con LST PM25.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     375911.028  3746104.716       30.000
   LOCATION VOL2         VOLUME     375888.563  3746113.923       30.000
   LOCATION VOL3         VOLUME     375856.161  3746124.969       30.000
   LOCATION VOL4         VOLUME     375813.449  3746140.434       30.000
   LOCATION VOL5         VOLUME     375770.737  3746158.844       30.000
   LOCATION VOL6         VOLUME     375727.288  3746174.309       30.000
   LOCATION VOL7         VOLUME     375682.367  3746191.247       30.000
   LOCATION VOL8         VOLUME     375639.654  3746200.084       30.000
   LOCATION VOL9         VOLUME     375587.369  3746217.758       30.000
   LOCATION VOL10        VOLUME     375622.717  3746215.548       30.000
   LOCATION VOL11        VOLUME     375589.578  3746259.733       30.000
   LOCATION VOL12        VOLUME     375589.578  3746303.182       30.000
   LOCATION VOL13        VOLUME     375588.105  3746346.631       30.000
   LOCATION VOL14        VOLUME     375593.260  3746388.606       30.000
   LOCATION VOL15        VOLUME     375596.206  3746431.319       29.990
   LOCATION VOL16        VOLUME     375609.461  3746474.031       29.520
   LOCATION VOL17        VOLUME     375621.244  3746516.743       29.060
   LOCATION VOL18        VOLUME     375637.445  3746533.681       29.000
   LOCATION VOL19        VOLUME     375661.747  3746507.170       29.130
   LOCATION VOL20        VOLUME     375696.359  3746485.077       29.150
   LOCATION VOL21        VOLUME     375722.133  3746453.411       29.030
   LOCATION VOL22        VOLUME     375744.226  3746429.846       29.000
   LOCATION VOL23        VOLUME     375764.845  3746410.699       29.090
   LOCATION VOL24        VOLUME     375784.729  3746389.343       29.090
   LOCATION VOL25        VOLUME     375806.821  3746371.669       29.000
   LOCATION VOL26        VOLUME     375837.751  3746351.786       29.000
   LOCATION VOL27        VOLUME     375854.688  3746320.856       29.150
   LOCATION VOL28        VOLUME     375886.354  3746306.864       29.260
   LOCATION VOL29        VOLUME     375907.710  3746278.880       29.360
   LOCATION VOL30        VOLUME     375926.857  3746258.997       29.290
   LOCATION VOL31        VOLUME     375950.422  3746239.850       29.060
   LOCATION VOL32        VOLUME     375972.515  3746217.021       29.190
   LOCATION VOL33        VOLUME     375991.662  3746197.138       29.240
   LOCATION VOL34        VOLUME     376015.963  3746179.464       29.120
   LOCATION VOL35        VOLUME     376035.847  3746157.372       28.990
   LOCATION VOL36        VOLUME     376056.466  3746138.225       29.060
```

LOCATION VOL37	VOLUME	376081.505	3746120.551	29.090
LOCATION VOL38	VOLUME	376124.217	3746096.985	28.890
LOCATION VOL39	VOLUME	376080.032	3746096.249	29.190
LOCATION VOL40	VOLUME	376037.320	3746092.567	29.530
LOCATION VOL41	VOLUME	375997.553	3746090.358	29.780
LOCATION VOL42	VOLUME	375954.104	3746094.040	29.990
LOCATION VOL43	VOLUME	376014.491	3746135.279	29.310
LOCATION VOL44	VOLUME	375973.251	3746153.689	29.690
LOCATION VOL45	VOLUME	375973.988	3746133.070	29.770
LOCATION VOL46	VOLUME	375931.276	3746137.488	30.000
LOCATION VOL47	VOLUME	375948.950	3746175.046	29.730
LOCATION VOL48	VOLUME	375929.803	3746217.758	29.490
LOCATION VOL49	VOLUME	375883.408	3746263.416	29.700
LOCATION VOL50	VOLUME	375842.905	3746309.073	29.280
LOCATION VOL51	VOLUME	375799.457	3746345.894	29.020
LOCATION VOL52	VOLUME	375756.745	3746367.987	29.380
LOCATION VOL53	VOLUME	375720.660	3746411.435	29.230
LOCATION VOL54	VOLUME	375677.948	3746451.202	29.470
LOCATION VOL55	VOLUME	375652.910	3746474.767	29.480
LOCATION VOL56	VOLUME	375639.654	3746432.055	29.970
LOCATION VOL57	VOLUME	375679.421	3746408.490	29.680
LOCATION VOL58	VOLUME	375634.500	3746388.606	30.000
LOCATION VOL59	VOLUME	375631.554	3746345.158	30.000
LOCATION VOL60	VOLUME	375633.027	3746303.918	30.000
LOCATION VOL61	VOLUME	375633.027	3746258.997	30.000
LOCATION VOL62	VOLUME	375675.739	3746367.250	29.880
LOCATION VOL63	VOLUME	375717.715	3746369.460	29.670
LOCATION VOL64	VOLUME	375675.739	3746324.538	30.000
LOCATION VOL65	VOLUME	375675.739	3746281.090	30.000
LOCATION VOL66	VOLUME	375667.638	3746236.168	30.000
LOCATION VOL67	VOLUME	375711.087	3746238.377	30.000
LOCATION VOL68	VOLUME	375719.187	3746326.011	30.000
LOCATION VOL69	VOLUME	375760.427	3746323.802	29.590
LOCATION VOL70	VOLUME	375719.187	3746281.826	30.000
LOCATION VOL71	VOLUME	375712.560	3746211.130	30.000
LOCATION VOL72	VOLUME	375803.875	3746303.182	29.340
LOCATION VOL73	VOLUME	375760.427	3746279.617	29.810
LOCATION VOL74	VOLUME	375755.272	3746238.377	30.000
LOCATION VOL75	VOLUME	375757.481	3746203.029	30.000
LOCATION VOL76	VOLUME	375842.169	3746265.625	29.750
LOCATION VOL77	VOLUME	375800.193	3746261.206	29.800
LOCATION VOL78	VOLUME	375797.984	3746219.967	30.000
LOCATION VOL79	VOLUME	375801.666	3746184.619	30.000
LOCATION VOL80	VOLUME	375840.696	3746224.385	30.000
LOCATION VOL81	VOLUME	375884.881	3746221.440	29.920
LOCATION VOL82	VOLUME	375842.169	3746180.937	30.000
LOCATION VOL83	VOLUME	375884.881	3746179.464	29.960
LOCATION VOL84	VOLUME	375888.563	3746144.116	30.000
LOCATION VOL85	VOLUME	375892.245	3746158.108	29.980
LOCATION VOL86	VOLUME	375920.229	3746183.146	29.790

```
   LOCATION PAREA1       AREAPOLY   375626.566  3746557.923       29.000
** Source Parameters **
   SRCPARAM VOL1         0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL2         0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL3         0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL4         0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL5         0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL6         0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL7         0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL8         0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL9         0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL10        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL11        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL12        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL13        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL14        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL15        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL16        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL17        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL18        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL19        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL20        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL21        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL22        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL23        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL24        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL25        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL26        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL27        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL28        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL29        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL30        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL31        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL32        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL33        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL34        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL35        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL36        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL37        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL38        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL39        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL40        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL41        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL42        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL43        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL44        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL45        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL46        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL47        0.0004958262     5.000     9.591     1.400
   SRCPARAM VOL48        0.0004958262     5.000     9.591     1.400
```

```
SRCPARAM VOL49        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL50        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL51        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL52        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL53        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL54        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL55        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL56        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL57        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL58        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL59        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL60        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL61        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL62        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL63        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL64        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL65        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL66        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL67        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL68        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL69        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL70        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL71        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL72        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL73        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL74        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL75        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL76        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL77        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL78        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL79        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL80        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL81        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL82        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL83        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL84        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL85        0.0004958262     5.000     9.591     1.400
SRCPARAM VOL86        0.0004958262     5.000     9.591     1.400
SRCPARAM PAREA1       1.3607E-07     0.000       37     1.000
AREAVERT PAREA1       375626.566 3746557.923 375615.752 3746542.098
AREAVERT PAREA1       375604.411 3746520.734 375585.685 3746475.897
AREAVERT PAREA1       375580.410 3746459.544 375575.926 3746441.873
AREAVERT PAREA1       375571.970 3746423.411 375570.387 3746413.124
AREAVERT PAREA1       375569.068 3746306.306 375567.222 3746195.268
AREAVERT PAREA1       375601.509 3746193.949 375627.621 3746190.256
AREAVERT PAREA1       375656.897 3746185.773 375680.898 3746178.388
AREAVERT PAREA1       375710.174 3746168.629 375742.879 3746152.804
AREAVERT PAREA1       375777.694 3746136.979 375834.927 3746112.450
AREAVERT PAREA1       375880.820 3746092.669 375909.568 3746081.328
AREAVERT PAREA1       375932.515 3746073.943 375952.296 3746068.932
```

```
   AREAVERT PAREA1       375961.263 3746066.822 375961.263 3746070.251
   AREAVERT PAREA1       375979.989 3746068.141 375995.287 3746067.613
   AREAVERT PAREA1       376010.321 3746067.613 376028.519 3746069.459
   AREAVERT PAREA1       376043.025 3746071.042 376080.742 3746074.998
   AREAVERT PAREA1       376149.316 3746083.174 376120.568 3746109.549
   AREAVERT PAREA1       376117.930 3746107.175 375968.384 3746243.798
   AREAVERT PAREA1       375664.809 3746526.273 375633.159 3746555.285
   AREAVERT PAREA1       375631.841 3746553.967
   URBANSRC ALL

** Variable Emissions Type: "By Hour / Day (HRDOW)"
** Variable Emission Scenario: "Scenario 2"
** WeekDays:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL1         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL1         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL2         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL2         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL3         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL3         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL4         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL4         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL5         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL5         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL6         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL6         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL7         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL7         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL8         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL8         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL9         HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL9         HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL10        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL10        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL11        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL11        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL12        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL12        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL13        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL13        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL14        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL14        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL15        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL15        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL16        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL16        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL17        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL17        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL18        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL18        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL19        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL19        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL20        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL20        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL21        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL21        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL22        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL22        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL23        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL23        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL24        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL24        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL25        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL25        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL26        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL26        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL27        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL27        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL28        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL28        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL29        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL29        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL30        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL30        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL31        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL31        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL32        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL32        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL33        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL33        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL34        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL34        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL35        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL35        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL36        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL36        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL37        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL37        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL38        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL38        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL39        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL39        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL40        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL40        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL41        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL41        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL42        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL42        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL43        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL43        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL44        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL44        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL45        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL45        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL46        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL46        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL47        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL47        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL48        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL48        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL49        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL49        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL50        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL50        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL51        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL51        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL52        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL52        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL53        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL53        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL54        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL54        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL55        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL55        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL56        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL56        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL57        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL57        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL58        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL58        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL59        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL59        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL60        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL60        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL61        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL61        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL62        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL62        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL63        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL63        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL64        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL64        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL65        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL65        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL66        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL66        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL67        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL67        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL68        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL68        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL69        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL69        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL70        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL70        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL71        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL71        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL72        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL72        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL73        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL73        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL74        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL74        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL75        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL75        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL76        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL76        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL77        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL77        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL78        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL78        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL79        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL79        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
```

```
   EMISFACT VOL80        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL80        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL81        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL81        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL82        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL82        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL83        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL83        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL84        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL84        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL85        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL85        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT VOL86        HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
```

```
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT VOL86        HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** WeekDays:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 1.0 1.0 1.0 1.0
   EMISFACT PAREA1       HRDOW 1.0 1.0 1.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Saturday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
** Sunday:
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   EMISFACT PAREA1       HRDOW 0.0 0.0 0.0 0.0 0.0 0.0
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "11796-Con LST PM25.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE ..\KHHR_V11_trimmed.sfc
   PROFFILE ..\KHHR_V11_trimmed.pfl
   SURFDATA 3167 2016
   UAIRDATA 3190 2016
   PROFBASE 19.17 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
**************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
```

```
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "11796-CON LST PM25.AD\24H1GALL.PLT" 31
   SUMMFILE "11796-Con LST PM25.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186    1563       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187    1563       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 ***********************************
 *** SETUP Finishes Successfully ***
 ***********************************

 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:42:37

                                    PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                              ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
```

```
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for    87 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   9818605.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Accepts FLAGPOLE Receptor . Heights.
      * The User Specified a Pollutant Type of: PM_2.5

 **Model Calculates  1 Short Term Average(s) of:  24-HR

 **This Run Includes:     87 Source(s);       1 Source Group(s); and      68
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     86 VOLUME source(s)
                 and:      1 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                 and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  22112

 **Output Options Selected:
         Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
         Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
         Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours

 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =    19.17 ;  Decay
Coef. =    0.000     ;  Rot. Angle =     0.0
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL1	0	0.49583E-03	375911.0	3746104.7	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL2	0	0.49583E-03	375888.6	3746113.9	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL3	0	0.49583E-03	375856.2	3746125.0	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL4	0	0.49583E-03	375813.4	3746140.4	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL5	0	0.49583E-03	375770.7	3746158.8	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL6	0	0.49583E-03	375727.3	3746174.3	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL7	0	0.49583E-03	375682.4	3746191.2	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL8	0	0.49583E-03	375639.7	3746200.1	30.0	5.00	9.59				

```
1.40     YES   HRDOW            NO
 VOL9              0   0.49583E-03  375587.4 3746217.8    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL10             0   0.49583E-03  375622.7 3746215.5    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL11             0   0.49583E-03  375589.6 3746259.7    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL12             0   0.49583E-03  375589.6 3746303.2    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL13             0   0.49583E-03  375588.1 3746346.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL14             0   0.49583E-03  375593.3 3746388.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL15             0   0.49583E-03  375596.2 3746431.3    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL16             0   0.49583E-03  375609.5 3746474.0    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL17             0   0.49583E-03  375621.2 3746516.7    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL18             0   0.49583E-03  375637.4 3746533.7    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL19             0   0.49583E-03  375661.7 3746507.2    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL20             0   0.49583E-03  375696.4 3746485.1    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL21             0   0.49583E-03  375722.1 3746453.4    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL22             0   0.49583E-03  375744.2 3746429.8    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL23             0   0.49583E-03  375764.8 3746410.7    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL24             0   0.49583E-03  375784.7 3746389.3    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL25             0   0.49583E-03  375806.8 3746371.7    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL26             0   0.49583E-03  375837.8 3746351.8    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL27             0   0.49583E-03  375854.7 3746320.9    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL28             0   0.49583E-03  375886.4 3746306.9    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL29             0   0.49583E-03  375907.7 3746278.9    29.4     5.00     9.59
1.40     YES   HRDOW            NO
 VOL30             0   0.49583E-03  375926.9 3746259.0    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL31             0   0.49583E-03  375950.4 3746239.8    29.1     5.00     9.59
1.40     YES   HRDOW            NO
 VOL32             0   0.49583E-03  375972.5 3746217.0    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL33             0   0.49583E-03  375991.7 3746197.1    29.2     5.00     9.59
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE BY	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL41	0	0.49583E-03	375997.6	3746090.4	29.8	5.00	9.59	1.40	YES	HRDOW	NO
VOL42	0	0.49583E-03	375954.1	3746094.0	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL43	0	0.49583E-03	376014.5	3746135.3	29.3	5.00	9.59	1.40	YES	HRDOW	NO
VOL44	0	0.49583E-03	375973.3	3746153.7	29.7	5.00	9.59	1.40	YES	HRDOW	NO
VOL45	0	0.49583E-03	375974.0	3746133.1	29.8	5.00	9.59	1.40	YES	HRDOW	NO
VOL46	0	0.49583E-03	375931.3	3746137.5	30.0	5.00	9.59	1.40	YES	HRDOW	NO
VOL47	0	0.49583E-03	375949.0	3746175.0	29.7	5.00	9.59	1.40	YES	HRDOW	NO
VOL48	0	0.49583E-03	375929.8	3746217.8	29.5	5.00	9.59				

```
1.40     YES   HRDOW            NO
 VOL49           0   0.49583E-03  375883.4 3746263.4    29.7     5.00     9.59
1.40     YES   HRDOW            NO
 VOL50           0   0.49583E-03  375842.9 3746309.1    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL51           0   0.49583E-03  375799.5 3746345.9    29.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL52           0   0.49583E-03  375756.7 3746368.0    29.4     5.00     9.59
1.40     YES   HRDOW            NO
 VOL53           0   0.49583E-03  375720.7 3746411.4    29.2     5.00     9.59
1.40     YES   HRDOW            NO
 VOL54           0   0.49583E-03  375677.9 3746451.2    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL55           0   0.49583E-03  375652.9 3746474.8    29.5     5.00     9.59
1.40     YES   HRDOW            NO
 VOL56           0   0.49583E-03  375639.7 3746432.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL57           0   0.49583E-03  375679.4 3746408.5    29.7     5.00     9.59
1.40     YES   HRDOW            NO
 VOL58           0   0.49583E-03  375634.5 3746388.6    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL59           0   0.49583E-03  375631.6 3746345.2    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL60           0   0.49583E-03  375633.0 3746303.9    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL61           0   0.49583E-03  375633.0 3746259.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL62           0   0.49583E-03  375675.7 3746367.2    29.9     5.00     9.59
1.40     YES   HRDOW            NO
 VOL63           0   0.49583E-03  375717.7 3746369.5    29.7     5.00     9.59
1.40     YES   HRDOW            NO
 VOL64           0   0.49583E-03  375675.7 3746324.5    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL65           0   0.49583E-03  375675.7 3746281.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL66           0   0.49583E-03  375667.6 3746236.2    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL67           0   0.49583E-03  375711.1 3746238.4    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL68           0   0.49583E-03  375719.2 3746326.0    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL69           0   0.49583E-03  375760.4 3746323.8    29.6     5.00     9.59
1.40     YES   HRDOW            NO
 VOL70           0   0.49583E-03  375719.2 3746281.8    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL71           0   0.49583E-03  375712.6 3746211.1    30.0     5.00     9.59
1.40     YES   HRDOW            NO
 VOL72           0   0.49583E-03  375803.9 3746303.2    29.3     5.00     9.59
1.40     YES   HRDOW            NO
 VOL73           0   0.49583E-03  375760.4 3746279.6    29.8     5.00     9.59
```

*** AREAPOLY SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC /METER**2)	LOCATION OF AREA X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	NUMBER OF VERTS.	INIT. SZ SOURCE SCALAR VARY BY	URBAN SOURCE	AIRCRAFT EMISSION RATE
PAREA1	0	0.13607E-06	375626.6	3746557.9	29.0	0.00	37	1.00 HRDOW	YES	NO

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
ALL	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 ,
	VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 ,
	VOL17 , VOL18 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 ,
	VOL25 , VOL26 , VOL27 , VOL28 , VOL29 , VOL30 , VOL31 , VOL32 ,
	VOL33 , VOL34 , VOL35 , VOL36 , VOL37 , VOL38 , VOL39 , VOL40 ,

```
             VOL41       , VOL42       , VOL43       , VOL44       , VOL45       ,
VOL46       , VOL47       , VOL48       ,

             VOL49       , VOL50       , VOL51       , VOL52       , VOL53       ,
VOL54       , VOL55       , VOL56       ,

             VOL57       , VOL58       , VOL59       , VOL60       , VOL61       ,
VOL62       , VOL63       , VOL64       ,

             VOL65       , VOL66       , VOL67       , VOL68       , VOL69       ,
VOL70       , VOL71       , VOL72       ,

             VOL73       , VOL74       , VOL75       , VOL76       , VOL77       ,
VOL78       , VOL79       , VOL80       ,

             VOL81       , VOL82       , VOL83       , VOL84       , VOL85       ,
VOL86       , PAREA1      ,
```


*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs

```
              9818605.   VOL1        , VOL2        , VOL3        , VOL4        ,
VOL5        , VOL6        , VOL7        ,
 VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       ,
VOL14       , VOL15       , VOL16       ,

             VOL17       , VOL18       , VOL19       , VOL20       , VOL21       ,
VOL22       , VOL23       , VOL24       ,

             VOL25       , VOL26       , VOL27       , VOL28       , VOL29       ,
VOL30       , VOL31       , VOL32       ,

             VOL33       , VOL34       , VOL35       , VOL36       , VOL37       ,
VOL38       , VOL39       , VOL40       ,

             VOL41       , VOL42       , VOL43       , VOL44       , VOL45       ,
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL1 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00						

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL2   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL3          ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  11
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL4          ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL5 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL6   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL7   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                   PAGE  15
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL8         ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL9   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL10 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL11 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
 - - -
```

```
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:42:37

                                  PAGE  20
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL13        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL14 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL15 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL16   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

```
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                   PAGE  24
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL17        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL18 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL19 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  27
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL20        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
```

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL21   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                              DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                              DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

```
                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL22        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                   PAGE  30
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL23        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
```

14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL24   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  32
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL25        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  33
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
```

OF WEEK (HRDOW) *

 SOURCE ID = VOL26   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL27   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL28 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL29   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL30         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  38
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL31         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                      ***        22:42:37

                                  PAGE  39
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL32        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL33 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL34 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

HOUR SCALAR HOUR SCALAR HOUR SCALAR
 - - -

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00

                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:42:37

                                  PAGE  43
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL36        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00

                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00

                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL37   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                  DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                  DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL38   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

```
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  46
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL39        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
```

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                   PAGE  47
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL40        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL41 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL42 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:42:37

                                  PAGE  50
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL43        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL44 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL45 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL46 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00

```
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                      ***        22:42:37

                                   PAGE  54
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL47        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL48   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                 DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00

```
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:42:37

                                   PAGE  58
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL51        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
```

14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL52   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
 SOURCE ID = VOL53         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  61
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL54         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL55 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SATURDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00
DAY OF WEEK = SUNDAY
1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL56   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -

                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = VOL57   ; SOURCE TYPE = VOLUME   :

```
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                   PAGE  65
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL58        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
```

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:42:37

                                   PAGE  66
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL59        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - -
                                              DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                              DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
1 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL60 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL61 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
 - - -
```

```
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:42:37

                                  PAGE  70
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL63        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                          DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                          DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL64 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR
DAY OF WEEK = WEEKDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SATURDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00
DAY OF WEEK = SUNDAY															
1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL65 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL66 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .1000E+01 10 .1000E+01 11 .1000E+01 12 .1000E+01 13 .1000E+01
14 .1000E+01 15 .1000E+01 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00
22 .0000E+00 23 .0000E+00 24 .0000E+00

DAY OF WEEK = SATURDAY

1 .0000E+00 2 .0000E+00 3 .0000E+00 4 .0000E+00 5 .0000E+00
6 .0000E+00 7 .0000E+00 8 .0000E+00
9 .0000E+00 10 .0000E+00 11 .0000E+00 12 .0000E+00 13 .0000E+00
14 .0000E+00 15 .0000E+00 16 .0000E+00
17 .0000E+00 18 .0000E+00 19 .0000E+00 20 .0000E+00 21 .0000E+00

22 .0000E+00   23 .0000E+00   24 .0000E+00

DAY OF WEEK = SUNDAY

1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00

9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL67   ; SOURCE TYPE = VOLUME   :

HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR

- - - -

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL68 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL69 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00

```
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  77
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL70        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:42:37

                                    PAGE  78
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                    * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL71        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:42:37

                                    PAGE  79
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

 SOURCE ID = VOL72   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -

```
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                   PAGE  81
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL74        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                            DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                            DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
```

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  82
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL75        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  83
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
```

OF WEEK (HRDOW) *

 SOURCE ID = VOL76   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL77   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL78   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL79   ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
- -
                                                DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01
14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00
6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00
14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00
22 .0000E+00   23 .0000E+00   24 .0000E+00

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

```
 SOURCE ID = VOL80         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:42:37

                                  PAGE  88
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL81         ; SOURCE TYPE = VOLUME    :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                 DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                 DAY OF WEEK = SATURDAY
```

```
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
*** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                      ***        22:42:37

                                  PAGE  89
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL82        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
```

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL83 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

DAY OF WEEK = WEEKDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.1000E+01	10	.1000E+01	11	.1000E+01	12	.1000E+01	13	.1000E+01	14	.1000E+01	15	.1000E+01	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SATURDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

DAY OF WEEK = SUNDAY

1	.0000E+00	2	.0000E+00	3	.0000E+00	4	.0000E+00	5	.0000E+00	6	.0000E+00	7	.0000E+00	8	.0000E+00
9	.0000E+00	10	.0000E+00	11	.0000E+00	12	.0000E+00	13	.0000E+00	14	.0000E+00	15	.0000E+00	16	.0000E+00
17	.0000E+00	18	.0000E+00	19	.0000E+00	20	.0000E+00	21	.0000E+00	22	.0000E+00	23	.0000E+00	24	.0000E+00

* SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

SOURCE ID = VOL84 ; SOURCE TYPE = VOLUME :

HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR	HOUR	SCALAR

```
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - -
```

```
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:42:37

                                  PAGE  93
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                   * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY
OF WEEK (HRDOW) *

 SOURCE ID = VOL86        ; SOURCE TYPE = VOLUME   :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - -
                                                DAY OF WEEK = WEEKDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .1000E+01   10  .1000E+01   11  .1000E+01   12  .1000E+01   13  .1000E+01
14  .1000E+01   15  .1000E+01   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SATURDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
                                                DAY OF WEEK = SUNDAY
    1  .0000E+00    2  .0000E+00    3  .0000E+00    4  .0000E+00    5  .0000E+00
6  .0000E+00    7  .0000E+00    8  .0000E+00
    9  .0000E+00   10  .0000E+00   11  .0000E+00   12  .0000E+00   13  .0000E+00
14  .0000E+00   15  .0000E+00   16  .0000E+00
   17  .0000E+00   18  .0000E+00   19  .0000E+00   20  .0000E+00   21  .0000E+00
22  .0000E+00   23  .0000E+00   24  .0000E+00
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
```

                  * SOURCE EMISSION RATE SCALARS WHICH VARY DIURNALLY AND BY DAY OF WEEK (HRDOW) *

 SOURCE ID = PAREA1   ; SOURCE TYPE = AREAPOLY :
  HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR   HOUR   SCALAR
 -
                                                    DAY OF WEEK = WEEKDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .1000E+01   10 .1000E+01   11 .1000E+01   12 .1000E+01   13 .1000E+01   14 .1000E+01   15 .1000E+01   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SATURDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00
                                                    DAY OF WEEK = SUNDAY
    1 .0000E+00   2 .0000E+00   3 .0000E+00   4 .0000E+00   5 .0000E+00   6 .0000E+00   7 .0000E+00   8 .0000E+00
    9 .0000E+00   10 .0000E+00   11 .0000E+00   12 .0000E+00   13 .0000E+00   14 .0000E+00   15 .0000E+00   16 .0000E+00
   17 .0000E+00   18 .0000E+00   19 .0000E+00   20 .0000E+00   21 .0000E+00   22 .0000E+00   23 .0000E+00   24 .0000E+00

                                                  *** DISCRETE CARTESIAN RECEPTORS ***
                                                (X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
                                                             (METERS)

     (375504.4, 3746422.6,   30.0,   30.0,   0.0);   (375520.7, 3746156.7,   30.0,   30.0,   0.0);
     (375525.3, 3746068.3,   30.0,   30.0,   0.0);   (375458.3,

```
3745980.4,      30.0,      30.0,       0.0);
     ( 376027.3, 3746023.9,      30.0,      30.0,       0.0);         ( 376184.5,
3746006.9,      29.0,      29.0,       0.0);
     ( 376450.3, 3746051.5,      26.0,      26.0,       0.0);         ( 376765.8,
3745950.3,      23.4,      23.4,       0.0);
     ( 377122.8, 3745912.9,      22.0,      22.0,       0.0);         ( 377119.3,
3745800.3,      22.6,      22.6,       0.0);
     ( 377099.8, 3745758.9,      23.0,      23.0,       0.0);         ( 377013.2,
3745766.6,      23.2,      23.2,       0.0);
     ( 377084.5, 3745665.0,      23.3,      23.3,       0.0);         ( 377106.3,
3745575.4,      23.9,      23.9,       0.0);
     ( 377027.4, 3745416.0,      25.0,      25.0,       0.0);         ( 377081.8,
3745287.7,      25.2,      25.2,       0.0);
     ( 377132.0, 3745291.9,      25.0,      25.0,       0.0);         ( 377040.8,
3745231.4,      25.7,      25.7,       0.0);
     ( 377105.3, 3745340.5,      25.0,      25.0,       0.0);         ( 377112.0,
3746220.4,      21.0,      21.0,       0.0);
     ( 377001.0, 3746095.7,      22.0,      22.0,       0.0);         ( 377206.0,
3747290.6,      21.0,      21.0,       0.0);
     ( 377122.3, 3747265.5,      21.0,      21.0,       0.0);         ( 377096.2,
3747264.6,      21.0,      21.0,       0.0);
     ( 377192.0, 3747358.0,      21.0,      21.0,       0.0);         ( 377148.8,
3747294.4,      21.0,      21.0,       0.0);
     ( 377330.8, 3747461.4,      21.0,      21.0,       0.0);         ( 377347.7,
3747688.8,      21.0,      21.0,       0.0);
     ( 377260.4, 3747813.5,      21.0,      21.0,       0.0);         ( 377282.2,
3748069.5,      21.0,      21.0,       0.0);
     ( 377236.7, 3748067.9,      21.0,      21.0,       0.0);         ( 377385.8,
3748065.9,      20.8,      20.8,       0.0);
     ( 377282.0, 3748002.4,      21.0,      21.0,       0.0);         ( 377093.4,
3747947.2,      21.0,      21.0,       0.0);
     ( 377114.8, 3747859.9,      21.0,      21.0,       0.0);         ( 377159.6,
3747840.0,      21.0,      21.0,       0.0);
     ( 377347.1, 3747830.1,      21.0,      21.0,       0.0);         ( 376416.5,
3747678.9,      23.0,      23.0,       0.0);
     ( 376139.1, 3747690.1,      24.0,      24.0,       0.0);         ( 376472.4,
3747826.3,      23.0,      23.0,       0.0);
     ( 376816.5, 3744704.5,      27.0,      27.0,       0.0);         ( 373778.6,
3745752.9,      30.0,      30.0,       0.0);
     ( 373508.1, 3745982.6,      30.0,      30.0,       0.0);         ( 375580.9,
3746684.6,      28.2,      28.2,       0.0);
     ( 375639.8, 3746811.3,      27.9,      27.9,       0.0);         ( 375646.0,
3746877.3,      27.2,      27.2,       0.0);
     ( 375666.6, 3747058.4,      26.9,      26.9,       0.0);         ( 375668.3,
3747178.9,      26.9,      26.9,       0.0);
     ( 375433.7, 3747237.8,      28.0,      28.0,       0.0);         ( 375254.3,
3747288.6,      29.0,      29.0,       0.0);
     ( 375142.8, 3747281.5,      29.0,      29.0,       0.0);         ( 375351.2,
3747239.4,      28.0,      28.0,       0.0);
     ( 375883.4, 3747279.2,      26.0,      26.0,       0.0);         ( 376037.0,
```

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                          *** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***
                                                              (1=YES; 0=NO)

           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1

               NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON
WHAT IS INCLUDED IN THE DATA FILE.

                                      *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

 *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

   Surface file: ..\KHHR_V11_trimmed.sfc
                  Met Version: 22112
   Profile file: ..\KHHR_V11_trimmed.pfl

   Surface format: FREE

   Profile format: FREE

   Surface station no.: 3167 Upper air station no.: 3190
                  Name: UNKNOWN Name: UNKNOWN

                  Year: 2016 Year: 2016

 First 24 hours of scalar data
 YR MO DY JDY HR H0 U* W* DT/DZ ZICNV ZIMCH M-O LEN Z0 BOWEN ALBEDO REF WS WD HT REF TA HT
- - - -

```
0.32    1.97   24.    7.9  284.2    2.0
 16 01 01   1 10   82.3  0.301  0.834  0.005  256.  396.    -30.1  0.23   1.29
0.24    2.28   36.    7.9  286.4    2.0
 16 01 01   1 11  121.4  0.322  1.193  0.005  509.  439.    -25.0  0.23   1.29
0.21    2.39   42.    7.9  288.8    2.0
 16 01 01   1 12  141.1  0.291  1.349  0.005  633.  376.    -15.8  0.23   1.29
0.20    2.04   38.    7.9  290.3    2.0
 16 01 01   1 13  140.5  0.248  1.576  0.005 1012.  298.     -9.9  0.29   1.29
0.20    1.50   66.    7.9  291.4    2.0
 16 01 01   1 14  119.4  0.218  1.605  0.010 1258.  245.     -7.9  0.23   1.29
0.21    1.38   52.    7.9  291.4    2.0
 16 01 01   1 15   79.4  0.146  1.444  0.011 1376.  135.     -3.5  0.05   1.29
0.24    1.33  103.    7.9  292.0    2.0
 16 01 01   1 16   23.2  0.190  0.963  0.012 1392.  199.    -26.9  0.22   1.29
0.33    1.45  321.    7.9  291.4    2.0
 16 01 01   1 17  -18.8  0.217 -9.000 -9.000 -999.  242.     51.7  0.05   1.29
0.59    2.89  249.    7.9  288.8    2.0
 16 01 01   1 18  -20.1  0.203 -9.000 -9.000 -999.  219.     45.2  0.24   1.29
1.00    1.82  284.    7.9  287.0    2.0
 16 01 01   1 19  -12.0  0.148 -9.000 -9.000 -999.  137.     24.5  0.22   1.29
1.00    1.40  310.    7.9  286.4    2.0
 16 01 01   1 20   -9.7  0.133 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  333.    7.9  285.9    2.0
 16 01 01   1 21   -8.5  0.124 -9.000 -9.000 -999.  104.     20.1  0.21   1.29
1.00    1.20  337.    7.9  285.9    2.0
 16 01 01   1 22   -6.7  0.110 -9.000 -9.000 -999.   87.     17.8  0.22   1.29
1.00    1.06  328.    7.9  285.9    2.0
 16 01 01   1 23   -9.7  0.132 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  344.    7.9  285.3    2.0
 16 01 01   1 24  -10.5  0.138 -9.000 -9.000 -999.  123.     22.6  0.22   1.29
1.00    1.31  327.    7.9  285.3    2.0


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 16 01 01 01    7.9 1  333.    1.31   282.1   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
↑ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:42:37

                                   PAGE  98
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                               *** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP:  ALL      ***
                                  INCLUDING SOURCE(S):     VOL1        , VOL2
 , VOL3        , VOL4        , VOL5        ,
```

```
                VOL6        , VOL7        , VOL8        , VOL9        , VOL10
 , VOL11       , VOL12       , VOL13       ,
                VOL14       , VOL15       , VOL16       , VOL17       , VOL18
 , VOL19       , VOL20       , VOL21       ,
                VOL22       , VOL23       , VOL24       , VOL25       , VOL26
 , VOL27       , VOL28       ,  . . .      ,

                                          *** DISCRETE CARTESIAN RECEPTOR POINTS
***

                                       ** CONC OF PM_2.5   IN MICROGRAMS/M**3
                  **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)
Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        375504.40   3746422.65        0.37153c (17120724)               375520.66
 3746156.71        0.20981  (16122624)
        375525.31   3746068.32        0.14355b (21012024)               375458.35
 3745980.39        0.07555b (21012024)
        376027.28   3746023.89        0.27769  (16020124)               376184.52
 3746006.90        0.13041b (20123124)
        376450.33   3746051.53        0.04964  (18122524)               376765.76
 3745950.26        0.01892  (18122524)
        377122.79   3745912.91        0.01172c (16110824)               377119.34
 3745800.28        0.00892  (17030224)
        377099.81   3745758.90        0.00850c (21042324)               377013.22
 3745766.57        0.00916c (21042324)
        377084.48   3745665.04        0.00643  (17030224)               377106.32
 3745575.39        0.00537  (21021224)
        377027.40   3745416.02        0.00594  (21021224)               377081.80
 3745287.68        0.00624b (20123124)
        377131.99   3745291.89        0.00534b (20123124)               377040.81
 3745231.36        0.00754b (20123124)
        377105.28   3745340.55        0.00520b (20123124)               377111.99
 3746220.41        0.01954  (16011924)
        377000.96   3746095.73        0.01793  (17111724)               377205.99
 3747290.61        0.01074  (21041324)
        377122.30   3747265.54        0.01099  (21041324)               377096.25
 3747264.56        0.01086  (21041324)
        377191.99   3747358.03        0.00899  (21041324)               377148.78
 3747294.40        0.01036  (21041324)
        377330.78   3747461.45        0.00758  (21041324)               377347.71
 3747688.77        0.00555  (17110224)
        377260.43   3747813.51        0.00471  (17110224)               377282.25
 3748069.48        0.00293  (21033124)
        377236.66   3748067.86        0.00301  (21033124)               377385.82
 3748065.90        0.00317  (17110224)
        377282.04   3748002.42        0.00315  (17110224)               377093.43
```

3747947.16 0.00326 (21033124)
377114.75 3747859.95 0.00345 (17110224) 377159.60
3747840.02 0.00396 (17110224)
377347.08 3747830.10 0.00482 (17110224) 376416.51
3747678.93 0.00620 (17090424)
376139.13 3747690.11 0.00695 (17090424) 376472.39
3747826.26 0.00531 (17090424)
376816.50 3744704.49 0.00714 (16020124) 373778.57
3745752.93 0.00668 (21120724)
373508.13 3745982.62 0.00612c (21123024) 375580.91
3746684.56 0.13344 (17103024)
375639.80 3746811.26 0.06004 (17103024) 375646.05
3746877.29 0.04763 (18010924)
375666.57 3747058.42 0.02980 (18010924) 375668.35
3747178.87 0.02270 (18010924)
375433.69 3747237.76 0.02246 (17103024) 375254.34
3747288.62 0.02048 (17103024)
375142.81 3747281.48 0.01701 (17103024) 375351.20
3747239.38 0.02353 (17103024)
375883.41 3747279.17 0.01575 (18010924) 376037.04
3747277.19 0.01375 (17090424)
376553.70 3747266.00 0.00854 (16050524) 378243.59
3747249.86 0.00775 (20012824)
378274.87 3747250.21 0.00766 (20012824) 378117.44
3747252.85 0.00805 (20012824)
378507.87 3747523.66 0.00655 (20012824) 378611.88
3747484.95 0.00666 (20012824)
378446.61 3747640.47 0.00612 (16091224) 378878.71
3747434.12 0.00618 (20012824)
378938.91 3747440.77 0.00604 (20012824) 378922.58
3747182.46 0.00540 (21082724)
378977.07 3747296.18 0.00536 (20012824) 379160.03
3747327.13 0.00498 (21082724)
379136.95 3747433.41 0.00547 (20012824) 378815.84
3747584.14 0.00622 (20012824)

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM_2.5 IN MICROGRAMS/M**3 **

                                                    DATE
                                          NETWORK
GROUP ID   AVERAGE CONC   (YYMMDDHH)   RECEPTOR
(XR, YR, ZELEV, ZHILL, ZFLAG)   OF TYPE GRID-ID
- - - -

1 year gap

```
    ************************************
    *** AERMOD Finishes Successfully ***
    ************************************
** Lakes Environmental AERMOD MPI
**
****************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 12/10/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\13705 HRA\11796-Ops LST CO\11796-Ops LST
CO.ADI
**
****************************************
**
**
****************************************
** AERMOD Control Pathway
****************************************
**
**
CO STARTING
   TITLEONE C:\Lakes\AERMOD View\13705 HRA\13705 CON HRA\13705 CON HRA.isc
   MODELOPT DFAULT CONC
   AVERTIME 1 8
   URBANOPT 9818605
   POLLUTID CO
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "11796-Ops LST CO.err"
CO FINISHED
**
****************************************
** AERMOD Source Pathway
****************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     375911.028  3746104.716       30.000
   LOCATION VOL2         VOLUME     375888.563  3746113.923       30.000
   LOCATION VOL3         VOLUME     375856.161  3746124.969       30.000
   LOCATION VOL4         VOLUME     375813.449  3746140.434       30.000
   LOCATION VOL5         VOLUME     375770.737  3746158.844       30.000
   LOCATION VOL6         VOLUME     375727.288  3746174.309       30.000
   LOCATION VOL7         VOLUME     375682.367  3746191.247       30.000
```

LOCATION VOL8	VOLUME	375639.654	3746200.084	30.000
LOCATION VOL9	VOLUME	375587.369	3746217.758	30.000
LOCATION VOL10	VOLUME	375622.717	3746215.548	30.000
LOCATION VOL11	VOLUME	375589.578	3746259.733	30.000
LOCATION VOL12	VOLUME	375589.578	3746303.182	30.000
LOCATION VOL13	VOLUME	375588.105	3746346.631	30.000
LOCATION VOL14	VOLUME	375593.260	3746388.606	30.000
LOCATION VOL15	VOLUME	375596.206	3746431.319	29.990
LOCATION VOL16	VOLUME	375609.461	3746474.031	29.520
LOCATION VOL17	VOLUME	375621.244	3746516.743	29.060
LOCATION VOL18	VOLUME	375637.445	3746533.681	29.000
LOCATION VOL19	VOLUME	375661.747	3746507.170	29.130
LOCATION VOL20	VOLUME	375696.359	3746485.077	29.150
LOCATION VOL21	VOLUME	375722.133	3746453.411	29.030
LOCATION VOL22	VOLUME	375744.226	3746429.846	29.000
LOCATION VOL23	VOLUME	375764.845	3746410.699	29.090
LOCATION VOL24	VOLUME	375784.729	3746389.343	29.090
LOCATION VOL25	VOLUME	375806.821	3746371.669	29.000
LOCATION VOL26	VOLUME	375837.751	3746351.786	29.000
LOCATION VOL27	VOLUME	375854.688	3746320.856	29.150
LOCATION VOL28	VOLUME	375886.354	3746306.864	29.260
LOCATION VOL29	VOLUME	375907.710	3746278.880	29.360
LOCATION VOL30	VOLUME	375926.857	3746258.997	29.290
LOCATION VOL31	VOLUME	375950.422	3746239.850	29.060
LOCATION VOL32	VOLUME	375972.515	3746217.021	29.190
LOCATION VOL33	VOLUME	375991.662	3746197.138	29.240
LOCATION VOL34	VOLUME	376015.963	3746179.464	29.120
LOCATION VOL35	VOLUME	376035.847	3746157.372	28.990
LOCATION VOL36	VOLUME	376056.466	3746138.225	29.060
LOCATION VOL37	VOLUME	376081.505	3746120.551	29.090
LOCATION VOL38	VOLUME	376124.217	3746096.985	28.890
LOCATION VOL39	VOLUME	376080.032	3746096.249	29.190
LOCATION VOL40	VOLUME	376037.320	3746092.567	29.530
LOCATION VOL41	VOLUME	375997.553	3746090.358	29.780
LOCATION VOL42	VOLUME	375954.104	3746094.040	29.990
LOCATION VOL43	VOLUME	376014.491	3746135.279	29.310
LOCATION VOL44	VOLUME	375973.251	3746153.689	29.690
LOCATION VOL45	VOLUME	375973.988	3746133.070	29.770
LOCATION VOL46	VOLUME	375931.276	3746137.488	30.000
LOCATION VOL47	VOLUME	375948.950	3746175.046	29.730
LOCATION VOL48	VOLUME	375929.803	3746217.758	29.490
LOCATION VOL49	VOLUME	375883.408	3746263.416	29.700
LOCATION VOL50	VOLUME	375842.905	3746309.073	29.280
LOCATION VOL51	VOLUME	375799.457	3746345.894	29.020
LOCATION VOL52	VOLUME	375756.745	3746367.987	29.380
LOCATION VOL53	VOLUME	375720.660	3746411.435	29.230
LOCATION VOL54	VOLUME	375677.948	3746451.202	29.470
LOCATION VOL55	VOLUME	375652.910	3746474.767	29.480
LOCATION VOL56	VOLUME	375639.654	3746432.055	29.970
LOCATION VOL57	VOLUME	375679.421	3746408.490	29.680

```
   LOCATION VOL58        VOLUME     375634.500  3746388.606       30.000
   LOCATION VOL59        VOLUME     375631.554  3746345.158       30.000
   LOCATION VOL60        VOLUME     375633.027  3746303.918       30.000
   LOCATION VOL61        VOLUME     375633.027  3746258.997       30.000
   LOCATION VOL62        VOLUME     375675.739  3746367.250       29.880
   LOCATION VOL63        VOLUME     375717.715  3746369.460       29.670
   LOCATION VOL64        VOLUME     375675.739  3746324.538       30.000
   LOCATION VOL65        VOLUME     375675.739  3746281.090       30.000
   LOCATION VOL66        VOLUME     375667.638  3746236.168       30.000
   LOCATION VOL67        VOLUME     375711.087  3746238.377       30.000
   LOCATION VOL68        VOLUME     375719.187  3746326.011       30.000
   LOCATION VOL69        VOLUME     375760.427  3746323.802       29.590
   LOCATION VOL70        VOLUME     375719.187  3746281.826       30.000
   LOCATION VOL71        VOLUME     375712.560  3746211.130       30.000
   LOCATION VOL72        VOLUME     375803.875  3746303.182       29.340
   LOCATION VOL73        VOLUME     375760.427  3746279.617       29.810
   LOCATION VOL74        VOLUME     375755.272  3746238.377       30.000
   LOCATION VOL75        VOLUME     375757.481  3746203.029       30.000
   LOCATION VOL76        VOLUME     375842.169  3746265.625       29.750
   LOCATION VOL77        VOLUME     375800.193  3746261.206       29.800
   LOCATION VOL78        VOLUME     375797.984  3746219.967       30.000
   LOCATION VOL79        VOLUME     375801.666  3746184.619       30.000
   LOCATION VOL80        VOLUME     375840.696  3746224.385       30.000
   LOCATION VOL81        VOLUME     375884.881  3746221.440       29.920
   LOCATION VOL82        VOLUME     375842.169  3746180.937       30.000
   LOCATION VOL83        VOLUME     375884.881  3746179.464       29.960
   LOCATION VOL84        VOLUME     375888.563  3746144.116       30.000
   LOCATION VOL85        VOLUME     375892.245  3746158.108       29.980
   LOCATION VOL86        VOLUME     375920.229  3746183.146       29.790
** Source Parameters **
   SRCPARAM VOL1         0.0043305472     5.000     9.591     1.400
   SRCPARAM VOL2         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL3         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL4         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL5         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL6         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL7         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL8         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL9         0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL10        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL11        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL12        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL13        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL14        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL15        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL16        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL17        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL18        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL19        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL20        0.0180217951     5.000     9.591     1.400
```

```
SRCPARAM VOL21        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL22        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL23        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL24        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL25        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL26        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL27        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL28        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL29        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL30        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL31        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL32        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL33        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL34        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL35        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL36        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL37        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL38        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL39        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL40        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL41        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL42        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL43        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL44        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL45        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL46        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL47        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL48        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL49        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL50        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL51        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL52        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL53        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL54        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL55        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL56        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL57        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL58        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL59        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL60        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL61        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL62        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL63        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL64        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL65        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL66        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL67        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL68        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL69        0.0180217951     5.000     9.591     1.400
SRCPARAM VOL70        0.0180217951     5.000     9.591     1.400
```

```
   SRCPARAM VOL71        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL72        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL73        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL74        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL75        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL76        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL77        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL78        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL79        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL80        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL81        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL82        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL83        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL84        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL85        0.0180217951     5.000     9.591     1.400
   SRCPARAM VOL86        0.0180217951     5.000     9.591     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**********************************
** AERMOD Receptor Pathway
**********************************
**
**
RE STARTING
   INCLUDED "11796-Ops LST CO.rou"
RE FINISHED
**
**********************************
** AERMOD Meteorology Pathway
**********************************
**
**
ME STARTING
   SURFFILE ..\KHHR_V11_trimmed.sfc
   PROFFILE ..\KHHR_V11_trimmed.pfl
   SURFDATA 3167 2016
   UAIRDATA 3190 2016
   PROFBASE 19.17 METERS
ME FINISHED
**
**********************************
** AERMOD Output Pathway
**********************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
```

```
   RECTABLE 8 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "11796-OPS LST CO.AD\01H1GALL.PLT" 31
   PLOTFILE 8 ALL 1ST "11796-OPS LST CO.AD\08H1GALL.PLT" 32
   SUMMFILE "11796-Ops LST CO.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     234       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187     234       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 **********************************
 *** SETUP Finishes Successfully ***
 **********************************

↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:47:27

                                  PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
```

```
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for    86 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   9818605.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Accepts FLAGPOLE Receptor . Heights.
      * The User Specified a Pollutant Type of: CO

 **Model Calculates  2 Short Term Average(s) of:   1-HR   8-HR

 **This Run Includes:     86 Source(s);       1 Source Group(s); and      68
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     86 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                 and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  22112

 **Output Options Selected:
          Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
          Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
          Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT EMISSION RATE SCALAR VARY BY
VOL1	0	0.43305E-02	375911.0	3746104.7	30.0	5.00	9.59	1.40	YES	NO
VOL2	0	0.18022E-01	375888.6	3746113.9	30.0	5.00	9.59	1.40	YES	NO
VOL3	0	0.18022E-01	375856.2	3746125.0	30.0	5.00	9.59	1.40	YES	NO
VOL4	0	0.18022E-01	375813.4	3746140.4	30.0	5.00	9.59	1.40	YES	NO
VOL5	0	0.18022E-01	375770.7	3746158.8	30.0	5.00	9.59	1.40	YES	NO
VOL6	0	0.18022E-01	375727.3	3746174.3	30.0	5.00	9.59	1.40	YES	NO
VOL7	0	0.18022E-01	375682.4	3746191.2	30.0	5.00	9.59			

```
1.40     YES                    NO
 VOL8              0   0.18022E-01  375639.7 3746200.1    30.0     5.00     9.59
1.40     YES                    NO
 VOL9              0   0.18022E-01  375587.4 3746217.8    30.0     5.00     9.59
1.40     YES                    NO
 VOL10             0   0.18022E-01  375622.7 3746215.5    30.0     5.00     9.59
1.40     YES                    NO
 VOL11             0   0.18022E-01  375589.6 3746259.7    30.0     5.00     9.59
1.40     YES                    NO
 VOL12             0   0.18022E-01  375589.6 3746303.2    30.0     5.00     9.59
1.40     YES                    NO
 VOL13             0   0.18022E-01  375588.1 3746346.6    30.0     5.00     9.59
1.40     YES                    NO
 VOL14             0   0.18022E-01  375593.3 3746388.6    30.0     5.00     9.59
1.40     YES                    NO
 VOL15             0   0.18022E-01  375596.2 3746431.3    30.0     5.00     9.59
1.40     YES                    NO
 VOL16             0   0.18022E-01  375609.5 3746474.0    29.5     5.00     9.59
1.40     YES                    NO
 VOL17             0   0.18022E-01  375621.2 3746516.7    29.1     5.00     9.59
1.40     YES                    NO
 VOL18             0   0.18022E-01  375637.4 3746533.7    29.0     5.00     9.59
1.40     YES                    NO
 VOL19             0   0.18022E-01  375661.7 3746507.2    29.1     5.00     9.59
1.40     YES                    NO
 VOL20             0   0.18022E-01  375696.4 3746485.1    29.2     5.00     9.59
1.40     YES                    NO
 VOL21             0   0.18022E-01  375722.1 3746453.4    29.0     5.00     9.59
1.40     YES                    NO
 VOL22             0   0.18022E-01  375744.2 3746429.8    29.0     5.00     9.59
1.40     YES                    NO
 VOL23             0   0.18022E-01  375764.8 3746410.7    29.1     5.00     9.59
1.40     YES                    NO
 VOL24             0   0.18022E-01  375784.7 3746389.3    29.1     5.00     9.59
1.40     YES                    NO
 VOL25             0   0.18022E-01  375806.8 3746371.7    29.0     5.00     9.59
1.40     YES                    NO
 VOL26             0   0.18022E-01  375837.8 3746351.8    29.0     5.00     9.59
1.40     YES                    NO
 VOL27             0   0.18022E-01  375854.7 3746320.9    29.2     5.00     9.59
1.40     YES                    NO
 VOL28             0   0.18022E-01  375886.4 3746306.9    29.3     5.00     9.59
1.40     YES                    NO
 VOL29             0   0.18022E-01  375907.7 3746278.9    29.4     5.00     9.59
1.40     YES                    NO
 VOL30             0   0.18022E-01  375926.9 3746259.0    29.3     5.00     9.59
1.40     YES                    NO
 VOL31             0   0.18022E-01  375950.4 3746239.8    29.1     5.00     9.59
1.40     YES                    NO
 VOL32             0   0.18022E-01  375972.5 3746217.0    29.2     5.00     9.59
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. SCALAR VARY BY	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ	URBAN SOURCE	AIRCRAFT
VOL41	0	0.18022E-01	375997.6	3746090.4	29.8	5.00	9.59	1.40	YES	NO
VOL42	0	0.18022E-01	375954.1	3746094.0	30.0	5.00	9.59	1.40	YES	NO
VOL43	0	0.18022E-01	376014.5	3746135.3	29.3	5.00	9.59	1.40	YES	NO
VOL44	0	0.18022E-01	375973.3	3746153.7	29.7	5.00	9.59	1.40	YES	NO
VOL45	0	0.18022E-01	375974.0	3746133.1	29.8	5.00	9.59	1.40	YES	NO
VOL46	0	0.18022E-01	375931.3	3746137.5	30.0	5.00	9.59	1.40	YES	NO
VOL47	0	0.18022E-01	375949.0	3746175.0	29.7	5.00	9.59			

1.40 YES NO
VOL48 0 0.18022E-01 375929.8 3746217.8 29.5 5.00 9.59
1.40 YES NO
VOL49 0 0.18022E-01 375883.4 3746263.4 29.7 5.00 9.59
1.40 YES NO
VOL50 0 0.18022E-01 375842.9 3746309.1 29.3 5.00 9.59
1.40 YES NO
VOL51 0 0.18022E-01 375799.5 3746345.9 29.0 5.00 9.59
1.40 YES NO
VOL52 0 0.18022E-01 375756.7 3746368.0 29.4 5.00 9.59
1.40 YES NO
VOL53 0 0.18022E-01 375720.7 3746411.4 29.2 5.00 9.59
1.40 YES NO
VOL54 0 0.18022E-01 375677.9 3746451.2 29.5 5.00 9.59
1.40 YES NO
VOL55 0 0.18022E-01 375652.9 3746474.8 29.5 5.00 9.59
1.40 YES NO
VOL56 0 0.18022E-01 375639.7 3746432.1 30.0 5.00 9.59
1.40 YES NO
VOL57 0 0.18022E-01 375679.4 3746408.5 29.7 5.00 9.59
1.40 YES NO
VOL58 0 0.18022E-01 375634.5 3746388.6 30.0 5.00 9.59
1.40 YES NO
VOL59 0 0.18022E-01 375631.6 3746345.2 30.0 5.00 9.59
1.40 YES NO
VOL60 0 0.18022E-01 375633.0 3746303.9 30.0 5.00 9.59
1.40 YES NO
VOL61 0 0.18022E-01 375633.0 3746259.0 30.0 5.00 9.59
1.40 YES NO
VOL62 0 0.18022E-01 375675.7 3746367.2 29.9 5.00 9.59
1.40 YES NO
VOL63 0 0.18022E-01 375717.7 3746369.5 29.7 5.00 9.59
1.40 YES NO
VOL64 0 0.18022E-01 375675.7 3746324.5 30.0 5.00 9.59
1.40 YES NO
VOL65 0 0.18022E-01 375675.7 3746281.1 30.0 5.00 9.59
1.40 YES NO
VOL66 0 0.18022E-01 375667.6 3746236.2 30.0 5.00 9.59
1.40 YES NO
VOL67 0 0.18022E-01 375711.1 3746238.4 30.0 5.00 9.59
1.40 YES NO
VOL68 0 0.18022E-01 375719.2 3746326.0 30.0 5.00 9.59
1.40 YES NO
VOL69 0 0.18022E-01 375760.4 3746323.8 29.6 5.00 9.59
1.40 YES NO
VOL70 0 0.18022E-01 375719.2 3746281.8 30.0 5.00 9.59
1.40 YES NO
VOL71 0 0.18022E-01 375712.6 3746211.1 30.0 5.00 9.59
1.40 YES NO
VOL72 0 0.18022E-01 375803.9 3746303.2 29.3 5.00 9.59

1.40   YES   NO
 VOL73   0   0.18022E-01 375760.4 3746279.6   29.8   5.00   9.59
1.40   YES   NO
 VOL74   0   0.18022E-01 375755.3 3746238.4   30.0   5.00   9.59
1.40   YES   NO
 VOL75   0   0.18022E-01 375757.5 3746203.0   30.0   5.00   9.59
1.40   YES   NO
 VOL76   0   0.18022E-01 375842.2 3746265.6   29.8   5.00   9.59
1.40   YES   NO
 VOL77   0   0.18022E-01 375800.2 3746261.2   29.8   5.00   9.59
1.40   YES   NO
 VOL78   0   0.18022E-01 375798.0 3746220.0   30.0   5.00   9.59
1.40   YES   NO
 VOL79   0   0.18022E-01 375801.7 3746184.6   30.0   5.00   9.59
1.40   YES   NO
 VOL80   0   0.18022E-01 375840.7 3746224.4   30.0   5.00   9.59
1.40   YES   NO

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                                    *** VOLUME SOURCE DATA ***

              NUMBER EMISSION RATE   BASE   RELEASE   INIT.
INIT.   URBAN EMISSION RATE   AIRCRAFT
   SOURCE   PART. (GRAMS/SEC)   X   Y   ELEV.   HEIGHT   SY
SZ   SOURCE SCALAR VARY
     ID   CATS.   (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS)   BY
 - - -

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs
ALL	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 ,
	VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 ,
	VOL17 , VOL18 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 ,
	VOL25 , VOL26 , VOL27 , VOL28 , VOL29 , VOL30 , VOL31 , VOL32 ,
	VOL33 , VOL34 , VOL35 , VOL36 , VOL37 , VOL38 , VOL39 , VOL40 ,
	VOL41 , VOL42 , VOL43 , VOL44 , VOL45 , VOL46 , VOL47 , VOL48 ,
	VOL49 , VOL50 , VOL51 , VOL52 , VOL53 , VOL54 , VOL55 , VOL56 ,
	VOL57 , VOL58 , VOL59 , VOL60 , VOL61 , VOL62 , VOL63 , VOL64 ,
	VOL65 , VOL66 , VOL67 , VOL68 , VOL69 , VOL70 , VOL71 , VOL72 ,
	VOL73 , VOL74 , VOL75 , VOL76 , VOL77 , VOL78 , VOL79 , VOL80 ,
	VOL81 , VOL82 , VOL83 , VOL84 , VOL85 , VOL86 ,

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                        *** SOURCE IDs DEFINED AS URBAN SOURCES
***

  URBAN ID   URBAN POP   SOURCE IDs
  --------   ---------   ----------

             9818605.   VOL1   , VOL2   , VOL3   , VOL4   ,
VOL5   , VOL6   , VOL7   ,
 VOL8   ,

             VOL9   , VOL10   , VOL11   , VOL12   , VOL13   ,
VOL14   , VOL15   , VOL16   ,

             VOL17   , VOL18   , VOL19   , VOL20   , VOL21   ,
VOL22   , VOL23   , VOL24   ,

             VOL25   , VOL26   , VOL27   , VOL28   , VOL29   ,
VOL30   , VOL31   , VOL32   ,

             VOL33   , VOL34   , VOL35   , VOL36   , VOL37   ,
VOL38   , VOL39   , VOL40   ,

             VOL41   , VOL42   , VOL43   , VOL44   , VOL45   ,
VOL46   , VOL47   , VOL48   ,

             VOL49   , VOL50   , VOL51   , VOL52   , VOL53   ,
VOL54   , VOL55   , VOL56   ,

             VOL57   , VOL58   , VOL59   , VOL60   , VOL61   ,
VOL62   , VOL63   , VOL64   ,

             VOL65   , VOL66   , VOL67   , VOL68   , VOL69   ,
VOL70   , VOL71   , VOL72   ,

             VOL73   , VOL74   , VOL75   , VOL76   , VOL77   ,
VOL78   , VOL79   , VOL80   ,

             VOL81   , VOL82   , VOL83   , VOL84   , VOL85   ,
VOL86   ,

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(375504.4, 3746422.6, 30.0, 30.0, 0.0); (375520.7, 3746156.7, 30.0, 30.0, 0.0);
(375525.3, 3746068.3, 30.0, 30.0, 0.0); (375458.3, 3745980.4, 30.0, 30.0, 0.0);
(376027.3, 3746023.9, 30.0, 30.0, 0.0); (376184.5, 3746006.9, 29.0, 29.0, 0.0);
(376450.3, 3746051.5, 26.0, 26.0, 0.0); (376765.8, 3745950.3, 23.4, 23.4, 0.0);
(377122.8, 3745912.9, 22.0, 22.0, 0.0); (377119.3, 3745800.3, 22.6, 22.6, 0.0);
(377099.8, 3745758.9, 23.0, 23.0, 0.0); (377013.2, 3745766.6, 23.2, 23.2, 0.0);
(377084.5, 3745665.0, 23.3, 23.3, 0.0); (377106.3, 3745575.4, 23.9, 23.9, 0.0);
(377027.4, 3745416.0, 25.0, 25.0, 0.0); (377081.8, 3745287.7, 25.2, 25.2, 0.0);
(377132.0, 3745291.9, 25.0, 25.0, 0.0); (377040.8, 3745231.4, 25.7, 25.7, 0.0);
(377105.3, 3745340.5, 25.0, 25.0, 0.0); (377112.0, 3746220.4, 21.0, 21.0, 0.0);
(377001.0, 3746095.7, 22.0, 22.0, 0.0); (377206.0, 3747290.6, 21.0, 21.0, 0.0);
(377122.3, 3747265.5, 21.0, 21.0, 0.0); (377096.2, 3747264.6, 21.0, 21.0, 0.0);
(377192.0, 3747358.0, 21.0, 21.0, 0.0); (377148.8, 3747294.4, 21.0, 21.0, 0.0);
(377330.8, 3747461.4, 21.0, 21.0, 0.0); (377347.7, 3747688.8, 21.0, 21.0, 0.0);
(377260.4, 3747813.5, 21.0, 21.0, 0.0); (377282.2, 3748069.5, 21.0, 21.0, 0.0);
(377236.7, 3748067.9, 21.0, 21.0, 0.0); (377385.8, 3748065.9, 20.8, 20.8, 0.0);
(377282.0, 3748002.4, 21.0, 21.0, 0.0); (377093.4, 3747947.2, 21.0, 21.0, 0.0);
(377114.8, 3747859.9, 21.0, 21.0, 0.0); (377159.6, 3747840.0, 21.0, 21.0, 0.0);
(377347.1, 3747830.1, 21.0, 21.0, 0.0); (376416.5, 3747678.9, 23.0, 23.0, 0.0);
(376139.1, 3747690.1, 24.0, 24.0, 0.0); (376472.4, 3747826.3, 23.0, 23.0, 0.0);
(376816.5, 3744704.5, 27.0, 27.0, 0.0); (373778.6, 3745752.9, 30.0, 30.0, 0.0);

```
     ( 373508.1, 3745982.6,      30.0,      30.0,       0.0);         ( 375580.9,
3746684.6,      28.2,      28.2,       0.0);
     ( 375639.8, 3746811.3,      27.9,      27.9,       0.0);         ( 375646.0,
3746877.3,      27.2,      27.2,       0.0);
     ( 375666.6, 3747058.4,      26.9,      26.9,       0.0);         ( 375668.3,
3747178.9,      26.9,      26.9,       0.0);
     ( 375433.7, 3747237.8,      28.0,      28.0,       0.0);         ( 375254.3,
3747288.6,      29.0,      29.0,       0.0);
     ( 375142.8, 3747281.5,      29.0,      29.0,       0.0);         ( 375351.2,
3747239.4,      28.0,      28.0,       0.0);
     ( 375883.4, 3747279.2,      26.0,      26.0,       0.0);         ( 376037.0,
3747277.2,      25.0,      25.0,       0.0);
     ( 376553.7, 3747266.0,      22.4,      22.4,       0.0);         ( 378243.6,
3747249.9,      19.9,      19.9,       0.0);
     ( 378274.9, 3747250.2,      19.8,      19.8,       0.0);         ( 378117.4,
3747252.8,      20.8,      20.8,       0.0);
     ( 378507.9, 3747523.7,      17.8,      17.8,       0.0);         ( 378611.9,
3747484.9,      17.0,      17.0,       0.0);
     ( 378446.6, 3747640.5,      17.0,      17.0,       0.0);         ( 378878.7,
3747434.1,      17.0,      17.0,       0.0);
     ( 378938.9, 3747440.8,      17.0,      17.0,       0.0);         ( 378922.6,
3747182.5,      17.3,      17.3,       0.0);
     ( 378977.1, 3747296.2,      17.0,      17.0,       0.0);         ( 379160.0,
3747327.1,      17.0,      17.0,       0.0);
     ( 379137.0, 3747433.4,      17.0,      17.0,       0.0);         ( 378815.8,
3747584.1,      17.0,      17.0,       0.0);
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                          ***        22:47:27

                                    PAGE   8
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                              *** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***
                                                                  (1=YES; 0=NO)

            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
```

```
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1

                NOTE:  METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON
WHAT IS INCLUDED IN THE DATA FILE.



                                    *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***
                                                          (METERS/SEC)

                                                 1.54,   3.09,   5.14,   8.23,
10.80,
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***       22:47:27

                                   PAGE   9
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                    *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL
DATA ***

   Surface file:   ..\KHHR_V11_trimmed.sfc
                 Met Version:  22112
   Profile file:   ..\KHHR_V11_trimmed.pfl

   Surface format: FREE

   Profile format: FREE

   Surface station no.:     3167                 Upper air station no.:     3190
                 Name: UNKNOWN                                    Name: UNKNOWN

                 Year:   2016                                     Year:   2016

 First 24 hours of scalar data
 YR MO DY JDY HR     H0     U*     W*  DT/DZ ZICNV ZIMCH  M-O LEN    Z0  BOWEN
ALBEDO  REF WS   WD     HT  REF TA     HT
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - -
 16 01 01   1 01  -10.3  0.136 -9.000 -9.000 -999.  120.     22.1  0.21   1.29
1.00    1.31  333.    7.9  282.0    2.0
 16 01 01   1 02  -10.1  0.135 -9.000 -9.000 -999.  119.     21.9  0.21   1.29
1.00    1.30  344.    7.9  281.4    2.0
 16 01 01   1 03   -9.3  0.129 -9.000 -9.000 -999.  111.     20.9  0.21   1.29
1.00    1.25  352.    7.9  281.4    2.0
```

```
 16 01 01   1 04  -10.6  0.138 -9.000 -9.000 -999.  123.     22.5  0.21   1.29
1.00    1.33  358.    7.9  280.9    2.0
 16 01 01   1 05  -10.4  0.136 -9.000 -9.000 -999.  121.     22.2  0.22   1.29
1.00    1.30  322.    7.9  280.3    2.0
 16 01 01   1 06  -13.4  0.156 -9.000 -9.000 -999.  148.     26.8  0.22   1.29
1.00    1.47  325.    7.9  280.9    2.0
 16 01 01   1 07   -9.7  0.132 -9.000 -9.000 -999.  115.     21.4  0.22   1.29
1.00    1.26  329.    7.9  280.3    2.0
 16 01 01   1 08  -16.4  0.202 -9.000 -9.000 -999.  218.     45.6  0.22   1.29
0.55    1.84   15.    7.9  281.4    2.0
 16 01 01   1 09   26.9  0.246  0.362  0.005   64.  293.    -50.4  0.22   1.29
0.32    1.97   24.    7.9  284.2    2.0
 16 01 01   1 10   82.3  0.301  0.834  0.005  256.  396.    -30.1  0.23   1.29
0.24    2.28   36.    7.9  286.4    2.0
 16 01 01   1 11  121.4  0.322  1.193  0.005  509.  439.    -25.0  0.23   1.29
0.21    2.39   42.    7.9  288.8    2.0
 16 01 01   1 12  141.1  0.291  1.349  0.005  633.  376.    -15.8  0.23   1.29
0.20    2.04   38.    7.9  290.3    2.0
 16 01 01   1 13  140.5  0.248  1.576  0.005 1012.  298.     -9.9  0.29   1.29
0.20    1.50   66.    7.9  291.4    2.0
 16 01 01   1 14  119.4  0.218  1.605  0.010 1258.  245.     -7.9  0.23   1.29
0.21    1.38   52.    7.9  291.4    2.0
 16 01 01   1 15   79.4  0.146  1.444  0.011 1376.  135.     -3.5  0.05   1.29
0.24    1.33  103.    7.9  292.0    2.0
 16 01 01   1 16   23.2  0.190  0.963  0.012 1392.  199.    -26.9  0.22   1.29
0.33    1.45  321.    7.9  291.4    2.0
 16 01 01   1 17  -18.8  0.217 -9.000 -9.000 -999.  242.     51.7  0.05   1.29
0.59    2.89  249.    7.9  288.8    2.0
 16 01 01   1 18  -20.1  0.203 -9.000 -9.000 -999.  219.     45.2  0.24   1.29
1.00    1.82  284.    7.9  287.0    2.0
 16 01 01   1 19  -12.0  0.148 -9.000 -9.000 -999.  137.     24.5  0.22   1.29
1.00    1.40  310.    7.9  286.4    2.0
 16 01 01   1 20   -9.7  0.133 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  333.    7.9  285.9    2.0
 16 01 01   1 21   -8.5  0.124 -9.000 -9.000 -999.  104.     20.1  0.21   1.29
1.00    1.20  337.    7.9  285.9    2.0
 16 01 01   1 22   -6.7  0.110 -9.000 -9.000 -999.   87.     17.8  0.22   1.29
1.00    1.06  328.    7.9  285.9    2.0
 16 01 01   1 23   -9.7  0.132 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  344.    7.9  285.3    2.0
 16 01 01   1 24  -10.5  0.138 -9.000 -9.000 -999.  123.     22.6  0.22   1.29
1.00    1.31  327.    7.9  285.3    2.0


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 16 01 01 01    7.9 1  333.    1.31   282.1   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 1-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2 , VOL3 , VOL4 , VOL5 ,
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 , VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 , VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF CO IN MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
375504.40	3746422.65	87.81149	(18121024)	375520.66	3746156.71	56.57068	(16011923)
375525.31	3746068.32	33.46793	(20093007)	375458.35	3745980.39	20.40411	(20093007)
376027.28	3746023.89	64.67351	(20093007)	376184.52	3746006.90	36.98240	(16021717)
376450.33	3746051.53	19.04247	(21112217)	376765.76	3745950.26	8.94497	(16021717)
377122.79	3745912.91	5.67794	(16040619)	377119.34	3745800.28	5.26576	(16021717)
377099.81	3745758.90	5.56532	(16021717)	377013.22	3745766.57	6.29564	(16021717)
377084.48	3745665.04	5.21815	(16021717)	377106.32	3745575.39	4.14221	(16021717)
377027.40	3745416.02	3.05926	(16041518)	377081.80	3745287.68	2.64096	(17122019)
377131.99	3745291.89	2.52766	(17122019)	377040.81	3745231.36	2.66362	(20063007)
377105.28	3745340.55	2.69651	(16041518)	377111.99	3746220.41	12.70394	(21122218)
377000.96	3746095.73	11.65350	(21122218)	377205.99	3747290.61	7.08761	(21120220)

```
       377122.30   3747265.54        7.19887  (21120220)               377096.25
 3747264.56        7.12669  (21120220)
       377191.99   3747358.03        6.18493  (21120220)               377148.78
 3747294.40        6.88432  (21120220)
       377330.78   3747461.45        5.43517  (21120220)               377347.71
 3747688.77        3.23937  (17021622)
       377260.43   3747813.51        2.34381  (21060320)               377282.25
 3748069.48        1.53012  (16090407)
       377236.66   3748067.86        1.48916  (16090407)               377385.82
 3748065.90        1.57690  (16090407)
       377282.04   3748002.42        1.65356  (16090407)               377093.43
 3747947.16        1.59785  (16090407)
       377114.75   3747859.95        1.85089  (16090407)               377159.60
 3747840.02        1.97043  (21060320)
       377347.08   3747830.10        2.45587  (21060320)               376416.51
 3747678.93        2.57140  (20093007)
       376139.13   3747690.11        2.81683  (20093007)               376472.39
 3747826.26        2.18773  (20093007)
       376816.50   3744704.49        2.25898  (18122721)               373778.57
 3745752.93        2.89898  (16092803)
       373508.13   3745982.62        4.73327  (20022906)               375580.91
 3746684.56       26.35802  (17022017)
       375639.80   3746811.26       15.76921  (17022017)               375646.05
 3746877.29       12.75864  (20093007)
       375666.57   3747058.42        8.07890  (20093007)               375668.35
 3747178.87        6.32243  (20093007)
       375433.69   3747237.76        6.64539  (17022017)               375254.34
 3747288.62        4.33508  (20093007)
       375142.81   3747281.48        4.03368  (20093007)               375351.20
 3747239.38        5.90619  (17022017)
       375883.41   3747279.17        5.24531  (20093007)               376037.04
 3747277.19        5.00594  (20093007)
       376553.70   3747266.00        4.08765  (21060320)               378243.59
 3747249.86        4.98211  (20012718)
       378274.87   3747250.21        4.92450  (20012718)               378117.44
 3747252.85        5.26377  (18012421)
       378507.87   3747523.66        4.18614  (17120318)               378611.88
 3747484.95        4.04747  (18012421)
       378446.61   3747640.47        4.19078  (16012022)               378878.71
 3747434.12        3.72809  (20012718)
       378938.91   3747440.77        3.63834  (20012718)               378922.58
 3747182.46        3.80480  (16021418)
       378977.07   3747296.18        3.65137  (16021418)               379160.03
 3747327.13        3.41725  (16021418)
       379136.95   3747433.41        3.38637  (16012021)               378815.84
 3747584.14        3.67987  (18012421)
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***       22:47:27
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 8-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***

INCLUDING SOURCE(S): VOL1 , VOL2 , VOL3 , VOL4 , VOL5 ,
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 , VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 , VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF CO IN MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
375504.40	3746422.65	69.31253b	(17042608)	375520.66	3746156.71	41.52073	(18020208)
375525.31	3746068.32	28.98161	(18020208)	375458.35	3745980.39	17.64461	(18020208)
376027.28	3746023.89	56.39008	(18020208)	376184.52	3746006.90	25.64417	(18020208)
376450.33	3746051.53	10.35133	(17121824)	376765.76	3745950.26	4.72594	(17121824)
377122.79	3745912.91	2.90760	(17121824)	377119.34	3745800.28	2.67840	(18020208)
377099.81	3745758.90	2.69336	(18020208)	377013.22	3745766.57	2.99724	(18020208)
377084.48	3745665.04	2.62140	(18020208)	377106.32	3745575.39	2.44354	(18020208)
377027.40	3745416.02	2.40181	(18020208)	377081.80	3745287.68	2.10391	(18020208)
377131.99	3745291.89	2.02234	(18020208)	377040.81	3745231.36	2.09676	(18020208)
377105.28	3745340.55	2.13214	(18020208)	377111.99	3746220.41	6.50143	(17060808)
377000.96	3746095.73	5.35658	(21111924)	377205.99	3747290.61	3.62938	(18040524)
377122.30	3747265.54	3.70104	(18040524)	377096.25	3747264.56	3.66793	(18040524)
377191.99	3747358.03	3.14781	(18040524)	377148.78			

```
 3747294.40         3.52650  (18040524)
       377330.78   3747461.45        2.73114  (18040524)                377347.71
 3747688.77         1.61442  (18040524)
       377260.43   3747813.51        1.29572  (18020208)                377282.25
 3748069.48         1.11079  (18020208)
       377236.66   3748067.86        1.13494  (18020208)                377385.82
 3748065.90         1.06149  (18020208)
       377282.04   3748002.42        1.15277  (18020208)                377093.43
 3747947.16         1.30278  (18020208)
       377114.75   3747859.95        1.36071  (18020208)                377159.60
 3747840.02         1.34578  (18020208)
       377347.08   3747830.10        1.22584  (18020208)                376416.51
 3747678.93         2.22187  (18020208)
       376139.13   3747690.11        2.43365  (18020208)                376472.39
 3747826.26         1.89005  (18020208)
       376816.50   3744704.49        1.63875  (18020208)                373778.57
 3745752.93         1.35063  (18020208)
       373508.13   3745982.62        1.98672  (18020608)                375580.91
 3746684.56        21.67517  (18020208)
       375639.80   3746811.26       13.62469  (18020208)                375646.05
 3746877.29        11.03566  (18020208)
       375666.57   3747058.42        6.98323  (18020208)                375668.35
 3747178.87         5.46326  (18020208)
       375433.69   3747237.76        4.51181  (18020208)                375254.34
 3747288.62         3.74339  (18020208)
       375142.81   3747281.48        3.48300  (18020208)                375351.20
 3747239.38         4.28390  (18020208)
       375883.41   3747279.17        4.53254  (18020208)                376037.04
 3747277.19         4.32664  (18020208)
       376553.70   3747266.00        3.12421  (18020208)                378243.59
 3747249.86         3.46256c (21072008)
       378274.87   3747250.21        3.41485c (21072008)                378117.44
 3747252.85         3.63893c (21072008)
       378507.87   3747523.66        2.72332c (21072008)                378611.88
 3747484.95         2.73220c (21072008)
       378446.61   3747640.47        2.44289  (16051224)                378878.71
 3747434.12         2.53079c (21072008)
       378938.91   3747440.77        2.46529c (21072008)                378922.58
 3747182.46         2.30455  (16123108)
       378977.07   3747296.18        2.35865c (21072008)                379160.03
 3747327.13         2.14896c (21072008)
       379136.95   3747433.41        2.24944c (21072008)                378815.84
 3747584.14         2.45975c (21072008)
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***        22:47:27

                                   PAGE  12
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** THE SUMMARY OF HIGHEST 1-HR RESULTS ***

** CONC OF CO   IN MICROGRAMS/M**3 **

GROUP ID (XR, YR, ZELEV, ZHILL, ZFLAG)	AVERAGE	CONC OF TYPE	NETWORK GRID-ID	DATE (YYMMDDHH)	RECEPTOR
ALL	HIGH 1ST HIGH VALUE IS	87.81149	ON	18121024:	AT (375504.40, 3746422.65, 30.00, 30.00, 0.00) DC

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 8-HR RESULTS ***

** CONC OF CO   IN MICROGRAMS/M**3 **

GROUP ID (XR, YR, ZELEV, ZHILL, ZFLAG)	AVERAGE	CONC OF TYPE	NETWORK GRID-ID	DATE (YYMMDDHH)	RECEPTOR
ALL	HIGH 1ST HIGH VALUE IS	69.31253b	ON	17042608:	AT (375504.40, 3746422.65, 30.00, 30.00, 0.00) DC

*** RECEPTOR TYPES: GC = GRIDCART

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

 *** Message Summary : AERMOD Model Execution ***

  --------- Summary of Total Messages --------

 A Total of   0 Fatal Error Message(s)
 A Total of   4 Warning Message(s)
 A Total of   1422 Informational Message(s)

 A Total of   43848 Hours Were Processed

 A Total of   888 Calm Hours Identified

 A Total of   534 Missing Hours Identified (1.22 Percent)

    ******** FATAL ERROR MESSAGES ********
               *** NONE ***

    ********   WARNING MESSAGES   ********
 ME W186   234   MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187   234   MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 MX W450   26305   CHKDAT: Record Out of Sequence in Meteorological File at:
  20010101
 MX W450   26305   CHKDAT: Record Out of Sequence in Meteorological File at:
1 year gap

    ****
    *** AERMOD Finishes Successfully ***
    ****
** Lakes Environmental AERMOD MPI
**
****
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.

```
** Date: 12/10/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\13705 HRA\11796-Ops LST NOX\11796-Ops
LST NOX.ADI
**
**************************************
**
**
**************************************
** AERMOD Control Pathway
**************************************
**
**
CO STARTING
   TITLEONE C:\Lakes\AERMOD View\13705 HRA\13705 CON HRA\13705 CON HRA.isc
   MODELOPT DFAULT CONC
   AVERTIME 1
   URBANOPT 9818605
   POLLUTID NOX
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "11796-Ops LST NOX.err"
CO FINISHED
**
**************************************
** AERMOD Source Pathway
**************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     375911.028  3746104.716       30.000
   LOCATION VOL2         VOLUME     375888.563  3746113.923       30.000
   LOCATION VOL3         VOLUME     375856.161  3746124.969       30.000
   LOCATION VOL4         VOLUME     375813.449  3746140.434       30.000
   LOCATION VOL5         VOLUME     375770.737  3746158.844       30.000
   LOCATION VOL6         VOLUME     375727.288  3746174.309       30.000
   LOCATION VOL7         VOLUME     375682.367  3746191.247       30.000
   LOCATION VOL8         VOLUME     375639.654  3746200.084       30.000
   LOCATION VOL9         VOLUME     375587.369  3746217.758       30.000
   LOCATION VOL10        VOLUME     375622.717  3746215.548       30.000
   LOCATION VOL11        VOLUME     375589.578  3746259.733       30.000
   LOCATION VOL12        VOLUME     375589.578  3746303.182       30.000
   LOCATION VOL13        VOLUME     375588.105  3746346.631       30.000
   LOCATION VOL14        VOLUME     375593.260  3746388.606       30.000
   LOCATION VOL15        VOLUME     375596.206  3746431.319       29.990
   LOCATION VOL16        VOLUME     375609.461  3746474.031       29.520
   LOCATION VOL17        VOLUME     375621.244  3746516.743       29.060
   LOCATION VOL18        VOLUME     375637.445  3746533.681       29.000
   LOCATION VOL19        VOLUME     375661.747  3746507.170       29.130
```

LOCATION VOL20	VOLUME	375696.359	3746485.077	29.150
LOCATION VOL21	VOLUME	375722.133	3746453.411	29.030
LOCATION VOL22	VOLUME	375744.226	3746429.846	29.000
LOCATION VOL23	VOLUME	375764.845	3746410.699	29.090
LOCATION VOL24	VOLUME	375784.729	3746389.343	29.090
LOCATION VOL25	VOLUME	375806.821	3746371.669	29.000
LOCATION VOL26	VOLUME	375837.751	3746351.786	29.000
LOCATION VOL27	VOLUME	375854.688	3746320.856	29.150
LOCATION VOL28	VOLUME	375886.354	3746306.864	29.260
LOCATION VOL29	VOLUME	375907.710	3746278.880	29.360
LOCATION VOL30	VOLUME	375926.857	3746258.997	29.290
LOCATION VOL31	VOLUME	375950.422	3746239.850	29.060
LOCATION VOL32	VOLUME	375972.515	3746217.021	29.190
LOCATION VOL33	VOLUME	375991.662	3746197.138	29.240
LOCATION VOL34	VOLUME	376015.963	3746179.464	29.120
LOCATION VOL35	VOLUME	376035.847	3746157.372	28.990
LOCATION VOL36	VOLUME	376056.466	3746138.225	29.060
LOCATION VOL37	VOLUME	376081.505	3746120.551	29.090
LOCATION VOL38	VOLUME	376124.217	3746096.985	28.890
LOCATION VOL39	VOLUME	376080.032	3746096.249	29.190
LOCATION VOL40	VOLUME	376037.320	3746092.567	29.530
LOCATION VOL41	VOLUME	375997.553	3746090.358	29.780
LOCATION VOL42	VOLUME	375954.104	3746094.040	29.990
LOCATION VOL43	VOLUME	376014.491	3746135.279	29.310
LOCATION VOL44	VOLUME	375973.251	3746153.689	29.690
LOCATION VOL45	VOLUME	375973.988	3746133.070	29.770
LOCATION VOL46	VOLUME	375931.276	3746137.488	30.000
LOCATION VOL47	VOLUME	375948.950	3746175.046	29.730
LOCATION VOL48	VOLUME	375929.803	3746217.758	29.490
LOCATION VOL49	VOLUME	375883.408	3746263.416	29.700
LOCATION VOL50	VOLUME	375842.905	3746309.073	29.280
LOCATION VOL51	VOLUME	375799.457	3746345.894	29.020
LOCATION VOL52	VOLUME	375756.745	3746367.987	29.380
LOCATION VOL53	VOLUME	375720.660	3746411.435	29.230
LOCATION VOL54	VOLUME	375677.948	3746451.202	29.470
LOCATION VOL55	VOLUME	375652.910	3746474.767	29.480
LOCATION VOL56	VOLUME	375639.654	3746432.055	29.970
LOCATION VOL57	VOLUME	375679.421	3746408.490	29.680
LOCATION VOL58	VOLUME	375634.500	3746388.606	30.000
LOCATION VOL59	VOLUME	375631.554	3746345.158	30.000
LOCATION VOL60	VOLUME	375633.027	3746303.918	30.000
LOCATION VOL61	VOLUME	375633.027	3746258.997	30.000
LOCATION VOL62	VOLUME	375675.739	3746367.250	29.880
LOCATION VOL63	VOLUME	375717.715	3746369.460	29.670
LOCATION VOL64	VOLUME	375675.739	3746324.538	30.000
LOCATION VOL65	VOLUME	375675.739	3746281.090	30.000
LOCATION VOL66	VOLUME	375667.638	3746236.168	30.000
LOCATION VOL67	VOLUME	375711.087	3746238.377	30.000
LOCATION VOL68	VOLUME	375719.187	3746326.011	30.000
LOCATION VOL69	VOLUME	375760.427	3746323.802	29.590

```
   LOCATION VOL70        VOLUME     375719.187  3746281.826       30.000
   LOCATION VOL71        VOLUME     375712.560  3746211.130       30.000
   LOCATION VOL72        VOLUME     375803.875  3746303.182       29.340
   LOCATION VOL73        VOLUME     375760.427  3746279.617       29.810
   LOCATION VOL74        VOLUME     375755.272  3746238.377       30.000
   LOCATION VOL75        VOLUME     375757.481  3746203.029       30.000
   LOCATION VOL76        VOLUME     375842.169  3746265.625       29.750
   LOCATION VOL77        VOLUME     375800.193  3746261.206       29.800
   LOCATION VOL78        VOLUME     375797.984  3746219.967       30.000
   LOCATION VOL79        VOLUME     375801.666  3746184.619       30.000
   LOCATION VOL80        VOLUME     375840.696  3746224.385       30.000
   LOCATION VOL81        VOLUME     375884.881  3746221.440       29.920
   LOCATION VOL82        VOLUME     375842.169  3746180.937       30.000
   LOCATION VOL83        VOLUME     375884.881  3746179.464       29.960
   LOCATION VOL84        VOLUME     375888.563  3746144.116       30.000
   LOCATION VOL85        VOLUME     375892.245  3746158.108       29.980
   LOCATION VOL86        VOLUME     375920.229  3746183.146       29.790
** Source Parameters **
   SRCPARAM VOL1         0.000771107     5.000     9.591     1.400
   SRCPARAM VOL2         0.000771107     5.000     9.591     1.400
   SRCPARAM VOL3         0.000771107     5.000     9.591     1.400
   SRCPARAM VOL4         0.000771107     5.000     9.591     1.400
   SRCPARAM VOL5         0.000771107     5.000     9.591     1.400
   SRCPARAM VOL6         0.000771107     5.000     9.591     1.400
   SRCPARAM VOL7         0.000771107     5.000     9.591     1.400
   SRCPARAM VOL8         0.000771107     5.000     9.591     1.400
   SRCPARAM VOL9         0.000771107     5.000     9.591     1.400
   SRCPARAM VOL10        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL11        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL12        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL13        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL14        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL15        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL16        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL17        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL18        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL19        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL20        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL21        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL22        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL23        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL24        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL25        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL26        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL27        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL28        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL29        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL30        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL31        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL32        0.000771107     5.000     9.591     1.400
```

```
SRCPARAM VOL33        0.000771107     5.000     9.591     1.400
SRCPARAM VOL34        0.000771107     5.000     9.591     1.400
SRCPARAM VOL35        0.000771107     5.000     9.591     1.400
SRCPARAM VOL36        0.000771107     5.000     9.591     1.400
SRCPARAM VOL37        0.000771107     5.000     9.591     1.400
SRCPARAM VOL38        0.000771107     5.000     9.591     1.400
SRCPARAM VOL39        0.000771107     5.000     9.591     1.400
SRCPARAM VOL40        0.000771107     5.000     9.591     1.400
SRCPARAM VOL41        0.000771107     5.000     9.591     1.400
SRCPARAM VOL42        0.000771107     5.000     9.591     1.400
SRCPARAM VOL43        0.000771107     5.000     9.591     1.400
SRCPARAM VOL44        0.000771107     5.000     9.591     1.400
SRCPARAM VOL45        0.000771107     5.000     9.591     1.400
SRCPARAM VOL46        0.000771107     5.000     9.591     1.400
SRCPARAM VOL47        0.000771107     5.000     9.591     1.400
SRCPARAM VOL48        0.000771107     5.000     9.591     1.400
SRCPARAM VOL49        0.000771107     5.000     9.591     1.400
SRCPARAM VOL50        0.000771107     5.000     9.591     1.400
SRCPARAM VOL51        0.000771107     5.000     9.591     1.400
SRCPARAM VOL52        0.000771107     5.000     9.591     1.400
SRCPARAM VOL53        0.000771107     5.000     9.591     1.400
SRCPARAM VOL54        0.000771107     5.000     9.591     1.400
SRCPARAM VOL55        0.000771107     5.000     9.591     1.400
SRCPARAM VOL56        0.000771107     5.000     9.591     1.400
SRCPARAM VOL57        0.000771107     5.000     9.591     1.400
SRCPARAM VOL58        0.000771107     5.000     9.591     1.400
SRCPARAM VOL59        0.000771107     5.000     9.591     1.400
SRCPARAM VOL60        0.000771107     5.000     9.591     1.400
SRCPARAM VOL61        0.000771107     5.000     9.591     1.400
SRCPARAM VOL62        0.000771107     5.000     9.591     1.400
SRCPARAM VOL63        0.000771107     5.000     9.591     1.400
SRCPARAM VOL64        0.000771107     5.000     9.591     1.400
SRCPARAM VOL65        0.000771107     5.000     9.591     1.400
SRCPARAM VOL66        0.000771107     5.000     9.591     1.400
SRCPARAM VOL67        0.000771107     5.000     9.591     1.400
SRCPARAM VOL68        0.000771107     5.000     9.591     1.400
SRCPARAM VOL69        0.000771107     5.000     9.591     1.400
SRCPARAM VOL70        0.000771107     5.000     9.591     1.400
SRCPARAM VOL71        0.000771107     5.000     9.591     1.400
SRCPARAM VOL72        0.000771107     5.000     9.591     1.400
SRCPARAM VOL73        0.000771107     5.000     9.591     1.400
SRCPARAM VOL74        0.000771107     5.000     9.591     1.400
SRCPARAM VOL75        0.000771107     5.000     9.591     1.400
SRCPARAM VOL76        0.000771107     5.000     9.591     1.400
SRCPARAM VOL77        0.000771107     5.000     9.591     1.400
SRCPARAM VOL78        0.000771107     5.000     9.591     1.400
SRCPARAM VOL79        0.000771107     5.000     9.591     1.400
SRCPARAM VOL80        0.000771107     5.000     9.591     1.400
SRCPARAM VOL81        0.000771107     5.000     9.591     1.400
SRCPARAM VOL82        0.000771107     5.000     9.591     1.400
```

```
   SRCPARAM VOL83        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL84        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL85        0.000771107     5.000     9.591     1.400
   SRCPARAM VOL86        0.000771107     5.000     9.591     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**********************************
** AERMOD Receptor Pathway
**********************************
**
**
RE STARTING
   INCLUDED "11796-Ops LST NOX.rou"
RE FINISHED
**
**********************************
** AERMOD Meteorology Pathway
**********************************
**
**
ME STARTING
   SURFFILE ..\KHHR_V11_trimmed.sfc
   PROFFILE ..\KHHR_V11_trimmed.pfl
   SURFDATA 3167 2016
   UAIRDATA 3190 2016
   PROFBASE 19.17 METERS
ME FINISHED
**
**********************************
** AERMOD Output Pathway
**********************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 1 1ST
** Auto-Generated Plotfiles
   PLOTFILE 1 ALL 1ST "11796-OPS LST NOX.AD\01H1GALL.PLT" 31
   SUMMFILE "11796-Ops LST NOX.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
```

```
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     234       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187     234       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 **********************************
 *** SETUP Finishes Successfully ***
 **********************************

 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:52:48

                                    PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                              ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for    86 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   9818605.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Accepts FLAGPOLE Receptor . Heights.
```

```
      * The User Specified a Pollutant Type of: NOX

 **Model Calculates  1 Short Term Average(s) of:   1-HR

 **This Run Includes:     86 Source(s);       1 Source Group(s); and      68
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     86 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                 and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  22112

 **Output Options Selected:
          Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
          Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
          Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours

 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =    19.17 ;  Decay
Coef. =    0.000     ;  Rot. Angle =     0.0
                  Emission Units = GRAMS/SEC                                 ;
Emission Rate Unit Factor =   0.10000E+07
                  Output Units   = MICROGRAMS/M**3

 **Approximate Storage Requirements of Model =      3.5 MB of RAM.

 **Input Runstream File:          aermod.inp

 **Output Print File:             aermod.out


 **Detailed Error/Message File:   11796-Ops LST NOX.err
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT EMISSION RATE SCALAR VARY BY
VOL1	0	0.77111E-03	375911.0	3746104.7	30.0	5.00	9.59	1.40	YES	NO
VOL2	0	0.77111E-03	375888.6	3746113.9	30.0	5.00	9.59	1.40	YES	NO
VOL3	0	0.77111E-03	375856.2	3746125.0	30.0	5.00	9.59	1.40	YES	NO
VOL4	0	0.77111E-03	375813.4	3746140.4	30.0	5.00	9.59	1.40	YES	NO
VOL5	0	0.77111E-03	375770.7	3746158.8	30.0	5.00	9.59	1.40	YES	NO
VOL6	0	0.77111E-03	375727.3	3746174.3	30.0	5.00	9.59	1.40	YES	NO
VOL7	0	0.77111E-03	375682.4	3746191.2	30.0	5.00	9.59	1.40	YES	NO
VOL8	0	0.77111E-03	375639.7	3746200.1	30.0	5.00	9.59	1.40	YES	NO
VOL9	0	0.77111E-03	375587.4	3746217.8	30.0	5.00	9.59	1.40	YES	NO
VOL10	0	0.77111E-03	375622.7	3746215.5	30.0	5.00	9.59	1.40	YES	NO
VOL11	0	0.77111E-03	375589.6	3746259.7	30.0	5.00	9.59	1.40	YES	NO
VOL12	0	0.77111E-03	375589.6	3746303.2	30.0	5.00	9.59	1.40	YES	NO
VOL13	0	0.77111E-03	375588.1	3746346.6	30.0	5.00	9.59	1.40	YES	NO
VOL14	0	0.77111E-03	375593.3	3746388.6	30.0	5.00	9.59			

1.40 YES NO
VOL15 0 0.77111E-03 375596.2 3746431.3 30.0 5.00 9.59
1.40 YES NO
VOL16 0 0.77111E-03 375609.5 3746474.0 29.5 5.00 9.59
1.40 YES NO
VOL17 0 0.77111E-03 375621.2 3746516.7 29.1 5.00 9.59
1.40 YES NO
VOL18 0 0.77111E-03 375637.4 3746533.7 29.0 5.00 9.59
1.40 YES NO
VOL19 0 0.77111E-03 375661.7 3746507.2 29.1 5.00 9.59
1.40 YES NO
VOL20 0 0.77111E-03 375696.4 3746485.1 29.2 5.00 9.59
1.40 YES NO
VOL21 0 0.77111E-03 375722.1 3746453.4 29.0 5.00 9.59
1.40 YES NO
VOL22 0 0.77111E-03 375744.2 3746429.8 29.0 5.00 9.59
1.40 YES NO
VOL23 0 0.77111E-03 375764.8 3746410.7 29.1 5.00 9.59
1.40 YES NO
VOL24 0 0.77111E-03 375784.7 3746389.3 29.1 5.00 9.59
1.40 YES NO
VOL25 0 0.77111E-03 375806.8 3746371.7 29.0 5.00 9.59
1.40 YES NO
VOL26 0 0.77111E-03 375837.8 3746351.8 29.0 5.00 9.59
1.40 YES NO
VOL27 0 0.77111E-03 375854.7 3746320.9 29.2 5.00 9.59
1.40 YES NO
VOL28 0 0.77111E-03 375886.4 3746306.9 29.3 5.00 9.59
1.40 YES NO
VOL29 0 0.77111E-03 375907.7 3746278.9 29.4 5.00 9.59
1.40 YES NO
VOL30 0 0.77111E-03 375926.9 3746259.0 29.3 5.00 9.59
1.40 YES NO
VOL31 0 0.77111E-03 375950.4 3746239.8 29.1 5.00 9.59
1.40 YES NO
VOL32 0 0.77111E-03 375972.5 3746217.0 29.2 5.00 9.59
1.40 YES NO
VOL33 0 0.77111E-03 375991.7 3746197.1 29.2 5.00 9.59
1.40 YES NO
VOL34 0 0.77111E-03 376016.0 3746179.5 29.1 5.00 9.59
1.40 YES NO
VOL35 0 0.77111E-03 376035.8 3746157.4 29.0 5.00 9.59
1.40 YES NO
VOL36 0 0.77111E-03 376056.5 3746138.2 29.1 5.00 9.59
1.40 YES NO
VOL37 0 0.77111E-03 376081.5 3746120.6 29.1 5.00 9.59
1.40 YES NO
VOL38 0 0.77111E-03 376124.2 3746097.0 28.9 5.00 9.59
1.40 YES NO
VOL39 0 0.77111E-03 376080.0 3746096.2 29.2 5.00 9.59

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE SCALAR VARY BY	AIRCRAFT
VOL41	0	0.77111E-03	375997.6	3746090.4	29.8	5.00	9.59	1.40	YES	NO
VOL42	0	0.77111E-03	375954.1	3746094.0	30.0	5.00	9.59	1.40	YES	NO
VOL43	0	0.77111E-03	376014.5	3746135.3	29.3	5.00	9.59	1.40	YES	NO
VOL44	0	0.77111E-03	375973.3	3746153.7	29.7	5.00	9.59	1.40	YES	NO
VOL45	0	0.77111E-03	375974.0	3746133.1	29.8	5.00	9.59	1.40	YES	NO
VOL46	0	0.77111E-03	375931.3	3746137.5	30.0	5.00	9.59	1.40	YES	NO
VOL47	0	0.77111E-03	375949.0	3746175.0	29.7	5.00	9.59	1.40	YES	NO
VOL48	0	0.77111E-03	375929.8	3746217.8	29.5	5.00	9.59	1.40	YES	NO
VOL49	0	0.77111E-03	375883.4	3746263.4	29.7	5.00	9.59	1.40	YES	NO
VOL50	0	0.77111E-03	375842.9	3746309.1	29.3	5.00	9.59	1.40	YES	NO
VOL51	0	0.77111E-03	375799.5	3746345.9	29.0	5.00	9.59	1.40	YES	NO
VOL52	0	0.77111E-03	375756.7	3746368.0	29.4	5.00	9.59	1.40	YES	NO
VOL53	0	0.77111E-03	375720.7	3746411.4	29.2	5.00	9.59	1.40	YES	NO
VOL54	0	0.77111E-03	375677.9	3746451.2	29.5	5.00	9.59			

1.40 YES NO
VOL55 0 0.77111E-03 375652.9 3746474.8 29.5 5.00 9.59
1.40 YES NO
VOL56 0 0.77111E-03 375639.7 3746432.1 30.0 5.00 9.59
1.40 YES NO
VOL57 0 0.77111E-03 375679.4 3746408.5 29.7 5.00 9.59
1.40 YES NO
VOL58 0 0.77111E-03 375634.5 3746388.6 30.0 5.00 9.59
1.40 YES NO
VOL59 0 0.77111E-03 375631.6 3746345.2 30.0 5.00 9.59
1.40 YES NO
VOL60 0 0.77111E-03 375633.0 3746303.9 30.0 5.00 9.59
1.40 YES NO
VOL61 0 0.77111E-03 375633.0 3746259.0 30.0 5.00 9.59
1.40 YES NO
VOL62 0 0.77111E-03 375675.7 3746367.2 29.9 5.00 9.59
1.40 YES NO
VOL63 0 0.77111E-03 375717.7 3746369.5 29.7 5.00 9.59
1.40 YES NO
VOL64 0 0.77111E-03 375675.7 3746324.5 30.0 5.00 9.59
1.40 YES NO
VOL65 0 0.77111E-03 375675.7 3746281.1 30.0 5.00 9.59
1.40 YES NO
VOL66 0 0.77111E-03 375667.6 3746236.2 30.0 5.00 9.59
1.40 YES NO
VOL67 0 0.77111E-03 375711.1 3746238.4 30.0 5.00 9.59
1.40 YES NO
VOL68 0 0.77111E-03 375719.2 3746326.0 30.0 5.00 9.59
1.40 YES NO
VOL69 0 0.77111E-03 375760.4 3746323.8 29.6 5.00 9.59
1.40 YES NO
VOL70 0 0.77111E-03 375719.2 3746281.8 30.0 5.00 9.59
1.40 YES NO
VOL71 0 0.77111E-03 375712.6 3746211.1 30.0 5.00 9.59
1.40 YES NO
VOL72 0 0.77111E-03 375803.9 3746303.2 29.3 5.00 9.59
1.40 YES NO
VOL73 0 0.77111E-03 375760.4 3746279.6 29.8 5.00 9.59
1.40 YES NO
VOL74 0 0.77111E-03 375755.3 3746238.4 30.0 5.00 9.59
1.40 YES NO
VOL75 0 0.77111E-03 375757.5 3746203.0 30.0 5.00 9.59
1.40 YES NO
VOL76 0 0.77111E-03 375842.2 3746265.6 29.8 5.00 9.59
1.40 YES NO
VOL77 0 0.77111E-03 375800.2 3746261.2 29.8 5.00 9.59
1.40 YES NO
VOL78 0 0.77111E-03 375798.0 3746220.0 30.0 5.00 9.59
1.40 YES NO
VOL79 0 0.77111E-03 375801.7 3746184.6 30.0 5.00 9.59

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL81	0	0.77111E-03	375884.9	3746221.4	29.9	5.00	9.59	1.40	YES		NO
VOL82	0	0.77111E-03	375842.2	3746180.9	30.0	5.00	9.59	1.40	YES		NO
VOL83	0	0.77111E-03	375884.9	3746179.5	30.0	5.00	9.59	1.40	YES		NO
VOL84	0	0.77111E-03	375888.6	3746144.1	30.0	5.00	9.59	1.40	YES		NO
VOL85	0	0.77111E-03	375892.2	3746158.1	30.0	5.00	9.59	1.40	YES		NO
VOL86	0	0.77111E-03	375920.2	3746183.1	29.8	5.00	9.59	1.40	YES		NO

*** SOURCE IDs DEFINING SOURCE GROUPS ***

SRCGROUP ID	SOURCE IDs

```
  ALL        VOL1        , VOL2        , VOL3        , VOL4        , VOL5        ,
VOL6       , VOL7        , VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       ,
VOL14      , VOL15       , VOL16       ,

             VOL17       , VOL18       , VOL19       , VOL20       , VOL21       ,
VOL22      , VOL23       , VOL24       ,

             VOL25       , VOL26       , VOL27       , VOL28       , VOL29       ,
VOL30      , VOL31       , VOL32       ,

             VOL33       , VOL34       , VOL35       , VOL36       , VOL37       ,
VOL38      , VOL39       , VOL40       ,

             VOL41       , VOL42       , VOL43       , VOL44       , VOL45       ,
VOL46      , VOL47       , VOL48       ,

             VOL49       , VOL50       , VOL51       , VOL52       , VOL53       ,
VOL54      , VOL55       , VOL56       ,

             VOL57       , VOL58       , VOL59       , VOL60       , VOL61       ,
VOL62      , VOL63       , VOL64       ,

             VOL65       , VOL66       , VOL67       , VOL68       , VOL69       ,
VOL70      , VOL71       , VOL72       ,

             VOL73       , VOL74       , VOL75       , VOL76       , VOL77       ,
VOL78      , VOL79       , VOL80       ,

             VOL81       , VOL82       , VOL83       , VOL84       , VOL85       ,
VOL86      ,
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:52:48

                                  PAGE   6
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                        *** SOURCE IDs DEFINED AS URBAN SOURCES
***

  URBAN ID   URBAN POP                                  SOURCE IDs
  --------   ---------                                  ----------

              9818605.   VOL1        , VOL2        , VOL3        , VOL4        ,
```

```
VOL5        , VOL6        , VOL7        ,
 VOL8        ,

             VOL9        , VOL10       , VOL11       , VOL12       , VOL13       ,
VOL14       , VOL15       , VOL16       ,

             VOL17       , VOL18       , VOL19       , VOL20       , VOL21       ,
VOL22       , VOL23       , VOL24       ,

             VOL25       , VOL26       , VOL27       , VOL28       , VOL29       ,
VOL30       , VOL31       , VOL32       ,

             VOL33       , VOL34       , VOL35       , VOL36       , VOL37       ,
VOL38       , VOL39       , VOL40       ,

             VOL41       , VOL42       , VOL43       , VOL44       , VOL45       ,
VOL46       , VOL47       , VOL48       ,

             VOL49       , VOL50       , VOL51       , VOL52       , VOL53       ,
VOL54       , VOL55       , VOL56       ,

             VOL57       , VOL58       , VOL59       , VOL60       , VOL61       ,
VOL62       , VOL63       , VOL64       ,

             VOL65       , VOL66       , VOL67       , VOL68       , VOL69       ,
VOL70       , VOL71       , VOL72       ,

             VOL73       , VOL74       , VOL75       , VOL76       , VOL77       ,
VOL78       , VOL79       , VOL80       ,

             VOL81       , VOL82       , VOL83       , VOL84       , VOL85       ,
VOL86       ,
```


*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

```
     ( 375504.4, 3746422.6,      30.0,      30.0,       0.0);         ( 375520.7,
3746156.7,      30.0,      30.0,       0.0);
     ( 375525.3, 3746068.3,      30.0,      30.0,       0.0);         ( 375458.3,
3745980.4,      30.0,      30.0,       0.0);
     ( 376027.3, 3746023.9,      30.0,      30.0,       0.0);         ( 376184.5,
3746006.9,      29.0,      29.0,       0.0);
```

```
     ( 376450.3, 3746051.5,      26.0,      26.0,       0.0);         ( 376765.8,
3745950.3,      23.4,      23.4,       0.0);
     ( 377122.8, 3745912.9,      22.0,      22.0,       0.0);         ( 377119.3,
3745800.3,      22.6,      22.6,       0.0);
     ( 377099.8, 3745758.9,      23.0,      23.0,       0.0);         ( 377013.2,
3745766.6,      23.2,      23.2,       0.0);
     ( 377084.5, 3745665.0,      23.3,      23.3,       0.0);         ( 377106.3,
3745575.4,      23.9,      23.9,       0.0);
     ( 377027.4, 3745416.0,      25.0,      25.0,       0.0);         ( 377081.8,
3745287.7,      25.2,      25.2,       0.0);
     ( 377132.0, 3745291.9,      25.0,      25.0,       0.0);         ( 377040.8,
3745231.4,      25.7,      25.7,       0.0);
     ( 377105.3, 3745340.5,      25.0,      25.0,       0.0);         ( 377112.0,
3746220.4,      21.0,      21.0,       0.0);
     ( 377001.0, 3746095.7,      22.0,      22.0,       0.0);         ( 377206.0,
3747290.6,      21.0,      21.0,       0.0);
     ( 377122.3, 3747265.5,      21.0,      21.0,       0.0);         ( 377096.2,
3747264.6,      21.0,      21.0,       0.0);
     ( 377192.0, 3747358.0,      21.0,      21.0,       0.0);         ( 377148.8,
3747294.4,      21.0,      21.0,       0.0);
     ( 377330.8, 3747461.4,      21.0,      21.0,       0.0);         ( 377347.7,
3747688.8,      21.0,      21.0,       0.0);
     ( 377260.4, 3747813.5,      21.0,      21.0,       0.0);         ( 377282.2,
3748069.5,      21.0,      21.0,       0.0);
     ( 377236.7, 3748067.9,      21.0,      21.0,       0.0);         ( 377385.8,
3748065.9,      20.8,      20.8,       0.0);
     ( 377282.0, 3748002.4,      21.0,      21.0,       0.0);         ( 377093.4,
3747947.2,      21.0,      21.0,       0.0);
     ( 377114.8, 3747859.9,      21.0,      21.0,       0.0);         ( 377159.6,
3747840.0,      21.0,      21.0,       0.0);
     ( 377347.1, 3747830.1,      21.0,      21.0,       0.0);         ( 376416.5,
3747678.9,      23.0,      23.0,       0.0);
     ( 376139.1, 3747690.1,      24.0,      24.0,       0.0);         ( 376472.4,
3747826.3,      23.0,      23.0,       0.0);
     ( 376816.5, 3744704.5,      27.0,      27.0,       0.0);         ( 373778.6,
3745752.9,      30.0,      30.0,       0.0);
     ( 373508.1, 3745982.6,      30.0,      30.0,       0.0);         ( 375580.9,
3746684.6,      28.2,      28.2,       0.0);
     ( 375639.8, 3746811.3,      27.9,      27.9,       0.0);         ( 375646.0,
3746877.3,      27.2,      27.2,       0.0);
     ( 375666.6, 3747058.4,      26.9,      26.9,       0.0);         ( 375668.3,
3747178.9,      26.9,      26.9,       0.0);
     ( 375433.7, 3747237.8,      28.0,      28.0,       0.0);         ( 375254.3,
3747288.6,      29.0,      29.0,       0.0);
     ( 375142.8, 3747281.5,      29.0,      29.0,       0.0);         ( 375351.2,
3747239.4,      28.0,      28.0,       0.0);
     ( 375883.4, 3747279.2,      26.0,      26.0,       0.0);         ( 376037.0,
3747277.2,      25.0,      25.0,       0.0);
     ( 376553.7, 3747266.0,      22.4,      22.4,       0.0);         ( 378243.6,
3747249.9,      19.9,      19.9,       0.0);
```

```
     ( 378274.9, 3747250.2,      19.8,      19.8,       0.0);         ( 378117.4,
3747252.8,      20.8,      20.8,       0.0);
     ( 378507.9, 3747523.7,      17.8,      17.8,       0.0);         ( 378611.9,
3747484.9,      17.0,      17.0,       0.0);
     ( 378446.6, 3747640.5,      17.0,      17.0,       0.0);         ( 378878.7,
3747434.1,      17.0,      17.0,       0.0);
     ( 378938.9, 3747440.8,      17.0,      17.0,       0.0);         ( 378922.6,
3747182.5,      17.3,      17.3,       0.0);
     ( 378977.1, 3747296.2,      17.0,      17.0,       0.0);         ( 379160.0,
3747327.1,      17.0,      17.0,       0.0);
     ( 379137.0, 3747433.4,      17.0,      17.0,       0.0);         ( 378815.8,
3747584.1,      17.0,      17.0,       0.0);
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                          ***        22:52:48

                                    PAGE   8
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                              *** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***
                                                                  (1=YES; 0=NO)

            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
            1 1 1 1 1 1 1 1 1 1   1 1 1 1 1

                NOTE:  METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON
WHAT IS INCLUDED IN THE DATA FILE.



                                         *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***
                                                              (METERS/SEC)

                                                    1.54,   3.09,   5.14,   8.23,
```

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                    *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

   Surface file: ..\KHHR_V11_trimmed.sfc
                  Met Version: 22112
   Profile file: ..\KHHR_V11_trimmed.pfl

   Surface format: FREE

   Profile format: FREE

   Surface station no.:   3167   Upper air station no.:   3190
                  Name: UNKNOWN   Name: UNKNOWN

                  Year: 2016   Year: 2016

 First 24 hours of scalar data
 YR MO DY JDY HR   H0   U*   W* DT/DZ ZICNV ZIMCH M-O LEN   Z0 BOWEN
ALBEDO REF WS   WD   HT REF TA   HT
- - - -

```
 16 01 01   1 11  121.4  0.322  1.193  0.005  509.  439.    -25.0  0.23   1.29
0.21    2.39   42.    7.9  288.8    2.0
 16 01 01   1 12  141.1  0.291  1.349  0.005  633.  376.    -15.8  0.23   1.29
0.20    2.04   38.    7.9  290.3    2.0
 16 01 01   1 13  140.5  0.248  1.576  0.005 1012.  298.     -9.9  0.29   1.29
0.20    1.50   66.    7.9  291.4    2.0
 16 01 01   1 14  119.4  0.218  1.605  0.010 1258.  245.     -7.9  0.23   1.29
0.21    1.38   52.    7.9  291.4    2.0
 16 01 01   1 15   79.4  0.146  1.444  0.011 1376.  135.     -3.5  0.05   1.29
0.24    1.33  103.    7.9  292.0    2.0
 16 01 01   1 16   23.2  0.190  0.963  0.012 1392.  199.    -26.9  0.22   1.29
0.33    1.45  321.    7.9  291.4    2.0
 16 01 01   1 17  -18.8  0.217 -9.000 -9.000 -999.  242.     51.7  0.05   1.29
0.59    2.89  249.    7.9  288.8    2.0
 16 01 01   1 18  -20.1  0.203 -9.000 -9.000 -999.  219.     45.2  0.24   1.29
1.00    1.82  284.    7.9  287.0    2.0
 16 01 01   1 19  -12.0  0.148 -9.000 -9.000 -999.  137.     24.5  0.22   1.29
1.00    1.40  310.    7.9  286.4    2.0
 16 01 01   1 20   -9.7  0.133 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  333.    7.9  285.9    2.0
 16 01 01   1 21   -8.5  0.124 -9.000 -9.000 -999.  104.     20.1  0.21   1.29
1.00    1.20  337.    7.9  285.9    2.0
 16 01 01   1 22   -6.7  0.110 -9.000 -9.000 -999.   87.     17.8  0.22   1.29
1.00    1.06  328.    7.9  285.9    2.0
 16 01 01   1 23   -9.7  0.132 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  344.    7.9  285.3    2.0
 16 01 01   1 24  -10.5  0.138 -9.000 -9.000 -999.  123.     22.6  0.22   1.29
1.00    1.31  327.    7.9  285.3    2.0


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 16 01 01 01    7.9 1  333.    1.31   282.1   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:52:48

                                  PAGE  10
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                              *** THE   1ST HIGHEST  1-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP:  ALL      ***
                                 INCLUDING SOURCE(S):     VOL1        , VOL2
 , VOL3        , VOL4        , VOL5        ,
                 VOL6        , VOL7        , VOL8        , VOL9        , VOL10
 , VOL11       , VOL12       , VOL13       ,
                 VOL14       , VOL15       , VOL16       , VOL17       , VOL18
```

```
 , VOL19       , VOL20       , VOL21       ,
                 VOL22       , VOL23       , VOL24       , VOL25       , VOL26
 , VOL27       , VOL28       ,  . . .      ,

                                          *** DISCRETE CARTESIAN RECEPTOR POINTS
***

                                        ** CONC OF NOX      IN MICROGRAMS/M**3
                  **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)
Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        375504.40   3746422.65        3.77199  (18121024)                375520.66
 3746156.71        2.44522  (16011923)
        375525.31   3746068.32        1.44192  (20093007)                375458.35
 3745980.39        0.88023  (20093007)
        376027.28   3746023.89        2.82099  (20093007)                376184.52
 3746006.90        1.61735  (16021717)
        376450.33   3746051.53        0.83067  (21112217)                376765.76
 3745950.26        0.38538  (16021717)
        377122.79   3745912.91        0.24637  (16040619)                377119.34
 3745800.28        0.22716  (16021717)
        377099.81   3745758.90        0.24036  (16021717)                377013.22
 3745766.57        0.27209  (16021717)
        377084.48   3745665.04        0.22593  (16021717)                377106.32
 3745575.39        0.17967  (16021717)
        377027.40   3745416.02        0.13229  (16041518)                377081.80
 3745287.68        0.11417  (17122019)
        377131.99   3745291.89        0.10925  (17122019)                377040.81
 3745231.36        0.11514  (20063007)
        377105.28   3745340.55        0.11663  (16041518)                377111.99
 3746220.41        0.54912  (21122218)
        377000.96   3746095.73        0.50554  (21122218)                377205.99
 3747290.61        0.30482  (21120220)
        377122.30   3747265.54        0.30946  (21120220)                377096.25
 3747264.56        0.30628  (21120220)
        377191.99   3747358.03        0.26579  (21120220)                377148.78
 3747294.40        0.29592  (21120220)
        377330.78   3747461.45        0.23362  (21120220)                377347.71
 3747688.77        0.13913  (17021622)
        377260.43   3747813.51        0.10077  (21060320)                377282.25
 3748069.48        0.06582  (16090407)
        377236.66   3748067.86        0.06403  (16090407)                377385.82
 3748065.90        0.06793  (16090407)
        377282.04   3748002.42        0.07118  (16090407)                377093.43
 3747947.16        0.06865  (16090407)
        377114.75   3747859.95        0.07962  (16090407)                377159.60
 3747840.02        0.08468  (21060320)
```

```
       377347.08   3747830.10        0.10561  (21060320)               376416.51
 3747678.93        0.11090  (20093007)
       376139.13   3747690.11        0.12145  (20093007)               376472.39
 3747826.26        0.09436  (20093007)
       376816.50   3744704.49        0.09768  (18122721)               373778.57
 3745752.93        0.12565  (16092803)
       373508.13   3745982.62        0.20484  (20022906)               375580.91
 3746684.56        1.13182  (17022017)
       375639.80   3746811.26        0.67940  (17022017)               375646.05
 3746877.29        0.54875  (20093007)
       375666.57   3747058.42        0.34775  (20093007)               375668.35
 3747178.87        0.27224  (20093007)
       375433.69   3747237.76        0.28626  (17022017)               375254.34
 3747288.62        0.18671  (20093007)
       375142.81   3747281.48        0.17374  (20093007)               375351.20
 3747239.38        0.25418  (17022017)
       375883.41   3747279.17        0.22598  (20093007)               376037.04
 3747277.19        0.21573  (20093007)
       376553.70   3747266.00        0.17544  (21060320)               378243.59
 3747249.86        0.21491  (20012718)
       378274.87   3747250.21        0.21246  (20012718)               378117.44
 3747252.85        0.22715  (18012421)
       378507.87   3747523.66        0.18067  (17120318)               378611.88
 3747484.95        0.17465  (18012421)
       378446.61   3747640.47        0.18091  (16012022)               378878.71
 3747434.12        0.16092  (20012718)
       378938.91   3747440.77        0.15707  (20012718)               378922.58
 3747182.46        0.16427  (16021418)
       378977.07   3747296.18        0.15754  (16021418)               379160.03
 3747327.13        0.14747  (16021418)
       379136.95   3747433.41        0.14615  (16012021)               378815.84
 3747584.14        0.15878  (18012421)
♠ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:52:48

                                  PAGE  11
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                                *** THE SUMMARY OF HIGHEST  1-HR
RESULTS ***


                                  ** CONC OF NOX      IN MICROGRAMS/M**3
              **

                                                      DATE
                                        NETWORK
GROUP ID                          AVERAGE CONC     (YYMMDDHH)             RECEPTOR
```

```
(XR, YR, ZELEV, ZHILL, ZFLAG)    OF TYPE  GRID-ID
- - - -
```

```
    *** AERMOD Finishes Successfully ***
    ************************************
** Lakes Environmental AERMOD MPI
**
****************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 12/10/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\13705 HRA\11796-Ops LST PM10\11796-Ops
LST PM10.ADI
**
****************************************
**
**
****************************************
** AERMOD Control Pathway
****************************************
**
**
CO STARTING
   TITLEONE C:\Lakes\AERMOD View\13705 HRA\13705 CON HRA\13705 CON HRA.isc
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 9818605
   POLLUTID PM_10
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "11796-Ops LST PM10.err"
CO FINISHED
**
****************************************
** AERMOD Source Pathway
****************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     375911.028  3746104.716       30.000
   LOCATION VOL2         VOLUME     375888.563  3746113.923       30.000
   LOCATION VOL3         VOLUME     375856.161  3746124.969       30.000
   LOCATION VOL4         VOLUME     375813.449  3746140.434       30.000
   LOCATION VOL5         VOLUME     375770.737  3746158.844       30.000
   LOCATION VOL6         VOLUME     375727.288  3746174.309       30.000
   LOCATION VOL7         VOLUME     375682.367  3746191.247       30.000
   LOCATION VOL8         VOLUME     375639.654  3746200.084       30.000
   LOCATION VOL9         VOLUME     375587.369  3746217.758       30.000
   LOCATION VOL10        VOLUME     375622.717  3746215.548       30.000
```

LOCATION VOL11	VOLUME	375589.578	3746259.733	30.000
LOCATION VOL12	VOLUME	375589.578	3746303.182	30.000
LOCATION VOL13	VOLUME	375588.105	3746346.631	30.000
LOCATION VOL14	VOLUME	375593.260	3746388.606	30.000
LOCATION VOL15	VOLUME	375596.206	3746431.319	29.990
LOCATION VOL16	VOLUME	375609.461	3746474.031	29.520
LOCATION VOL17	VOLUME	375621.244	3746516.743	29.060
LOCATION VOL18	VOLUME	375637.445	3746533.681	29.000
LOCATION VOL19	VOLUME	375661.747	3746507.170	29.130
LOCATION VOL20	VOLUME	375696.359	3746485.077	29.150
LOCATION VOL21	VOLUME	375722.133	3746453.411	29.030
LOCATION VOL22	VOLUME	375744.226	3746429.846	29.000
LOCATION VOL23	VOLUME	375764.845	3746410.699	29.090
LOCATION VOL24	VOLUME	375784.729	3746389.343	29.090
LOCATION VOL25	VOLUME	375806.821	3746371.669	29.000
LOCATION VOL26	VOLUME	375837.751	3746351.786	29.000
LOCATION VOL27	VOLUME	375854.688	3746320.856	29.150
LOCATION VOL28	VOLUME	375886.354	3746306.864	29.260
LOCATION VOL29	VOLUME	375907.710	3746278.880	29.360
LOCATION VOL30	VOLUME	375926.857	3746258.997	29.290
LOCATION VOL31	VOLUME	375950.422	3746239.850	29.060
LOCATION VOL32	VOLUME	375972.515	3746217.021	29.190
LOCATION VOL33	VOLUME	375991.662	3746197.138	29.240
LOCATION VOL34	VOLUME	376015.963	3746179.464	29.120
LOCATION VOL35	VOLUME	376035.847	3746157.372	28.990
LOCATION VOL36	VOLUME	376056.466	3746138.225	29.060
LOCATION VOL37	VOLUME	376081.505	3746120.551	29.090
LOCATION VOL38	VOLUME	376124.217	3746096.985	28.890
LOCATION VOL39	VOLUME	376080.032	3746096.249	29.190
LOCATION VOL40	VOLUME	376037.320	3746092.567	29.530
LOCATION VOL41	VOLUME	375997.553	3746090.358	29.780
LOCATION VOL42	VOLUME	375954.104	3746094.040	29.990
LOCATION VOL43	VOLUME	376014.491	3746135.279	29.310
LOCATION VOL44	VOLUME	375973.251	3746153.689	29.690
LOCATION VOL45	VOLUME	375973.988	3746133.070	29.770
LOCATION VOL46	VOLUME	375931.276	3746137.488	30.000
LOCATION VOL47	VOLUME	375948.950	3746175.046	29.730
LOCATION VOL48	VOLUME	375929.803	3746217.758	29.490
LOCATION VOL49	VOLUME	375883.408	3746263.416	29.700
LOCATION VOL50	VOLUME	375842.905	3746309.073	29.280
LOCATION VOL51	VOLUME	375799.457	3746345.894	29.020
LOCATION VOL52	VOLUME	375756.745	3746367.987	29.380
LOCATION VOL53	VOLUME	375720.660	3746411.435	29.230
LOCATION VOL54	VOLUME	375677.948	3746451.202	29.470
LOCATION VOL55	VOLUME	375652.910	3746474.767	29.480
LOCATION VOL56	VOLUME	375639.654	3746432.055	29.970
LOCATION VOL57	VOLUME	375679.421	3746408.490	29.680
LOCATION VOL58	VOLUME	375634.500	3746388.606	30.000
LOCATION VOL59	VOLUME	375631.554	3746345.158	30.000
LOCATION VOL60	VOLUME	375633.027	3746303.918	30.000

```
   LOCATION VOL61        VOLUME     375633.027  3746258.997       30.000
   LOCATION VOL62        VOLUME     375675.739  3746367.250       29.880
   LOCATION VOL63        VOLUME     375717.715  3746369.460       29.670
   LOCATION VOL64        VOLUME     375675.739  3746324.538       30.000
   LOCATION VOL65        VOLUME     375675.739  3746281.090       30.000
   LOCATION VOL66        VOLUME     375667.638  3746236.168       30.000
   LOCATION VOL67        VOLUME     375711.087  3746238.377       30.000
   LOCATION VOL68        VOLUME     375719.187  3746326.011       30.000
   LOCATION VOL69        VOLUME     375760.427  3746323.802       29.590
   LOCATION VOL70        VOLUME     375719.187  3746281.826       30.000
   LOCATION VOL71        VOLUME     375712.560  3746211.130       30.000
   LOCATION VOL72        VOLUME     375803.875  3746303.182       29.340
   LOCATION VOL73        VOLUME     375760.427  3746279.617       29.810
   LOCATION VOL74        VOLUME     375755.272  3746238.377       30.000
   LOCATION VOL75        VOLUME     375757.481  3746203.029       30.000
   LOCATION VOL76        VOLUME     375842.169  3746265.625       29.750
   LOCATION VOL77        VOLUME     375800.193  3746261.206       29.800
   LOCATION VOL78        VOLUME     375797.984  3746219.967       30.000
   LOCATION VOL79        VOLUME     375801.666  3746184.619       30.000
   LOCATION VOL80        VOLUME     375840.696  3746224.385       30.000
   LOCATION VOL81        VOLUME     375884.881  3746221.440       29.920
   LOCATION VOL82        VOLUME     375842.169  3746180.937       30.000
   LOCATION VOL83        VOLUME     375884.881  3746179.464       29.960
   LOCATION VOL84        VOLUME     375888.563  3746144.116       30.000
   LOCATION VOL85        VOLUME     375892.245  3746158.108       29.980
   LOCATION VOL86        VOLUME     375920.229  3746183.146       29.790
** Source Parameters **
   SRCPARAM VOL1         0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL2         0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL3         0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL4         0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL5         0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL6         0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL7         0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL8         0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL9         0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL10        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL11        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL12        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL13        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL14        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL15        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL16        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL17        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL18        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL19        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL20        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL21        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL22        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL23        0.0000806386     5.000     9.591     1.400
```

```
SRCPARAM VOL24        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL25        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL26        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL27        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL28        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL29        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL30        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL31        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL32        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL33        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL34        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL35        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL36        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL37        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL38        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL39        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL40        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL41        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL42        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL43        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL44        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL45        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL46        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL47        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL48        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL49        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL50        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL51        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL52        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL53        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL54        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL55        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL56        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL57        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL58        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL59        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL60        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL61        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL62        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL63        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL64        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL65        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL66        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL67        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL68        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL69        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL70        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL71        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL72        0.0000806386     5.000     9.591     1.400
SRCPARAM VOL73        0.0000806386     5.000     9.591     1.400
```

```
   SRCPARAM VOL74        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL75        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL76        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL77        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL78        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL79        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL80        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL81        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL82        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL83        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL84        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL85        0.0000806386     5.000     9.591     1.400
   SRCPARAM VOL86        0.0000806386     5.000     9.591     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**********************************
** AERMOD Receptor Pathway
**********************************
**
**
RE STARTING
   INCLUDED "11796-Ops LST PM10.rou"
RE FINISHED
**
**********************************
** AERMOD Meteorology Pathway
**********************************
**
**
ME STARTING
   SURFFILE ..\KHHR_V11_trimmed.sfc
   PROFFILE ..\KHHR_V11_trimmed.pfl
   SURFDATA 3167 2016
   UAIRDATA 3190 2016
   PROFBASE 19.17 METERS
ME FINISHED
**
**********************************
** AERMOD Output Pathway
**********************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "11796-OPS LST PM10.AD\24H1GALL.PLT" 31
   SUMMFILE "11796-Ops LST PM10.sum"
```

```
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     234       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187     234       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 **********************************
 *** SETUP Finishes Successfully ***
 **********************************

 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        22:56:19

                                    PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                              ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
```

```
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for    86 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   9818605.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Accepts FLAGPOLE Receptor . Heights.
      * The User Specified a Pollutant Type of: PM_10

 **Model Calculates  1 Short Term Average(s) of:  24-HR

 **This Run Includes:     86 Source(s);       1 Source Group(s); and      68
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     86 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                 and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  22112

 **Output Options Selected:
          Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
          Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
          Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
Hours
                                                                 b for Both Calm
and Missing Hours

 **Misc. Inputs:  Base Elev. for Pot. Temp. Profile (m MSL) =    19.17 ;  Decay
Coef. =    0.000     ;  Rot. Angle =     0.0
                  Emission Units = GRAMS/SEC                                 ;
Emission Rate Unit Factor =   0.10000E+07
                  Output Units   = MICROGRAMS/M**3
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. SCALAR VARY BY CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT
VOL1	0	0.80639E-04	375911.0	3746104.7	30.0	5.00	9.59	1.40	YES	NO
VOL2	0	0.80639E-04	375888.6	3746113.9	30.0	5.00	9.59	1.40	YES	NO
VOL3	0	0.80639E-04	375856.2	3746125.0	30.0	5.00	9.59	1.40	YES	NO
VOL4	0	0.80639E-04	375813.4	3746140.4	30.0	5.00	9.59	1.40	YES	NO
VOL5	0	0.80639E-04	375770.7	3746158.8	30.0	5.00	9.59	1.40	YES	NO
VOL6	0	0.80639E-04	375727.3	3746174.3	30.0	5.00	9.59	1.40	YES	NO
VOL7	0	0.80639E-04	375682.4	3746191.2	30.0	5.00	9.59	1.40	YES	NO
VOL8	0	0.80639E-04	375639.7	3746200.1	30.0	5.00	9.59	1.40	YES	NO
VOL9	0	0.80639E-04	375587.4	3746217.8	30.0	5.00	9.59	1.40	YES	NO

```
 VOL10           0   0.80639E-04  375622.7 3746215.5    30.0     5.00     9.59
1.40     YES                  NO
 VOL11           0   0.80639E-04  375589.6 3746259.7    30.0     5.00     9.59
1.40     YES                  NO
 VOL12           0   0.80639E-04  375589.6 3746303.2    30.0     5.00     9.59
1.40     YES                  NO
 VOL13           0   0.80639E-04  375588.1 3746346.6    30.0     5.00     9.59
1.40     YES                  NO
 VOL14           0   0.80639E-04  375593.3 3746388.6    30.0     5.00     9.59
1.40     YES                  NO
 VOL15           0   0.80639E-04  375596.2 3746431.3    30.0     5.00     9.59
1.40     YES                  NO
 VOL16           0   0.80639E-04  375609.5 3746474.0    29.5     5.00     9.59
1.40     YES                  NO
 VOL17           0   0.80639E-04  375621.2 3746516.7    29.1     5.00     9.59
1.40     YES                  NO
 VOL18           0   0.80639E-04  375637.4 3746533.7    29.0     5.00     9.59
1.40     YES                  NO
 VOL19           0   0.80639E-04  375661.7 3746507.2    29.1     5.00     9.59
1.40     YES                  NO
 VOL20           0   0.80639E-04  375696.4 3746485.1    29.2     5.00     9.59
1.40     YES                  NO
 VOL21           0   0.80639E-04  375722.1 3746453.4    29.0     5.00     9.59
1.40     YES                  NO
 VOL22           0   0.80639E-04  375744.2 3746429.8    29.0     5.00     9.59
1.40     YES                  NO
 VOL23           0   0.80639E-04  375764.8 3746410.7    29.1     5.00     9.59
1.40     YES                  NO
 VOL24           0   0.80639E-04  375784.7 3746389.3    29.1     5.00     9.59
1.40     YES                  NO
 VOL25           0   0.80639E-04  375806.8 3746371.7    29.0     5.00     9.59
1.40     YES                  NO
 VOL26           0   0.80639E-04  375837.8 3746351.8    29.0     5.00     9.59
1.40     YES                  NO
 VOL27           0   0.80639E-04  375854.7 3746320.9    29.2     5.00     9.59
1.40     YES                  NO
 VOL28           0   0.80639E-04  375886.4 3746306.9    29.3     5.00     9.59
1.40     YES                  NO
 VOL29           0   0.80639E-04  375907.7 3746278.9    29.4     5.00     9.59
1.40     YES                  NO
 VOL30           0   0.80639E-04  375926.9 3746259.0    29.3     5.00     9.59
1.40     YES                  NO
 VOL31           0   0.80639E-04  375950.4 3746239.8    29.1     5.00     9.59
1.40     YES                  NO
 VOL32           0   0.80639E-04  375972.5 3746217.0    29.2     5.00     9.59
1.40     YES                  NO
 VOL33           0   0.80639E-04  375991.7 3746197.1    29.2     5.00     9.59
1.40     YES                  NO
 VOL34           0   0.80639E-04  376016.0 3746179.5    29.1     5.00     9.59
1.40     YES                  NO
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL41	0	0.80639E-04	375997.6	3746090.4	29.8	5.00	9.59	1.40	YES	NO	
VOL42	0	0.80639E-04	375954.1	3746094.0	30.0	5.00	9.59	1.40	YES	NO	
VOL43	0	0.80639E-04	376014.5	3746135.3	29.3	5.00	9.59	1.40	YES	NO	
VOL44	0	0.80639E-04	375973.3	3746153.7	29.7	5.00	9.59	1.40	YES	NO	
VOL45	0	0.80639E-04	375974.0	3746133.1	29.8	5.00	9.59	1.40	YES	NO	
VOL46	0	0.80639E-04	375931.3	3746137.5	30.0	5.00	9.59	1.40	YES	NO	
VOL47	0	0.80639E-04	375949.0	3746175.0	29.7	5.00	9.59	1.40	YES	NO	
VOL48	0	0.80639E-04	375929.8	3746217.8	29.5	5.00	9.59	1.40	YES	NO	
VOL49	0	0.80639E-04	375883.4	3746263.4	29.7	5.00	9.59	1.40	YES	NO	

VOL50		0	0.80639E-04	375842.9	3746309.1	29.3	5.00	9.59	
1.40	YES		NO						
VOL51		0	0.80639E-04	375799.5	3746345.9	29.0	5.00	9.59	
1.40	YES		NO						
VOL52		0	0.80639E-04	375756.7	3746368.0	29.4	5.00	9.59	
1.40	YES		NO						
VOL53		0	0.80639E-04	375720.7	3746411.4	29.2	5.00	9.59	
1.40	YES		NO						
VOL54		0	0.80639E-04	375677.9	3746451.2	29.5	5.00	9.59	
1.40	YES		NO						
VOL55		0	0.80639E-04	375652.9	3746474.8	29.5	5.00	9.59	
1.40	YES		NO						
VOL56		0	0.80639E-04	375639.7	3746432.1	30.0	5.00	9.59	
1.40	YES		NO						
VOL57		0	0.80639E-04	375679.4	3746408.5	29.7	5.00	9.59	
1.40	YES		NO						
VOL58		0	0.80639E-04	375634.5	3746388.6	30.0	5.00	9.59	
1.40	YES		NO						
VOL59		0	0.80639E-04	375631.6	3746345.2	30.0	5.00	9.59	
1.40	YES		NO						
VOL60		0	0.80639E-04	375633.0	3746303.9	30.0	5.00	9.59	
1.40	YES		NO						
VOL61		0	0.80639E-04	375633.0	3746259.0	30.0	5.00	9.59	
1.40	YES		NO						
VOL62		0	0.80639E-04	375675.7	3746367.2	29.9	5.00	9.59	
1.40	YES		NO						
VOL63		0	0.80639E-04	375717.7	3746369.5	29.7	5.00	9.59	
1.40	YES		NO						
VOL64		0	0.80639E-04	375675.7	3746324.5	30.0	5.00	9.59	
1.40	YES		NO						
VOL65		0	0.80639E-04	375675.7	3746281.1	30.0	5.00	9.59	
1.40	YES		NO						
VOL66		0	0.80639E-04	375667.6	3746236.2	30.0	5.00	9.59	
1.40	YES		NO						
VOL67		0	0.80639E-04	375711.1	3746238.4	30.0	5.00	9.59	
1.40	YES		NO						
VOL68		0	0.80639E-04	375719.2	3746326.0	30.0	5.00	9.59	
1.40	YES		NO						
VOL69		0	0.80639E-04	375760.4	3746323.8	29.6	5.00	9.59	
1.40	YES		NO						
VOL70		0	0.80639E-04	375719.2	3746281.8	30.0	5.00	9.59	
1.40	YES		NO						
VOL71		0	0.80639E-04	375712.6	3746211.1	30.0	5.00	9.59	
1.40	YES		NO						
VOL72		0	0.80639E-04	375803.9	3746303.2	29.3	5.00	9.59	
1.40	YES		NO						
VOL73		0	0.80639E-04	375760.4	3746279.6	29.8	5.00	9.59	
1.40	YES		NO						
VOL74		0	0.80639E-04	375755.3	3746238.4	30.0	5.00	9.59	
1.40	YES		NO						

 VOL75   0   0.80639E-04 375757.5 3746203.0   30.0   5.00   9.59
1.40   YES   NO
 VOL76   0   0.80639E-04 375842.2 3746265.6   29.8   5.00   9.59
1.40   YES   NO
 VOL77   0   0.80639E-04 375800.2 3746261.2   29.8   5.00   9.59
1.40   YES   NO
 VOL78   0   0.80639E-04 375798.0 3746220.0   30.0   5.00   9.59
1.40   YES   NO
 VOL79   0   0.80639E-04 375801.7 3746184.6   30.0   5.00   9.59
1.40   YES   NO
 VOL80   0   0.80639E-04 375840.7 3746224.4   30.0   5.00   9.59
1.40   YES   NO

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                                  *** VOLUME SOURCE DATA ***

              NUMBER EMISSION RATE   BASE   RELEASE   INIT.
INIT.   URBAN EMISSION RATE   AIRCRAFT
   SOURCE   PART. (GRAMS/SEC)   X   Y   ELEV.   HEIGHT   SY
SZ   SOURCE SCALAR VARY
     ID   CATS.   (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS)   BY
 -
- -

 VOL81   0   0.80639E-04 375884.9 3746221.4   29.9   5.00   9.59
1.40   YES   NO
 VOL82   0   0.80639E-04 375842.2 3746180.9   30.0   5.00   9.59
1.40   YES   NO
 VOL83   0   0.80639E-04 375884.9 3746179.5   30.0   5.00   9.59
1.40   YES   NO
 VOL84   0   0.80639E-04 375888.6 3746144.1   30.0   5.00   9.59
1.40   YES   NO
 VOL85   0   0.80639E-04 375892.2 3746158.1   30.0   5.00   9.59
1.40   YES   NO
 VOL86   0   0.80639E-04 375920.2 3746183.1   29.8   5.00   9.59
1.40   YES   NO

```
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*


                                          *** SOURCE IDs DEFINING SOURCE GROUPS
***

 SRCGROUP ID                                          SOURCE IDs
 -----------                                          ----------


  ALL        VOL1       , VOL2       , VOL3       , VOL4       , VOL5       ,
VOL6       , VOL7       , VOL8       ,

             VOL9       , VOL10      , VOL11      , VOL12      , VOL13      ,
VOL14      , VOL15      , VOL16      ,

             VOL17      , VOL18      , VOL19      , VOL20      , VOL21      ,
VOL22      , VOL23      , VOL24      ,

             VOL25      , VOL26      , VOL27      , VOL28      , VOL29      ,
VOL30      , VOL31      , VOL32      ,

             VOL33      , VOL34      , VOL35      , VOL36      , VOL37      ,
VOL38      , VOL39      , VOL40      ,

             VOL41      , VOL42      , VOL43      , VOL44      , VOL45      ,
VOL46      , VOL47      , VOL48      ,

             VOL49      , VOL50      , VOL51      , VOL52      , VOL53      ,
VOL54      , VOL55      , VOL56      ,

             VOL57      , VOL58      , VOL59      , VOL60      , VOL61      ,
VOL62      , VOL63      , VOL64      ,

             VOL65      , VOL66      , VOL67      , VOL68      , VOL69      ,
VOL70      , VOL71      , VOL72      ,

             VOL73      , VOL74      , VOL75      , VOL76      , VOL77      ,
VOL78      , VOL79      , VOL80      ,

             VOL81      , VOL82      , VOL83      , VOL84      , VOL85      ,
VOL86      ,
↟ *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                        ***       22:56:19

                                  PAGE   6
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*
```

*** SOURCE IDs DEFINED AS URBAN SOURCES ***

URBAN ID	URBAN POP	SOURCE IDs
	9818605.	VOL1 , VOL2 , VOL3 , VOL4 , VOL5 , VOL6 , VOL7 , VOL8 ,
		VOL9 , VOL10 , VOL11 , VOL12 , VOL13 , VOL14 , VOL15 , VOL16 ,
		VOL17 , VOL18 , VOL19 , VOL20 , VOL21 , VOL22 , VOL23 , VOL24 ,
		VOL25 , VOL26 , VOL27 , VOL28 , VOL29 , VOL30 , VOL31 , VOL32 ,
		VOL33 , VOL34 , VOL35 , VOL36 , VOL37 , VOL38 , VOL39 , VOL40 ,
		VOL41 , VOL42 , VOL43 , VOL44 , VOL45 , VOL46 , VOL47 , VOL48 ,
		VOL49 , VOL50 , VOL51 , VOL52 , VOL53 , VOL54 , VOL55 , VOL56 ,
		VOL57 , VOL58 , VOL59 , VOL60 , VOL61 , VOL62 , VOL63 , VOL64 ,
		VOL65 , VOL66 , VOL67 , VOL68 , VOL69 , VOL70 , VOL71 , VOL72 ,
		VOL73 , VOL74 , VOL75 , VOL76 , VOL77 , VOL78 , VOL79 , VOL80 ,
		VOL81 , VOL82 , VOL83 , VOL84 , VOL85 , VOL86 ,

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***

(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(375504.4, 3746422.6, 30.0, 30.0, 0.0); (375520.7, 3746156.7, 30.0, 30.0, 0.0);
(375525.3, 3746068.3, 30.0, 30.0, 0.0); (375458.3, 3745980.4, 30.0, 30.0, 0.0);
(376027.3, 3746023.9, 30.0, 30.0, 0.0); (376184.5, 3746006.9, 29.0, 29.0, 0.0);
(376450.3, 3746051.5, 26.0, 26.0, 0.0); (376765.8, 3745950.3, 23.4, 23.4, 0.0);
(377122.8, 3745912.9, 22.0, 22.0, 0.0); (377119.3, 3745800.3, 22.6, 22.6, 0.0);
(377099.8, 3745758.9, 23.0, 23.0, 0.0); (377013.2, 3745766.6, 23.2, 23.2, 0.0);
(377084.5, 3745665.0, 23.3, 23.3, 0.0); (377106.3, 3745575.4, 23.9, 23.9, 0.0);
(377027.4, 3745416.0, 25.0, 25.0, 0.0); (377081.8, 3745287.7, 25.2, 25.2, 0.0);
(377132.0, 3745291.9, 25.0, 25.0, 0.0); (377040.8, 3745231.4, 25.7, 25.7, 0.0);
(377105.3, 3745340.5, 25.0, 25.0, 0.0); (377112.0, 3746220.4, 21.0, 21.0, 0.0);
(377001.0, 3746095.7, 22.0, 22.0, 0.0); (377206.0, 3747290.6, 21.0, 21.0, 0.0);
(377122.3, 3747265.5, 21.0, 21.0, 0.0); (377096.2, 3747264.6, 21.0, 21.0, 0.0);
(377192.0, 3747358.0, 21.0, 21.0, 0.0); (377148.8, 3747294.4, 21.0, 21.0, 0.0);
(377330.8, 3747461.4, 21.0, 21.0, 0.0); (377347.7, 3747688.8, 21.0, 21.0, 0.0);
(377260.4, 3747813.5, 21.0, 21.0, 0.0); (377282.2, 3748069.5, 21.0, 21.0, 0.0);
(377236.7, 3748067.9, 21.0, 21.0, 0.0); (377385.8, 3748065.9, 20.8, 20.8, 0.0);
(377282.0, 3748002.4, 21.0, 21.0, 0.0); (377093.4, 3747947.2, 21.0, 21.0, 0.0);
(377114.8, 3747859.9, 21.0, 21.0, 0.0); (377159.6, 3747840.0, 21.0, 21.0, 0.0);
(377347.1, 3747830.1, 21.0, 21.0, 0.0); (376416.5, 3747678.9, 23.0, 23.0, 0.0);
(376139.1, 3747690.1, 24.0, 24.0, 0.0); (376472.4, 3747826.3, 23.0, 23.0, 0.0);
(376816.5, 3744704.5, 27.0, 27.0, 0.0); (373778.6, 3745752.9, 30.0, 30.0, 0.0);
(373508.1, 3745982.6, 30.0, 30.0, 0.0); (375580.9, 3746684.6, 28.2, 28.2, 0.0);
(375639.8, 3746811.3, 27.9, 27.9, 0.0); (375646.0, 3746877.3, 27.2, 27.2, 0.0);
(375666.6, 3747058.4, 26.9, 26.9, 0.0); (375668.3,

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                              *** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***
                                                                  (1=YES; 0=NO)

           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1

               NOTE: METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON

WHAT IS INCLUDED IN THE DATA FILE.

*** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED CATEGORIES ***

(METERS/SEC)

1.54, 3.09, 5.14, 8.23, 10.80,

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL DATA ***

Surface file: ..\KHHR_V11_trimmed.sfc
Met Version: 22112
Profile file: ..\KHHR_V11_trimmed.pfl

Surface format: FREE

Profile format: FREE

Surface station no.: 3167 Upper air station no.: 3190
Name: UNKNOWN Name: UNKNOWN

Year: 2016 Year: 2016

First 24 hours of scalar data

YR	MO	DY	JDY	HR	H0	U*	W*	DT/DZ	ZICNV	ZIMCH	M-O LEN	Z0	BOWEN	ALBEDO	REF WS	WD	HT	REF TA	HT
16	01	01	1	01	-10.3	0.136	-9.000	-9.000	-999.	120.	22.1	0.21	1.29	1.00	1.31	333.	7.9	282.0	2.0
16	01	01	1	02	-10.1	0.135	-9.000	-9.000	-999.	119.	21.9	0.21	1.29	1.00	1.30	344.	7.9	281.4	2.0
16	01	01	1	03	-9.3	0.129	-9.000	-9.000	-999.	111.	20.9	0.21	1.29	1.00	1.25	352.	7.9	281.4	2.0
16	01	01	1	04	-10.6	0.138	-9.000	-9.000	-999.	123.	22.5	0.21	1.29	1.00	1.33	358.	7.9	280.9	2.0
16	01	01	1	05	-10.4	0.136	-9.000	-9.000	-999.	121.	22.2	0.22	1.29	1.00	1.30	322.	7.9	280.3	2.0
16	01	01	1	06	-13.4	0.156	-9.000	-9.000	-999.	148.	26.8	0.22	1.29						

```
1.00    1.47  325.    7.9  280.9    2.0
 16 01 01   1 07   -9.7  0.132 -9.000 -9.000 -999.  115.     21.4  0.22   1.29
1.00    1.26  329.    7.9  280.3    2.0
 16 01 01   1 08  -16.4  0.202 -9.000 -9.000 -999.  218.     45.6  0.22   1.29
0.55    1.84   15.    7.9  281.4    2.0
 16 01 01   1 09   26.9  0.246  0.362  0.005   64.  293.    -50.4  0.22   1.29
0.32    1.97   24.    7.9  284.2    2.0
 16 01 01   1 10   82.3  0.301  0.834  0.005  256.  396.    -30.1  0.23   1.29
0.24    2.28   36.    7.9  286.4    2.0
 16 01 01   1 11  121.4  0.322  1.193  0.005  509.  439.    -25.0  0.23   1.29
0.21    2.39   42.    7.9  288.8    2.0
 16 01 01   1 12  141.1  0.291  1.349  0.005  633.  376.    -15.8  0.23   1.29
0.20    2.04   38.    7.9  290.3    2.0
 16 01 01   1 13  140.5  0.248  1.576  0.005 1012.  298.     -9.9  0.29   1.29
0.20    1.50   66.    7.9  291.4    2.0
 16 01 01   1 14  119.4  0.218  1.605  0.010 1258.  245.     -7.9  0.23   1.29
0.21    1.38   52.    7.9  291.4    2.0
 16 01 01   1 15   79.4  0.146  1.444  0.011 1376.  135.     -3.5  0.05   1.29
0.24    1.33  103.    7.9  292.0    2.0
 16 01 01   1 16   23.2  0.190  0.963  0.012 1392.  199.    -26.9  0.22   1.29
0.33    1.45  321.    7.9  291.4    2.0
 16 01 01   1 17  -18.8  0.217 -9.000 -9.000 -999.  242.     51.7  0.05   1.29
0.59    2.89  249.    7.9  288.8    2.0
 16 01 01   1 18  -20.1  0.203 -9.000 -9.000 -999.  219.     45.2  0.24   1.29
1.00    1.82  284.    7.9  287.0    2.0
 16 01 01   1 19  -12.0  0.148 -9.000 -9.000 -999.  137.     24.5  0.22   1.29
1.00    1.40  310.    7.9  286.4    2.0
 16 01 01   1 20   -9.7  0.133 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  333.    7.9  285.9    2.0
 16 01 01   1 21   -8.5  0.124 -9.000 -9.000 -999.  104.     20.1  0.21   1.29
1.00    1.20  337.    7.9  285.9    2.0
 16 01 01   1 22   -6.7  0.110 -9.000 -9.000 -999.   87.     17.8  0.22   1.29
1.00    1.06  328.    7.9  285.9    2.0
 16 01 01   1 23   -9.7  0.132 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  344.    7.9  285.3    2.0
 16 01 01   1 24  -10.5  0.138 -9.000 -9.000 -999.  123.     22.6  0.22   1.29
1.00    1.31  327.    7.9  285.3    2.0


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
 16 01 01 01    7.9 1  333.    1.31   282.1   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        22:56:19

                                  PAGE  10
```

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE 1ST HIGHEST 24-HR AVERAGE CONCENTRATION VALUES FOR SOURCE GROUP: ALL ***
INCLUDING SOURCE(S): VOL1 , VOL2 , VOL3 , VOL4 , VOL5 ,
VOL6 , VOL7 , VOL8 , VOL9 , VOL10 , VOL11 , VOL12 , VOL13 ,
VOL14 , VOL15 , VOL16 , VOL17 , VOL18 , VOL19 , VOL20 , VOL21 ,
VOL22 , VOL23 , VOL24 , VOL25 , VOL26 , VOL27 , VOL28 , . . . ,

*** DISCRETE CARTESIAN RECEPTOR POINTS ***

** CONC OF PM_10 IN MICROGRAMS/M**3 **

X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)	X-COORD (M)	Y-COORD (M)	CONC	(YYMMDDHH)
375504.40	3746422.65	0.18948	(17020624)	375520.66	3746156.71	0.13200b	(20112124)
375525.31	3746068.32	0.09208b	(20112124)	375458.35	3745980.39	0.05600b	(20112124)
376027.28	3746023.89	0.18415b	(20112124)	376184.52	3746006.90	0.08388b	(20112124)
376450.33	3746051.53	0.03710b	(21122224)	376765.76	3745950.26	0.01590b	(21122224)
377122.79	3745912.91	0.00978b	(21122224)	377119.34	3745800.28	0.00885b	(20112124)
377099.81	3745758.90	0.00888b	(20112124)	377013.22	3745766.57	0.00987b	(20112124)
377084.48	3745665.04	0.00860b	(20112124)	377106.32	3745575.39	0.00798b	(20112124)
377027.40	3745416.02	0.00776b	(20112124)	377081.80	3745287.68	0.00676b	(20112124)
377131.99	3745291.89	0.00651b	(20112124)	377040.81	3745231.36	0.00672b	(20112124)
377105.28	3745340.55	0.00687b	(20112124)	377111.99	3746220.41	0.01537	(17060824)
377000.96	3746095.73	0.01533b	(21122224)	377205.99	3747290.61	0.00818	(17050524)
377122.30	3747265.54	0.00830	(17050524)	377096.25	3747264.56	0.00821	(17050524)
377191.99	3747358.03	0.00699	(17050524)	377148.78	3747294.40	0.00789	(17050524)
377330.78	3747461.45	0.00605	(17050524)	377347.71			

3747688.77 0.00471m (20121524)
377260.43 3747813.51 0.00433m (20121524) 377282.25
3748069.48 0.00356m (20121524)
377236.66 3748067.86 0.00362m (20121524) 377385.82
3748065.90 0.00344m (20121524)
377282.04 3748002.42 0.00372m (20121524) 377093.43
3747947.16 0.00415m (20121524)
377114.75 3747859.95 0.00439m (20121524) 377159.60
3747840.02 0.00438m (20121524)
377347.08 3747830.10 0.00416m (20121524) 376416.51
3747678.93 0.00702b (20112124)
376139.13 3747690.11 0.00769b (20112124) 376472.39
3747826.26 0.00597b (20112124)
376816.50 3744704.49 0.00519b (20112124) 373778.57
3745752.93 0.00427b (20112124)
373508.13 3745982.62 0.00482 (21012724) 375580.91
3746684.56 0.06861b (20112124)
375639.80 3746811.26 0.04307b (20112124) 375646.05
3746877.29 0.03488b (20112124)
375666.57 3747058.42 0.02206b (20112124) 375668.35
3747178.87 0.01725b (20112124)
375433.69 3747237.76 0.01424b (20112124) 375254.34
3747288.62 0.01182b (20112124)
375142.81 3747281.48 0.01099b (20112124) 375351.20
3747239.38 0.01352b (20112124)
375883.41 3747279.17 0.01432b (20112124) 376037.04
3747277.19 0.01367b (20112124)
376553.70 3747266.00 0.01024m (20121524) 378243.59
3747249.86 0.00768 (18052024)
378274.87 3747250.21 0.00758 (18052024) 378117.44
3747252.85 0.00804 (18052024)
378507.87 3747523.66 0.00611 (20082424) 378611.88
3747484.95 0.00601 (18052024)
378446.61 3747640.47 0.00576 (20082424) 378878.71
3747434.12 0.00560 (18052024)
378938.91 3747440.77 0.00546 (18052024) 378922.58
3747182.46 0.00604 (18052324)
378977.07 3747296.18 0.00569 (18052324) 379160.03
3747327.13 0.00531 (18052324)
379136.95 3747433.41 0.00508 (20072924) 378815.84
3747584.14 0.00540 (18052024)

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** THE SUMMARY OF HIGHEST 24-HR

RESULTS ***

** CONC OF PM_10 IN MICROGRAMS/M**3
**

GROUP ID	AVERAGE	CONC	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)	OF TYPE	NETWORK GRID-ID
ALL	HIGH	1ST HIGH VALUE IS	0.18948	ON 17020624: AT (375504.40, 3746422.65, 30.00, 30.00, 0.00)	DC	

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 4 Warning Message(s)
A Total of 1422 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 888 Calm Hours Identified

A Total of 534 Missing Hours Identified (1.22 Percent)

******** FATAL ERROR MESSAGES ********
*** NONE ***

******** WARNING MESSAGES ********
ME W186 234 MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used

```
      0.50
 ME W187     234       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 MX W450   26305       CHKDAT: Record Out of Sequence in Meteorological File at:
  20010101
 MX W450   26305       CHKDAT: Record Out of Sequence in Meteorological File at:
1 year gap

    ************************************
    *** AERMOD Finishes Successfully ***
    ************************************
** Lakes Environmental AERMOD MPI
**
****************************************
**
** AERMOD Input Produced by:
** AERMOD View Ver. 12.0.0
** Lakes Environmental Software Inc.
** Date: 12/10/2024
** File: C:\Users\adadabhoy\Desktop\AERMOD\13705 HRA\11796-Ops LST PM25\11796-Ops
LST PM25.ADI
**
****************************************
**
**
****************************************
** AERMOD Control Pathway
****************************************
**
**
CO STARTING
   TITLEONE C:\Lakes\AERMOD View\13705 HRA\13705 CON HRA\13705 CON HRA.isc
   MODELOPT DFAULT CONC
   AVERTIME 24
   URBANOPT 9818605
   POLLUTID PM_2.5
   FLAGPOLE 2.00
   RUNORNOT RUN
   ERRORFIL "11796-Ops LST PM25.err"
CO FINISHED
**
****************************************
** AERMOD Source Pathway
****************************************
**
**
SO STARTING
** Source Location **
** Source ID - Type - X Coord. - Y Coord. **
   LOCATION VOL1         VOLUME     375911.028  3746104.716       30.000
```

LOCATION VOL2	VOLUME	375888.563	3746113.923	30.000
LOCATION VOL3	VOLUME	375856.161	3746124.969	30.000
LOCATION VOL4	VOLUME	375813.449	3746140.434	30.000
LOCATION VOL5	VOLUME	375770.737	3746158.844	30.000
LOCATION VOL6	VOLUME	375727.288	3746174.309	30.000
LOCATION VOL7	VOLUME	375682.367	3746191.247	30.000
LOCATION VOL8	VOLUME	375639.654	3746200.084	30.000
LOCATION VOL9	VOLUME	375587.369	3746217.758	30.000
LOCATION VOL10	VOLUME	375622.717	3746215.548	30.000
LOCATION VOL11	VOLUME	375589.578	3746259.733	30.000
LOCATION VOL12	VOLUME	375589.578	3746303.182	30.000
LOCATION VOL13	VOLUME	375588.105	3746346.631	30.000
LOCATION VOL14	VOLUME	375593.260	3746388.606	30.000
LOCATION VOL15	VOLUME	375596.206	3746431.319	29.990
LOCATION VOL16	VOLUME	375609.461	3746474.031	29.520
LOCATION VOL17	VOLUME	375621.244	3746516.743	29.060
LOCATION VOL18	VOLUME	375637.445	3746533.681	29.000
LOCATION VOL19	VOLUME	375661.747	3746507.170	29.130
LOCATION VOL20	VOLUME	375696.359	3746485.077	29.150
LOCATION VOL21	VOLUME	375722.133	3746453.411	29.030
LOCATION VOL22	VOLUME	375744.226	3746429.846	29.000
LOCATION VOL23	VOLUME	375764.845	3746410.699	29.090
LOCATION VOL24	VOLUME	375784.729	3746389.343	29.090
LOCATION VOL25	VOLUME	375806.821	3746371.669	29.000
LOCATION VOL26	VOLUME	375837.751	3746351.786	29.000
LOCATION VOL27	VOLUME	375854.688	3746320.856	29.150
LOCATION VOL28	VOLUME	375886.354	3746306.864	29.260
LOCATION VOL29	VOLUME	375907.710	3746278.880	29.360
LOCATION VOL30	VOLUME	375926.857	3746258.997	29.290
LOCATION VOL31	VOLUME	375950.422	3746239.850	29.060
LOCATION VOL32	VOLUME	375972.515	3746217.021	29.190
LOCATION VOL33	VOLUME	375991.662	3746197.138	29.240
LOCATION VOL34	VOLUME	376015.963	3746179.464	29.120
LOCATION VOL35	VOLUME	376035.847	3746157.372	28.990
LOCATION VOL36	VOLUME	376056.466	3746138.225	29.060
LOCATION VOL37	VOLUME	376081.505	3746120.551	29.090
LOCATION VOL38	VOLUME	376124.217	3746096.985	28.890
LOCATION VOL39	VOLUME	376080.032	3746096.249	29.190
LOCATION VOL40	VOLUME	376037.320	3746092.567	29.530
LOCATION VOL41	VOLUME	375997.553	3746090.358	29.780
LOCATION VOL42	VOLUME	375954.104	3746094.040	29.990
LOCATION VOL43	VOLUME	376014.491	3746135.279	29.310
LOCATION VOL44	VOLUME	375973.251	3746153.689	29.690
LOCATION VOL45	VOLUME	375973.988	3746133.070	29.770
LOCATION VOL46	VOLUME	375931.276	3746137.488	30.000
LOCATION VOL47	VOLUME	375948.950	3746175.046	29.730
LOCATION VOL48	VOLUME	375929.803	3746217.758	29.490
LOCATION VOL49	VOLUME	375883.408	3746263.416	29.700
LOCATION VOL50	VOLUME	375842.905	3746309.073	29.280
LOCATION VOL51	VOLUME	375799.457	3746345.894	29.020

```
   LOCATION VOL52        VOLUME     375756.745  3746367.987       29.380
   LOCATION VOL53        VOLUME     375720.660  3746411.435       29.230
   LOCATION VOL54        VOLUME     375677.948  3746451.202       29.470
   LOCATION VOL55        VOLUME     375652.910  3746474.767       29.480
   LOCATION VOL56        VOLUME     375639.654  3746432.055       29.970
   LOCATION VOL57        VOLUME     375679.421  3746408.490       29.680
   LOCATION VOL58        VOLUME     375634.500  3746388.606       30.000
   LOCATION VOL59        VOLUME     375631.554  3746345.158       30.000
   LOCATION VOL60        VOLUME     375633.027  3746303.918       30.000
   LOCATION VOL61        VOLUME     375633.027  3746258.997       30.000
   LOCATION VOL62        VOLUME     375675.739  3746367.250       29.880
   LOCATION VOL63        VOLUME     375717.715  3746369.460       29.670
   LOCATION VOL64        VOLUME     375675.739  3746324.538       30.000
   LOCATION VOL65        VOLUME     375675.739  3746281.090       30.000
   LOCATION VOL66        VOLUME     375667.638  3746236.168       30.000
   LOCATION VOL67        VOLUME     375711.087  3746238.377       30.000
   LOCATION VOL68        VOLUME     375719.187  3746326.011       30.000
   LOCATION VOL69        VOLUME     375760.427  3746323.802       29.590
   LOCATION VOL70        VOLUME     375719.187  3746281.826       30.000
   LOCATION VOL71        VOLUME     375712.560  3746211.130       30.000
   LOCATION VOL72        VOLUME     375803.875  3746303.182       29.340
   LOCATION VOL73        VOLUME     375760.427  3746279.617       29.810
   LOCATION VOL74        VOLUME     375755.272  3746238.377       30.000
   LOCATION VOL75        VOLUME     375757.481  3746203.029       30.000
   LOCATION VOL76        VOLUME     375842.169  3746265.625       29.750
   LOCATION VOL77        VOLUME     375800.193  3746261.206       29.800
   LOCATION VOL78        VOLUME     375797.984  3746219.967       30.000
   LOCATION VOL79        VOLUME     375801.666  3746184.619       30.000
   LOCATION VOL80        VOLUME     375840.696  3746224.385       30.000
   LOCATION VOL81        VOLUME     375884.881  3746221.440       29.920
   LOCATION VOL82        VOLUME     375842.169  3746180.937       30.000
   LOCATION VOL83        VOLUME     375884.881  3746179.464       29.960
   LOCATION VOL84        VOLUME     375888.563  3746144.116       30.000
   LOCATION VOL85        VOLUME     375892.245  3746158.108       29.980
   LOCATION VOL86        VOLUME     375920.229  3746183.146       29.790
** Source Parameters **
   SRCPARAM VOL1         0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL2         0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL3         0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL4         0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL5         0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL6         0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL7         0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL8         0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL9         0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL10        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL11        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL12        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL13        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL14        0.0000415793     5.000     9.591     1.400
```

```
SRCPARAM VOL15        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL16        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL17        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL18        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL19        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL20        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL21        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL22        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL23        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL24        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL25        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL26        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL27        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL28        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL29        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL30        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL31        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL32        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL33        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL34        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL35        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL36        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL37        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL38        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL39        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL40        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL41        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL42        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL43        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL44        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL45        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL46        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL47        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL48        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL49        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL50        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL51        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL52        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL53        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL54        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL55        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL56        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL57        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL58        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL59        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL60        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL61        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL62        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL63        0.0000415793     5.000     9.591     1.400
SRCPARAM VOL64        0.0000415793     5.000     9.591     1.400
```

```
   SRCPARAM VOL65        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL66        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL67        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL68        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL69        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL70        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL71        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL72        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL73        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL74        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL75        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL76        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL77        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL78        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL79        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL80        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL81        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL82        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL83        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL84        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL85        0.0000415793     5.000     9.591     1.400
   SRCPARAM VOL86        0.0000415793     5.000     9.591     1.400
   URBANSRC ALL
   SRCGROUP ALL
SO FINISHED
**
**************************************
** AERMOD Receptor Pathway
**************************************
**
**
RE STARTING
   INCLUDED "11796-Ops LST PM25.rou"
RE FINISHED
**
**************************************
** AERMOD Meteorology Pathway
**************************************
**
**
ME STARTING
   SURFFILE ..\KHHR_V11_trimmed.sfc
   PROFFILE ..\KHHR_V11_trimmed.pfl
   SURFDATA 3167 2016
   UAIRDATA 3190 2016
   PROFBASE 19.17 METERS
ME FINISHED
**
**************************************
** AERMOD Output Pathway
```

```
************************************
**
**
OU STARTING
   RECTABLE ALLAVE 1ST
   RECTABLE 24 1ST
** Auto-Generated Plotfiles
   PLOTFILE 24 ALL 1ST "11796-OPS LST PM25.AD\24H1GALL.PLT" 31
   SUMMFILE "11796-Ops LST PM25.sum"
OU FINISHED


  *** Message Summary For AERMOD Model Setup ***

  --------- Summary of Total Messages --------

 A Total of            0 Fatal Error Message(s)
 A Total of            2 Warning Message(s)
 A Total of            0 Informational Message(s)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     234       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187     234       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET


 *********************************
 *** SETUP Finishes Successfully ***
 *********************************

 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                       ***        23:02:32

                                  PAGE   1
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                          ***     MODEL SETUP OPTIONS SUMMARY
  ***
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - -

 ** Model Options Selected:
      * Model Uses Regulatory DEFAULT Options
```

```
      * Model Is Setup For Calculation of Average CONCentration Values.
      * NO GAS DEPOSITION Data Provided.
      * NO PARTICLE DEPOSITION Data Provided.
      * Model Uses NO DRY DEPLETION. DDPLETE  =  F
      * Model Uses NO WET DEPLETION. WETDPLT  =  F
      * Stack-tip Downwash.
      * Model Accounts for ELEVated Terrain Effects.
      * Use Calms Processing Routine.
      * Use Missing Data Processing Routine.
      * No Exponential Decay.
      * Model Uses URBAN Dispersion Algorithm for the SBL for    86 Source(s),
        for Total of    1 Urban Area(s):
   Urban Population =   9818605.0 ;  Urban Roughness Length =  1.000 m
      * Urban Roughness Length of 1.0 Meter Used.
      * ADJ_U*   - Use ADJ_U* option for SBL in AERMET
      * CCVR_Sub - Meteorological data includes CCVR substitutions
      * TEMP_Sub - Meteorological data includes TEMP substitutions
      * Model Accepts FLAGPOLE Receptor . Heights.
      * The User Specified a Pollutant Type of: PM_2.5

 **Model Calculates  1 Short Term Average(s) of:  24-HR

 **This Run Includes:     86 Source(s);       1 Source Group(s); and      68
Receptor(s)

                with:      0 POINT(s), including
                           0 POINTCAP(s) and      0 POINTHOR(s)
                 and:     86 VOLUME source(s)
                 and:      0 AREA type source(s)
                 and:      0 LINE source(s)
                 and:      0 RLINE/RLINEXT source(s)
                 and:      0 OPENPIT source(s)
                 and:      0 BUOYANT LINE source(s) with a total of     0 line(s)
                 and:      0 SWPOINT source(s)


 **Model Set To Continue RUNning After the Setup Testing.

 **The AERMET Input Meteorological Data Version Date:  22112

 **Output Options Selected:
          Model Outputs Tables of Highest Short Term Values by Receptor (RECTABLE
Keyword)
          Model Outputs External File(s) of High Values for Plotting (PLOTFILE
Keyword)
          Model Outputs Separate Summary File of High Ranked Values (SUMMFILE
Keyword)

 **NOTE:  The Following Flags May Appear Following CONC Values:  c for Calm Hours
                                                                 m for Missing
```

Hours
                                                                    b for Both Calm
and Missing Hours

 **Misc. Inputs: Base Elev. for Pot. Temp. Profile (m MSL) =   19.17 ; Decay
Coef. =   0.000   ; Rot. Angle =   0.0
                  Emission Units = GRAMS/SEC   ;
Emission Rate Unit Factor =   0.10000E+07
                  Output Units   = MICROGRAMS/M**3

 **Approximate Storage Requirements of Model =   3.5 MB of RAM.

 **Input Runstream File: aermod.inp

 **Output Print File: aermod.out

 **Detailed Error/Message File: 11796-Ops LST PM25.err

 **File for Summary of Results: 11796-Ops LST PM25.sum

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                                  *** VOLUME SOURCE DATA ***

              NUMBER EMISSION RATE   BASE   RELEASE   INIT.
INIT.   URBAN EMISSION RATE   AIRCRAFT
   SOURCE   PART. (GRAMS/SEC)   X   Y   ELEV.   HEIGHT   SY
SZ   SOURCE SCALAR VARY
     ID   CATS.   (METERS) (METERS) (METERS) (METERS) (METERS)
(METERS)   BY
 -
- - - - - - - - - - - - - - - - - - - -

 VOL1   0   0.41579E-04 375911.0 3746104.7   30.0   5.00   9.59
1.40   YES   NO
 VOL2   0   0.41579E-04 375888.6 3746113.9   30.0   5.00   9.59
1.40   YES   NO
 VOL3   0   0.41579E-04 375856.2 3746125.0   30.0   5.00   9.59
1.40   YES   NO
 VOL4   0   0.41579E-04 375813.4 3746140.4   30.0   5.00   9.59
1.40   YES   NO
 VOL5   0   0.41579E-04 375770.7 3746158.8   30.0   5.00   9.59

```
1.40     YES                    NO
 VOL6            0   0.41579E-04  375727.3 3746174.3    30.0     5.00     9.59
1.40     YES                    NO
 VOL7            0   0.41579E-04  375682.4 3746191.2    30.0     5.00     9.59
1.40     YES                    NO
 VOL8            0   0.41579E-04  375639.7 3746200.1    30.0     5.00     9.59
1.40     YES                    NO
 VOL9            0   0.41579E-04  375587.4 3746217.8    30.0     5.00     9.59
1.40     YES                    NO
 VOL10           0   0.41579E-04  375622.7 3746215.5    30.0     5.00     9.59
1.40     YES                    NO
 VOL11           0   0.41579E-04  375589.6 3746259.7    30.0     5.00     9.59
1.40     YES                    NO
 VOL12           0   0.41579E-04  375589.6 3746303.2    30.0     5.00     9.59
1.40     YES                    NO
 VOL13           0   0.41579E-04  375588.1 3746346.6    30.0     5.00     9.59
1.40     YES                    NO
 VOL14           0   0.41579E-04  375593.3 3746388.6    30.0     5.00     9.59
1.40     YES                    NO
 VOL15           0   0.41579E-04  375596.2 3746431.3    30.0     5.00     9.59
1.40     YES                    NO
 VOL16           0   0.41579E-04  375609.5 3746474.0    29.5     5.00     9.59
1.40     YES                    NO
 VOL17           0   0.41579E-04  375621.2 3746516.7    29.1     5.00     9.59
1.40     YES                    NO
 VOL18           0   0.41579E-04  375637.4 3746533.7    29.0     5.00     9.59
1.40     YES                    NO
 VOL19           0   0.41579E-04  375661.7 3746507.2    29.1     5.00     9.59
1.40     YES                    NO
 VOL20           0   0.41579E-04  375696.4 3746485.1    29.2     5.00     9.59
1.40     YES                    NO
 VOL21           0   0.41579E-04  375722.1 3746453.4    29.0     5.00     9.59
1.40     YES                    NO
 VOL22           0   0.41579E-04  375744.2 3746429.8    29.0     5.00     9.59
1.40     YES                    NO
 VOL23           0   0.41579E-04  375764.8 3746410.7    29.1     5.00     9.59
1.40     YES                    NO
 VOL24           0   0.41579E-04  375784.7 3746389.3    29.1     5.00     9.59
1.40     YES                    NO
 VOL25           0   0.41579E-04  375806.8 3746371.7    29.0     5.00     9.59
1.40     YES                    NO
 VOL26           0   0.41579E-04  375837.8 3746351.8    29.0     5.00     9.59
1.40     YES                    NO
 VOL27           0   0.41579E-04  375854.7 3746320.9    29.2     5.00     9.59
1.40     YES                    NO
 VOL28           0   0.41579E-04  375886.4 3746306.9    29.3     5.00     9.59
1.40     YES                    NO
 VOL29           0   0.41579E-04  375907.7 3746278.9    29.4     5.00     9.59
1.40     YES                    NO
 VOL30           0   0.41579E-04  375926.9 3746259.0    29.3     5.00     9.59
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER EMISSION RATE PART. SCALAR VARY BY	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	AIRCRAFT
VOL41	0	0.41579E-04	375997.6	3746090.4	29.8	5.00	9.59	1.40	YES	NO
VOL42	0	0.41579E-04	375954.1	3746094.0	30.0	5.00	9.59	1.40	YES	NO
VOL43	0	0.41579E-04	376014.5	3746135.3	29.3	5.00	9.59	1.40	YES	NO
VOL44	0	0.41579E-04	375973.3	3746153.7	29.7	5.00	9.59	1.40	YES	NO
VOL45	0	0.41579E-04	375974.0	3746133.1	29.8	5.00	9.59			

```
1.40     YES                    NO
 VOL46           0   0.41579E-04  375931.3 3746137.5    30.0     5.00     9.59
1.40     YES                    NO
 VOL47           0   0.41579E-04  375949.0 3746175.0    29.7     5.00     9.59
1.40     YES                    NO
 VOL48           0   0.41579E-04  375929.8 3746217.8    29.5     5.00     9.59
1.40     YES                    NO
 VOL49           0   0.41579E-04  375883.4 3746263.4    29.7     5.00     9.59
1.40     YES                    NO
 VOL50           0   0.41579E-04  375842.9 3746309.1    29.3     5.00     9.59
1.40     YES                    NO
 VOL51           0   0.41579E-04  375799.5 3746345.9    29.0     5.00     9.59
1.40     YES                    NO
 VOL52           0   0.41579E-04  375756.7 3746368.0    29.4     5.00     9.59
1.40     YES                    NO
 VOL53           0   0.41579E-04  375720.7 3746411.4    29.2     5.00     9.59
1.40     YES                    NO
 VOL54           0   0.41579E-04  375677.9 3746451.2    29.5     5.00     9.59
1.40     YES                    NO
 VOL55           0   0.41579E-04  375652.9 3746474.8    29.5     5.00     9.59
1.40     YES                    NO
 VOL56           0   0.41579E-04  375639.7 3746432.1    30.0     5.00     9.59
1.40     YES                    NO
 VOL57           0   0.41579E-04  375679.4 3746408.5    29.7     5.00     9.59
1.40     YES                    NO
 VOL58           0   0.41579E-04  375634.5 3746388.6    30.0     5.00     9.59
1.40     YES                    NO
 VOL59           0   0.41579E-04  375631.6 3746345.2    30.0     5.00     9.59
1.40     YES                    NO
 VOL60           0   0.41579E-04  375633.0 3746303.9    30.0     5.00     9.59
1.40     YES                    NO
 VOL61           0   0.41579E-04  375633.0 3746259.0    30.0     5.00     9.59
1.40     YES                    NO
 VOL62           0   0.41579E-04  375675.7 3746367.2    29.9     5.00     9.59
1.40     YES                    NO
 VOL63           0   0.41579E-04  375717.7 3746369.5    29.7     5.00     9.59
1.40     YES                    NO
 VOL64           0   0.41579E-04  375675.7 3746324.5    30.0     5.00     9.59
1.40     YES                    NO
 VOL65           0   0.41579E-04  375675.7 3746281.1    30.0     5.00     9.59
1.40     YES                    NO
 VOL66           0   0.41579E-04  375667.6 3746236.2    30.0     5.00     9.59
1.40     YES                    NO
 VOL67           0   0.41579E-04  375711.1 3746238.4    30.0     5.00     9.59
1.40     YES                    NO
 VOL68           0   0.41579E-04  375719.2 3746326.0    30.0     5.00     9.59
1.40     YES                    NO
 VOL69           0   0.41579E-04  375760.4 3746323.8    29.6     5.00     9.59
1.40     YES                    NO
 VOL70           0   0.41579E-04  375719.2 3746281.8    30.0     5.00     9.59
```

*** VOLUME SOURCE DATA ***

SOURCE ID	NUMBER PART. CATS.	EMISSION RATE (GRAMS/SEC)	X (METERS)	Y (METERS)	BASE ELEV. (METERS)	RELEASE HEIGHT (METERS)	INIT. SY (METERS)	INIT. SZ (METERS)	URBAN SOURCE	EMISSION RATE SCALAR VARY BY	AIRCRAFT
VOL81	0	0.41579E-04	375884.9	3746221.4	29.9	5.00	9.59	1.40	YES	NO	
VOL82	0	0.41579E-04	375842.2	3746180.9	30.0	5.00	9.59	1.40	YES	NO	
VOL83	0	0.41579E-04	375884.9	3746179.5	30.0	5.00	9.59	1.40	YES	NO	
VOL84	0	0.41579E-04	375888.6	3746144.1	30.0	5.00	9.59	1.40	YES	NO	
VOL85	0	0.41579E-04	375892.2	3746158.1	30.0	5.00	9.59				

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                          *** SOURCE IDs DEFINING SOURCE GROUPS
***

 SRCGROUP ID   SOURCE IDs
 -----------   ----------

  ALL   VOL1   , VOL2   , VOL3   , VOL4   , VOL5   ,
VOL6   , VOL7   , VOL8   ,

            VOL9   , VOL10   , VOL11   , VOL12   , VOL13   ,
VOL14   , VOL15   , VOL16   ,

            VOL17   , VOL18   , VOL19   , VOL20   , VOL21   ,
VOL22   , VOL23   , VOL24   ,

            VOL25   , VOL26   , VOL27   , VOL28   , VOL29   ,
VOL30   , VOL31   , VOL32   ,

            VOL33   , VOL34   , VOL35   , VOL36   , VOL37   ,
VOL38   , VOL39   , VOL40   ,

            VOL41   , VOL42   , VOL43   , VOL44   , VOL45   ,
VOL46   , VOL47   , VOL48   ,

            VOL49   , VOL50   , VOL51   , VOL52   , VOL53   ,
VOL54   , VOL55   , VOL56   ,

            VOL57   , VOL58   , VOL59   , VOL60   , VOL61   ,
VOL62   , VOL63   , VOL64   ,

            VOL65   , VOL66   , VOL67   , VOL68   , VOL69   ,
VOL70   , VOL71   , VOL72   ,

            VOL73   , VOL74   , VOL75   , VOL76   , VOL77   ,
VOL78   , VOL79   , VOL80   ,

            VOL81   , VOL82   , VOL83   , VOL84   , VOL85   ,

 *** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

                                        *** SOURCE IDs DEFINED AS URBAN SOURCES ***

  URBAN ID   URBAN POP   SOURCE IDs
  --------   ---------   ----------

              9818605.   VOL1   , VOL2   , VOL3   , VOL4   ,
VOL5   , VOL6   , VOL7   ,
 VOL8   ,

             VOL9   , VOL10   , VOL11   , VOL12   , VOL13   ,
VOL14   , VOL15   , VOL16   ,

             VOL17   , VOL18   , VOL19   , VOL20   , VOL21   ,
VOL22   , VOL23   , VOL24   ,

             VOL25   , VOL26   , VOL27   , VOL28   , VOL29   ,
VOL30   , VOL31   , VOL32   ,

             VOL33   , VOL34   , VOL35   , VOL36   , VOL37   ,
VOL38   , VOL39   , VOL40   ,

             VOL41   , VOL42   , VOL43   , VOL44   , VOL45   ,
VOL46   , VOL47   , VOL48   ,

             VOL49   , VOL50   , VOL51   , VOL52   , VOL53   ,
VOL54   , VOL55   , VOL56   ,

             VOL57   , VOL58   , VOL59   , VOL60   , VOL61   ,
VOL62   , VOL63   , VOL64   ,

             VOL65   , VOL66   , VOL67   , VOL68   , VOL69   ,
VOL70   , VOL71   , VOL72   ,

             VOL73   , VOL74   , VOL75   , VOL76   , VOL77   ,
VOL78   , VOL79   , VOL80   ,

             VOL81   , VOL82   , VOL83   , VOL84   , VOL85   ,
VOL86   ,

*** MODELOPTs: RegDFAULT CONC ELEV FLGPOL URBAN ADJ_U*

*** DISCRETE CARTESIAN RECEPTORS ***
(X-COORD, Y-COORD, ZELEV, ZHILL, ZFLAG)
(METERS)

(375504.4, 3746422.6, 30.0, 30.0, 0.0); (375520.7, 3746156.7, 30.0, 30.0, 0.0);
(375525.3, 3746068.3, 30.0, 30.0, 0.0); (375458.3, 3745980.4, 30.0, 30.0, 0.0);
(376027.3, 3746023.9, 30.0, 30.0, 0.0); (376184.5, 3746006.9, 29.0, 29.0, 0.0);
(376450.3, 3746051.5, 26.0, 26.0, 0.0); (376765.8, 3745950.3, 23.4, 23.4, 0.0);
(377122.8, 3745912.9, 22.0, 22.0, 0.0); (377119.3, 3745800.3, 22.6, 22.6, 0.0);
(377099.8, 3745758.9, 23.0, 23.0, 0.0); (377013.2, 3745766.6, 23.2, 23.2, 0.0);
(377084.5, 3745665.0, 23.3, 23.3, 0.0); (377106.3, 3745575.4, 23.9, 23.9, 0.0);
(377027.4, 3745416.0, 25.0, 25.0, 0.0); (377081.8, 3745287.7, 25.2, 25.2, 0.0);
(377132.0, 3745291.9, 25.0, 25.0, 0.0); (377040.8, 3745231.4, 25.7, 25.7, 0.0);
(377105.3, 3745340.5, 25.0, 25.0, 0.0); (377112.0, 3746220.4, 21.0, 21.0, 0.0);
(377001.0, 3746095.7, 22.0, 22.0, 0.0); (377206.0, 3747290.6, 21.0, 21.0, 0.0);
(377122.3, 3747265.5, 21.0, 21.0, 0.0); (377096.2, 3747264.6, 21.0, 21.0, 0.0);
(377192.0, 3747358.0, 21.0, 21.0, 0.0); (377148.8, 3747294.4, 21.0, 21.0, 0.0);
(377330.8, 3747461.4, 21.0, 21.0, 0.0); (377347.7, 3747688.8, 21.0, 21.0, 0.0);
(377260.4, 3747813.5, 21.0, 21.0, 0.0); (377282.2, 3748069.5, 21.0, 21.0, 0.0);
(377236.7, 3748067.9, 21.0, 21.0, 0.0); (377385.8, 3748065.9, 20.8, 20.8, 0.0);
(377282.0, 3748002.4, 21.0, 21.0, 0.0); (377093.4, 3747947.2, 21.0, 21.0, 0.0);
(377114.8, 3747859.9, 21.0, 21.0, 0.0); (377159.6, 3747840.0, 21.0, 21.0, 0.0);
(377347.1, 3747830.1, 21.0, 21.0, 0.0); (376416.5, 3747678.9, 23.0, 23.0, 0.0);

```
     ( 376139.1, 3747690.1,      24.0,      24.0,       0.0);         ( 376472.4,
3747826.3,      23.0,      23.0,       0.0);
     ( 376816.5, 3744704.5,      27.0,      27.0,       0.0);         ( 373778.6,
3745752.9,      30.0,      30.0,       0.0);
     ( 373508.1, 3745982.6,      30.0,      30.0,       0.0);         ( 375580.9,
3746684.6,      28.2,      28.2,       0.0);
     ( 375639.8, 3746811.3,      27.9,      27.9,       0.0);         ( 375646.0,
3746877.3,      27.2,      27.2,       0.0);
     ( 375666.6, 3747058.4,      26.9,      26.9,       0.0);         ( 375668.3,
3747178.9,      26.9,      26.9,       0.0);
     ( 375433.7, 3747237.8,      28.0,      28.0,       0.0);         ( 375254.3,
3747288.6,      29.0,      29.0,       0.0);
     ( 375142.8, 3747281.5,      29.0,      29.0,       0.0);         ( 375351.2,
3747239.4,      28.0,      28.0,       0.0);
     ( 375883.4, 3747279.2,      26.0,      26.0,       0.0);         ( 376037.0,
3747277.2,      25.0,      25.0,       0.0);
     ( 376553.7, 3747266.0,      22.4,      22.4,       0.0);         ( 378243.6,
3747249.9,      19.9,      19.9,       0.0);
     ( 378274.9, 3747250.2,      19.8,      19.8,       0.0);         ( 378117.4,
3747252.8,      20.8,      20.8,       0.0);
     ( 378507.9, 3747523.7,      17.8,      17.8,       0.0);         ( 378611.9,
3747484.9,      17.0,      17.0,       0.0);
     ( 378446.6, 3747640.5,      17.0,      17.0,       0.0);         ( 378878.7,
3747434.1,      17.0,      17.0,       0.0);
     ( 378938.9, 3747440.8,      17.0,      17.0,       0.0);         ( 378922.6,
3747182.5,      17.3,      17.3,       0.0);
     ( 378977.1, 3747296.2,      17.0,      17.0,       0.0);         ( 379160.0,
3747327.1,      17.0,      17.0,       0.0);
     ( 379137.0, 3747433.4,      17.0,      17.0,       0.0);         ( 378815.8,
3747584.1,      17.0,      17.0,       0.0);
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        23:02:32

                                    PAGE   8
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                                *** METEOROLOGICAL DAYS SELECTED FOR
PROCESSING ***
                                                                  (1=YES; 0=NO)

           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
```

```
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1   1 1 1
1 1 1 1 1 1   1 1 1 1 1 1 1 1 1 1
           1 1 1 1 1 1 1 1 1 1   1 1 1 1 1

                NOTE:  METEOROLOGICAL DATA ACTUALLY PROCESSED WILL ALSO DEPEND ON
WHAT IS INCLUDED IN THE DATA FILE.



                                    *** UPPER BOUND OF FIRST THROUGH FIFTH WIND SPEED
CATEGORIES ***
                                                          (METERS/SEC)

                                                 1.54,   3.09,   5.14,   8.23,
10.80,
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***       12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***       23:02:32

                                   PAGE   9
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                                    *** UP TO THE FIRST 24 HOURS OF METEOROLOGICAL
DATA ***

   Surface file:   ..\KHHR_V11_trimmed.sfc
                 Met Version:  22112
   Profile file:   ..\KHHR_V11_trimmed.pfl

   Surface format: FREE

   Profile format: FREE

   Surface station no.:     3167                 Upper air station no.:     3190
                 Name: UNKNOWN                                Name: UNKNOWN

                 Year:   2016                                 Year:   2016

 First 24 hours of scalar data
 YR MO DY JDY HR     H0     U*     W*  DT/DZ ZICNV ZIMCH  M-O LEN    Z0  BOWEN
ALBEDO  REF WS   WD     HT  REF TA     HT
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - -
 16 01 01   1 01  -10.3  0.136 -9.000 -9.000 -999.  120.     22.1  0.21   1.29
1.00    1.31  333.    7.9  282.0    2.0
```

```
 16 01 01   1 02  -10.1  0.135 -9.000 -9.000 -999.  119.     21.9  0.21   1.29
1.00    1.30  344.    7.9  281.4    2.0
 16 01 01   1 03   -9.3  0.129 -9.000 -9.000 -999.  111.     20.9  0.21   1.29
1.00    1.25  352.    7.9  281.4    2.0
 16 01 01   1 04  -10.6  0.138 -9.000 -9.000 -999.  123.     22.5  0.21   1.29
1.00    1.33  358.    7.9  280.9    2.0
 16 01 01   1 05  -10.4  0.136 -9.000 -9.000 -999.  121.     22.2  0.22   1.29
1.00    1.30  322.    7.9  280.3    2.0
 16 01 01   1 06  -13.4  0.156 -9.000 -9.000 -999.  148.     26.8  0.22   1.29
1.00    1.47  325.    7.9  280.9    2.0
 16 01 01   1 07   -9.7  0.132 -9.000 -9.000 -999.  115.     21.4  0.22   1.29
1.00    1.26  329.    7.9  280.3    2.0
 16 01 01   1 08  -16.4  0.202 -9.000 -9.000 -999.  218.     45.6  0.22   1.29
0.55    1.84   15.    7.9  281.4    2.0
 16 01 01   1 09   26.9  0.246  0.362  0.005   64.  293.    -50.4  0.22   1.29
0.32    1.97   24.    7.9  284.2    2.0
 16 01 01   1 10   82.3  0.301  0.834  0.005  256.  396.    -30.1  0.23   1.29
0.24    2.28   36.    7.9  286.4    2.0
 16 01 01   1 11  121.4  0.322  1.193  0.005  509.  439.    -25.0  0.23   1.29
0.21    2.39   42.    7.9  288.8    2.0
 16 01 01   1 12  141.1  0.291  1.349  0.005  633.  376.    -15.8  0.23   1.29
0.20    2.04   38.    7.9  290.3    2.0
 16 01 01   1 13  140.5  0.248  1.576  0.005 1012.  298.     -9.9  0.29   1.29
0.20    1.50   66.    7.9  291.4    2.0
 16 01 01   1 14  119.4  0.218  1.605  0.010 1258.  245.     -7.9  0.23   1.29
0.21    1.38   52.    7.9  291.4    2.0
 16 01 01   1 15   79.4  0.146  1.444  0.011 1376.  135.     -3.5  0.05   1.29
0.24    1.33  103.    7.9  292.0    2.0
 16 01 01   1 16   23.2  0.190  0.963  0.012 1392.  199.    -26.9  0.22   1.29
0.33    1.45  321.    7.9  291.4    2.0
 16 01 01   1 17  -18.8  0.217 -9.000 -9.000 -999.  242.     51.7  0.05   1.29
0.59    2.89  249.    7.9  288.8    2.0
 16 01 01   1 18  -20.1  0.203 -9.000 -9.000 -999.  219.     45.2  0.24   1.29
1.00    1.82  284.    7.9  287.0    2.0
 16 01 01   1 19  -12.0  0.148 -9.000 -9.000 -999.  137.     24.5  0.22   1.29
1.00    1.40  310.    7.9  286.4    2.0
 16 01 01   1 20   -9.7  0.133 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  333.    7.9  285.9    2.0
 16 01 01   1 21   -8.5  0.124 -9.000 -9.000 -999.  104.     20.1  0.21   1.29
1.00    1.20  337.    7.9  285.9    2.0
 16 01 01   1 22   -6.7  0.110 -9.000 -9.000 -999.   87.     17.8  0.22   1.29
1.00    1.06  328.    7.9  285.9    2.0
 16 01 01   1 23   -9.7  0.132 -9.000 -9.000 -999.  116.     21.7  0.21   1.29
1.00    1.28  344.    7.9  285.3    2.0
 16 01 01   1 24  -10.5  0.138 -9.000 -9.000 -999.  123.     22.6  0.22   1.29
1.00    1.31  327.    7.9  285.3    2.0


 First hour of profile data
 YR MO DY HR HEIGHT F  WDIR    WSPD AMB_TMP sigmaA  sigmaW  sigmaV
```

```
 16 01 01 01    7.9 1  333.    1.31   282.1   99.0  -99.00  -99.00

 F indicates top of profile (=1) or below (=0)
 *** AERMOD - VERSION 23132  ***   *** C:\Lakes\AERMOD View\13705 HRA\13705 CON
HRA\13705 CON HRA.isc       ***        12/10/24
 *** AERMET - VERSION  22112 ***   ***
                         ***        23:02:32

                                    PAGE  10
 *** MODELOPTs:    RegDFAULT  CONC  ELEV  FLGPOL  URBAN  ADJ_U*

                               *** THE   1ST HIGHEST 24-HR AVERAGE CONCENTRATION
VALUES FOR SOURCE GROUP:  ALL      ***
                                  INCLUDING SOURCE(S):     VOL1        , VOL2
 , VOL3        , VOL4        , VOL5        ,
                 VOL6        , VOL7        , VOL8        , VOL9        , VOL10
 , VOL11       , VOL12       , VOL13       ,
                 VOL14       , VOL15       , VOL16       , VOL17       , VOL18
 , VOL19       , VOL20       , VOL21       ,
                 VOL22       , VOL23       , VOL24       , VOL25       , VOL26
 , VOL27       , VOL28       ,  . . .      ,

                                       *** DISCRETE CARTESIAN RECEPTOR POINTS
***

                                    ** CONC OF PM_2.5   IN MICROGRAMS/M**3
                  **

      X-COORD (M)  Y-COORD (M)        CONC     (YYMMDDHH)              X-COORD (M)
Y-COORD (M)        CONC     (YYMMDDHH)
 - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
- - - - - - - - - - - - - - - - - - - - - - - - - - - - - -
        375504.40   3746422.65        0.09770  (17020624)               375520.66
 3746156.71        0.06806b (20112124)
        375525.31   3746068.32        0.04748b (20112124)               375458.35
 3745980.39        0.02888b (20112124)
        376027.28   3746023.89        0.09495b (20112124)               376184.52
 3746006.90        0.04325b (20112124)
        376450.33   3746051.53        0.01913b (21122224)               376765.76
 3745950.26        0.00820b (21122224)
        377122.79   3745912.91        0.00504b (21122224)               377119.34
 3745800.28        0.00456b (20112124)
        377099.81   3745758.90        0.00458b (20112124)               377013.22
 3745766.57        0.00509b (20112124)
        377084.48   3745665.04        0.00444b (20112124)               377106.32
 3745575.39        0.00412b (20112124)
        377027.40   3745416.02        0.00400b (20112124)               377081.80
 3745287.68        0.00349b (20112124)
        377131.99   3745291.89        0.00336b (20112124)               377040.81
 3745231.36        0.00346b (20112124)
```

```
       377105.28   3745340.55        0.00354b (20112124)               377111.99
3746220.41        0.00793  (17060824)
       377000.96   3746095.73        0.00790b (21122224)               377205.99
3747290.61        0.00422  (17050524)
       377122.30   3747265.54        0.00428  (17050524)               377096.25
3747264.56        0.00423  (17050524)
       377191.99   3747358.03        0.00360  (17050524)               377148.78
3747294.40        0.00407  (17050524)
       377330.78   3747461.45        0.00312  (17050524)               377347.71
3747688.77        0.00243m (20121524)
       377260.43   3747813.51        0.00223m (20121524)               377282.25
3748069.48        0.00183m (20121524)
       377236.66   3748067.86        0.00187m (20121524)               377385.82
3748065.90        0.00178m (20121524)
       377282.04   3748002.42        0.00192m (20121524)               377093.43
3747947.16        0.00214m (20121524)
       377114.75   3747859.95        0.00226m (20121524)               377159.60
3747840.02        0.00226m (20121524)
       377347.08   3747830.10        0.00214m (20121524)               376416.51
3747678.93        0.00362b (20112124)
       376139.13   3747690.11        0.00396b (20112124)               376472.39
3747826.26        0.00308b (20112124)
       376816.50   3744704.49        0.00268b (20112124)               373778.57
3745752.93        0.00220b (20112124)
       373508.13   3745982.62        0.00248  (21012724)               375580.91
3746684.56        0.03538b (20112124)
       375639.80   3746811.26        0.02221b (20112124)               375646.05
3746877.29        0.01798b (20112124)
       375666.57   3747058.42        0.01137b (20112124)               375668.35
3747178.87        0.00890b (20112124)
       375433.69   3747237.76        0.00734b (20112124)               375254.34
3747288.62        0.00609b (20112124)
       375142.81   3747281.48        0.00567b (20112124)               375351.20
3747239.38        0.00697b (20112124)
       375883.41   3747279.17        0.00738b (20112124)               376037.04
3747277.19        0.00705b (20112124)
       376553.70   3747266.00        0.00528m (20121524)               378243.59
3747249.86        0.00396  (18052024)
       378274.87   3747250.21        0.00391  (18052024)               378117.44
3747252.85        0.00415  (18052024)
       378507.87   3747523.66        0.00315  (20082424)               378611.88
3747484.95        0.00310  (18052024)
       378446.61   3747640.47        0.00297  (20082424)               378878.71
3747434.12        0.00289  (18052024)
       378938.91   3747440.77        0.00281  (18052024)               378922.58
3747182.46        0.00311  (18052324)
       378977.07   3747296.18        0.00293  (18052324)               379160.03
3747327.13        0.00274  (18052324)
       379136.95   3747433.41        0.00262  (20072924)               378815.84
3747584.14        0.00279  (18052024)
```

*** THE SUMMARY OF HIGHEST 24-HR RESULTS ***

** CONC OF PM_2.5 IN MICROGRAMS/M**3 **

GROUP ID	AVERAGE	CONC OF TYPE	NETWORK GRID-ID	DATE (YYMMDDHH)	RECEPTOR (XR, YR, ZELEV, ZHILL, ZFLAG)
ALL	HIGH 1ST HIGH VALUE IS	0.09770	DC	ON 17020624:	AT (375504.40, 3746422.65, 30.00, 30.00, 0.00)

*** RECEPTOR TYPES: GC = GRIDCART
GP = GRIDPOLR
DC = DISCCART
DP = DISCPOLR

*** Message Summary : AERMOD Model Execution ***

--------- Summary of Total Messages --------

A Total of 0 Fatal Error Message(s)
A Total of 4 Warning Message(s)
A Total of 1422 Informational Message(s)

A Total of 43848 Hours Were Processed

A Total of 888 Calm Hours Identified

```
 A Total of          534 Missing Hours Identified (  1.22 Percent)


    ******** FATAL ERROR MESSAGES ********
               ***  NONE  ***


    ********   WARNING MESSAGES   ********
 ME W186     234       MEOPEN: THRESH_1MIN 1-min ASOS wind speed threshold used
      0.50
 ME W187     234       MEOPEN: ADJ_U* Option for Stable Low Winds used in AERMET

 MX W450   26305       CHKDAT: Record Out of Sequence in Meteorological File at:
  20010101
 MX W450   26305       CHKDAT: Record Out of Sequence in Meteorological File at:
1 year gap

    ***********************************
    *** AERMOD Finishes Successfully ***
    ***********************************
```

This page intentionally left blank

APPENDIX 3.3:

SCAQMD AMICUS BRIEF

S219783

IN THE SUPREME COURT OF C ALIFORNIA

SIERRA CLUB, REVIVE THE SAN JOAQUIN, and
LEAGUE OF WOMEN VOTERS OF FRESNO,

Plaintiffs and Appellants,

v.

COUNTY OF FRESNO,

Defendant and Respondent,

and,

FRIANT RANCH, L.P.,

Real Party in Interest and Respondent.

SUPREME COURT
FILED
APR 13 2015
Frank A. McGuire Clerk
Deputy

After a Published Decision by the Court of Appeal, filed May 27, 2014
Fifth Appellate District Case No. F066798

Appeal from the Superior Court of California, County of Fresno
Case No. 11CECG00726
Honorable Rosendo A. Pena, Jr.

APPLICATION OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT FOR LEAVE TO FILE BRIEF OF *AMICUS CURIAE* IN SUPPORT OF NEITHER PARTY AND *[PROPOSED]* BRIEF OF *AMICUS CURIAE*

Kurt R. Wiese, General Counsel (SBN 127251)
*Barbara Baird, Chief Deputy Counsel (SBN 81507)
SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
21865 Copley Drive, Diamond Bar, CA 91765
Telephone: 909-396-2302; Facsimile: 909-396-2961
Email: bbaird@aqmd.gov
Counsel for [Proposed] Amicus Curiae,
SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT

RECEIVED
APR - 6 2015
CLERK SUPREME COURT

TABLE OF CONTENTS

APPLICATION FOR LEAVE TO FILE *amicus curiae* brief..... App-1

HOW THIS BRIEF WILL ASSIST THE COURT App-1

STATEMENT OF INTEREST OF *AMICUS CURIAE* App-3

CERTIFICATION REGARDING AUTHORSHIP & FUNDING App-4

BRIEF OF AMICUS CURIAE 1

SUMMARY OF ARGUMENT 1

ARGUMENT 2

I. RELEVANT FACTUAL AND LEGAL FRAMEWORK. 2

A. Air Quality Regulatory Background 2

B. The SCAQMD's Role Under CEQA 6

II. THIS COURT SHOULD NOT SET A HARD-AND-FAST RULE CONCERNING THE EXTENT TO WHICH AN EIR MUST CORRELATE A PROJECT'S EMISSION OF POLLUTANTS WITH RESULTING HEALTH IMPACTS..... 8

III. THE QUESTION OF WHETHER AN EIR CONTAINS SUFFICIENT ANALYSIS TO MEET CEQA'S REQUIREMENTS IS A MIXED QUESTION OF FACT AND LAW GOVERNED BY TWO DIFFERENT STANDARDS OF REVIEW. 16

A. Standard of Review for Feasibility Determination and Sufficiency as an Informative Document 16

B. Friant Ranch's Rationale for Rejecting the Independent Judgment Standard of Review is Unsupported by Case Law..... 23

IV. COURTS MUST SCRUPULOUSLY ENFORCE THE REQUIREMENTS THAT LEAD AGENCIES CONSULT WITH AND OBTAIN COMMENTS FROM AIR DISTRICTS..... 26

CONCLUSION 29

TABLE OF AUTHORITIES

State Cases

Association of Irritated Residents v. County of Madera (2003)
107 Cal App.4th 1383 ..... 1, 9

Bakersfield Citizens for Local Control v. City of Bakersfield (2004)
124 Cal.App.4th 1184 ..... 9, 22

Berkeley Keep Jets Over the Bay v. Board of Port Commissioners
(2007) 91 Cal.App.4th 1344 ..... 21, 28

Center for Biological Diversity v. County of San Bernardino (2010)
185 Cal.App.4th 866. 20

Citizens of Goleta Valley v. Bd. of Supervisors (1990)
52 Cal.3d 553 8-9

County of Amador v. El Dorado County Water Agency (1999)
76 Cal.App.4th 931 23

Crocker National Bank v. City and County of San Francisco (1989)
49 Cal.3d 881 18

Ebbetts Pass Forest Watch v. California Dept. of Forestry & Fire
Protection (2008) 43 Cal.4th 936 21

Fall River Wild Trout Foundation v. County of Shasta, (1999)
70 Cal.App.4th 482 ..... 27, 28

Gray v. County of Madera (2008)
167 Cal.App.4th 1099 25

Laurel Heights Improvement Assn. v.
Regents of the Univ of Cal. ("*Laurel Heights I*")
(1988) 47 Cal.3d 376 ..... 1, 8, 19, 20, 21, 22

Natural Res. Def. Council v SCAQMD,
Los Angeles Superior Court No. BS110792 12

Neighbors for Smart Rail v. Exposition Metro Line (2013)
57 Cal.4th 439 ..... 15, 20

State Cases (cont'd)

Orange County Air Pollution Control District v. Public Util. Com. (1971) 4 Cal.3d 945 27

Save Our Peninsula Comm. v. Monterey County Bd. of Supervisors (2001) 87 Cal.App.4th 99 19

Schenck v. County of Sonoma (2011) 198 Cal.App.4th 949 ..... 26, 27

Sierra Club v. County of Fresno (2014) 226 Cal.App.4th 704 (superseded by grant of review) 172 Cal.Rptr.3d 271 ..... 9, 23

Sierra Club v. State Bd. Of Forestry (1994) 7 Cal.4th 1215 28

Uphold Our Heritage v. Town of Woodside (2007) 147 Cal.App.4th 587 20

Vineyard Area Citizens for Responsible Growth, Inc. v. City of Rancho Cordova (2007) 40 Cal.4th 412 ..... 1, 17, 19, 24, 25, 26

Western Oil & Gas Assn. v. Monterey Bay Unified APCD (1989) 49 Cal.3d 408 5

California Statutes

Health & Saf. Code § 39666 5
Health & Saf. Code § 40000 3
Health & Saf. Code § 40001 3
Health & Saf. Code § 40410 3
Health & Saf. Code §§ 40460, et seq 4
Health & Saf. Code § 41508 5
Health & Saf. Code §§ 42300, et seq 5
Health & Saf. Code § 44320 5
Health & Saf. Code § 44322 5
Health & Saf. Code § 44360 5
Pub. Resources Code § 20180.3 27
Pub. Resources Code § 21061 19
Pub. Resources Code § 21061.1 16

California Statutes (cont'd)

Pub. Resources Code § 21080 6
Pub. Resources Code § 21080.5 6
Pub. Resources Code § 21083.1 26
Pub. Resources Code § 21100 27
Pub. Resources Code § 21104 ..... 6, 7 26
Pub. Resources Code §§ 21150-21154 7
Pub. Resources Code § 21151.8 25
Pub. Resources Code § 21153 ..... 6, 7, 26

California Regulations

Cal. Code Regs., tit. 14, §§ 15000, et seq. ("CEQA Guidelines")

CEQA Guidelines § 15050 6
CEQA Guidelines § 15051 ..... 1, 6
CEQA Guidelines § 15073 6
CEQA Guidelines § 15086 6
CEQA Guidelines § 15088.5 28
CEQA Guidelines § 15096 6
CEQA Guidelines § 15126.2 25
CEQA Guidelines § 15131 26
CEQA Guidelines § 15144 ..... 19, 24
CEQA Guidelines § 15151 ..... 9, 18, 19
CEQA Guidelines § 15204 ..... 1, 9, 21
CEQA Guidelines § 15251 6
CEQA Guidelines § 15366 7
CEQA Guidelines § 15381 6

Cal. Code Regs., tit. 17, § 60104 3

Federal Statutes

42 U.S.C. § 7401; CAA § 101 4
42 U.S.C. § 7408; CAA § 108 3
42 U.S.C. § 7409; CAA § 109 4
42 U.S.C. § 7410; CAA § 110 ..... 4, 5
42 U.S.C. § 7412; CAA § 112 5
42 U.S.C. § 7502; CAA § 172 ..... 5, 13
42 U.S.C. § 7503; CAA § 173 ..... 5, 13
42 U.S.C. § 7511a; CAA § 182 13
42 U.S.C. § 7521; CAA § 202 4
42 U.S.C. § 7543; CAA § 209 4
42 U.S.C. § 7547; CAA § 213 4

Rules

SCAQMD Rule 1303 7
SCAQMD Rule 1401 ..... 5, 8, 9

Other

Association of Environmental Professionals, 2015 CEQA Statute and Guidelines (2015) (Appendix G, "Environmental Checklist Form." 24

CARB, *Health Impacts Analysis: PM Premature Death Relationship* 14

CARB, *Health Impacts Analysis: PM Mortality Relationship* 16

CARB, Resolution 98-35, Aug. 27, 1998 8

SCAQMD, *Air Quality Analysis Handbook* 13

SCAQMD, *Final 2012 AQMP (Feb. 2013)* 3, 11

SCAQMD, *Final Subsequent Mitigated Negative Declaration for: Warren E&P, Inc. WTU Central Facility, New Equipment Project (certified July 19, 2011)* 14-15

SCAQMD Governing Board Agenda, February 4, 2011, Agenda Item 26, *Assessment for: Re-adoption of Proposed Rule 1315 – Federal New Source Review Tracking System,* 12

SCAQMD Governing Board Agenda, April 3, 2015, Agenda Item 16, Attachment A 7

SCAQMD, Health Risk Assessment Summary form 10

SCAQMD, *Supplemental Guidelines for Preparing Risk Assessments for the Air Toxics "Hot Spots" Information and Assessment Act (AB2588)* 10

U.S. EPA, Ground Level Ozone 11

U.S. EPA, *Guideline on Ozone Monitoring Site Selection* (Aug. 1998) EPA-454/R-98-002 § 5.1.2 11

U.S. EPA, *Health Effects of Ozone in the General Population,* Figure 9, ... 11

U.S. EPA, National Ambient Air Quality Standards (NAAQS) 4

U.S. EPA, Particulate Matter (PM) 4

TO THE HONORABLE CHIEF JUSTICE AND JUSTICES OF THE SUPREME COURT:

APPLICATION FOR LEAVE TO FILE *AMICUS CURIAE* BRIEF

Pursuant to Rule 8.520(f) of the California Rules of Court, the South Coast Air Quality Management District (SCAQMD) respectfully requests leave to file the attached *amicus curiae* brief. Because SCAQMD's position differs from that of either party, we request leave to submit this amicus brief in support of neither party.

HOW THIS BRIEF WILL ASSIST THE COURT

SCAQMD's proposed amicus brief takes a position on two of the issues in this case. In both instances, its position differs from that of either party. The issues are:

1) Does the California Environmental Quality Act (CEQA) require an environmental impact report (EIR) to correlate a project's air pollution emissions with specific levels of health impacts?
2) What is the proper standard of review for determining whether an EIR provides sufficient information on the health impacts caused by a project's emission of air pollutants?

This brief will assist the Court by discussing the practical realities of correlating identified air quality impacts with specific health outcomes. In short, CEQA requires agencies to provide detailed information about a project's air quality impacts that is sufficient for the public and decisionmakers to adequately evaluate the project and meaningfully understand its impacts. However, the level of analysis is governed by a rule of reason; CEQA only requires agencies to conduct analysis if it is reasonably feasible to do so.

With regard to health-related air quality impacts, an analysis that correlates a project's air pollution emissions with specific levels of health impacts will be feasible in some cases but not others. Whether it is feasible depends on a variety of factors, including the nature of the project and the nature of the analysis under consideration. The feasibility of analysis may also change over time as air districts and others develop new tools for measuring projects' air quality related health impacts. Because SCAQMD has among the most sophisticated air quality modeling and health impact evaluation capability of any of the air districts in the State, it is uniquely situated to express an opinion on the extent to which the Court should hold that CEQA requires lead agencies to correlate air quality impacts with specific health outcomes.

SCAQMD can also offer a unique perspective on the question of the appropriate standard of review. SCAQMD submits that the proper standard of review for determining whether an EIR is sufficient as an informational document is more nuanced than argued by either party. In our view, this is a mixed question of fact and law. It includes determining whether additional analysis is feasible, which is primarily a factual question that should be reviewed under the substantial evidence standard. However, it also involves determining whether the omission of a particular analysis renders an EIR insufficient to serve CEQA's purpose as a meaningful, informational document. If a lead agency has not determined that a requested analysis is infeasible, it is the court's role to determine whether the EIR nevertheless meets CEQA's purposes, and courts should not defer to the lead agency's conclusions regarding the legal sufficiency of an EIR's analysis. The ultimate question of whether an EIR's analysis is "sufficient" to serve CEQA's informational purposes is predominately a question of law that courts should review de novo.

This brief will explain the rationale for these arguments and may assist the Court in reaching a conclusion that accords proper respect to a lead agency's factual conclusions while maintaining judicial authority over the ultimate question of what level of analysis CEQA requires.

STATEMENT OF INTEREST OF *AMICUS CURIAE*

The SCAQMD is the regional agency primarily responsible for air pollution control in the South Coast Air Basin, which consists of all of Orange County and the non-desert portions of the Los Angeles, Riverside, and San Bernardino Counties. (Health & Saf. Code § 40410; Cal. Code Regs., tit. 17, § 60104.) The SCAQMD participates in the CEQA process in several ways. Sometimes it acts as a lead agency that prepares CEQA documents for projects. Other times it acts as a responsible agency when it has permit authority over some part of a project that is undergoing CEQA review by a different lead agency. Finally, SCAQMD also acts as a commenting agency for CEQA documents that it receives because it is a public agency with jurisdiction by law over natural resources affected by the project.

In all of these capacities, SCAQMD will be affected by the decision in this case. SCAQMD sometimes submits comments requesting that a lead agency perform an additional type of air quality or health impacts analysis. On the other hand, SCAQMD sometimes determines that a particular type of health impact analysis is not feasible or would not produce reliable and informative results. Thus, SCAQMD will be affected by the Court's resolution of the extent to which CEQA requires EIRs to correlate emissions and health impacts, and its resolution of the proper standard of review.

CERTIFICATION REGARDING AUTHORSHIP AND FUNDING

No party or counsel in the pending case authored the proposed amicus curiae brief in whole or in part, or made any monetary contribution intended to fund the preparation or submission of the brief. No person or entity other than the proposed *Amicus Curiae* made any monetary contribution intended to fund the preparation or submission of the brief.

Respectfully submitted,

DATED: April 3, 2015

SOUTH COAST AIR QUALITY
MANAGEMENT DISTRICT
KURT R. WIESE, GENERAL COUNSEL
BARBARA BAIRD, CHIEF DEPUTY COUNSEL

By: Barbara Baird
Barbara Baird
Attorneys for [proposed] Amicus Curiae
SOUTH COAST AIR QUALITY
MANAGEMENT DISTICT

BRIEF OF AMICUS CURIAE

SUMMARY OF ARGUMENT

The South Coast Air Quality Management District (SCAQMD) submits that this Court should not try to establish a hard-and-fast rule concerning whether lead agencies are required to correlate emissions of air pollutants with specific health consequences in their environmental impact reports (EIR). The level of detail required in EIRs is governed by a few, core CEQA (California Environmental Quality Act) principles. As this Court has stated, "[a]n EIR must include detail sufficient to enable those who did not participate in its preparation to understand and to consider meaningfully the issues raised by the proposed project." (*Laurel Heights Improvement Assn. v. Regents of the Univ of Cal.* (1988) 47 Cal.3d 376, 405 ["*Laurel Heights I*"]) Accordingly, "an agency must use its best efforts to find out and disclose all that it reasonably can." (*Vineyard Area Citizens for Responsible Growth, Inc. v. City of Rancho Cordova* (2007) 40 Cal.4th 412, 428 (quoting CEQA Guidelines § 15144)[1].). However, "[a]nalysis of environmental effects need not be exhaustive, but will be judged in light of what is reasonably feasible." (*Association of Irritated Residents v. County of Madera* (2003) 107 Cal.App.4th 1383, 1390; CEQA Guidelines §§ 15151, 15204(a).)

With regard to analysis of air quality related health impacts, EIRs must generally quantify a project's pollutant emissions, but in some cases it is not feasible to correlate these emissions to specific, quantifiable health impacts (e.g., premature mortality; hospital admissions). In such cases, a general description of the adverse health impacts resulting from the pollutants at issue may be sufficient. In other cases, due to the magnitude

---

[1] The CEQA Guidelines are found at Cal. Code Regs., tit. 14 §§ 15000, *et seq.*

or nature of the pollution emissions, as well as the specificity of the project involved, it may be feasible to quantify health impacts. Or there may be a less exacting, but still meaningful analysis of health impacts that can feasibly be performed. In these instances, agencies should disclose those impacts.

SCAQMD also submits that whether or not an EIR complies with CEQA's informational mandates by providing sufficient, feasible analysis is a mixed question of fact and law. Pertinent here, the question of whether an EIR's discussion of health impacts from air pollution is sufficient to allow the public to understand and consider meaningfully the issues involves two inquiries: (1) Is it feasible to provide the information or analysis that a commenter is requesting or a petitioner is arguing should be required?; and (2) Even if it is feasible, is the agency relying on other policy or legal considerations to justify not preparing the requested analysis? The first question of whether an analysis is feasible is primarily a question of fact that should be judged by the substantial evidence standard. The second inquiry involves evaluating CEQA's information disclosure purposes against the asserted reasons to not perform the requested analysis. For example, an agency might believe that its EIR meets CEQA's informational disclosure standards even without a particular analysis, and therefore choose not to conduct that analysis. SCAQMD submits that this is more of a legal question, which should be reviewed de novo as a question of law.

ARGUMENT

I. RELEVANT FACTUAL AND LEGAL FRAMEWORK.

A. Air Quality Regulatory Background

The South Coast Air Quality Management District (SCAQMD) is one of the local and regional air pollution control districts and air quality

management districts in California. The SCAQMD is the regional air pollution agency for the South Coast Air Basin, which consists of all of Orange County and the non-desert portions of Los Angeles, Riverside, and San Bernardino Counties. (Health & Saf. Code § 40410, 17 Cal. Code Reg. § 60104.) The SCAQMD also includes the Coachella Valley in Riverside County (Palm Springs area to the Salton Sea). (SCAQMD, *Final 2012 AQMP (Feb. 2013)*, http://www.aqmd.gov/home/library/clean-air-plans/air-quality-mgt-plan/final-2012-air-quality-management-plan; then follow "chapter 7" hyperlink; pp 7-1, 7-3 (last visited Apr. 1, 2015).) The SCAQMD's jurisdiction includes over 16 million residents and has the worst or nearly the worst air pollution levels in the country for ozone and fine particulate matter. (SCAQMD, *Final 2012 AQMP (Feb. 2013)*, http://www.aqmd.gov/home/library/clean-air-plans/air-quality-mgt-plan/final-2012-air-quality-management-plan; then follow "Executive Summary" hyperlink p. ES-1 (last visited Apr. 1, 2015).)

Under California law, the local and regional districts are primarily responsible for controlling air pollution from all sources except motor vehicles. (Health & Saf. Code § 40000.) The California Air Resources Board (CARB), part of the California Environmental Protection Agency, is primarily responsible for controlling pollution from motor vehicles. (*Id.*) The air districts must adopt rules to achieve and maintain the state and federal ambient air quality standards within their jurisdictions. (Health & Saf. Code § 40001.)

The federal Clean Air Act (CAA) requires the United States Environmental Protection Agency (EPA) to identify pollutants that are widely distributed and pose a threat to human health, developing a so-called "criteria" document. (42 U.S.C. § 7408; CAA § 108.) These pollutants are frequently called "criteria pollutants." EPA must then establish "national ambient air quality standards" at levels "requisite to protect public health",

allowing "an adequate margin of safety." (42 U.S.C. § 7409; CAA § 109.) EPA has set standards for six identified pollutants: ozone, nitrogen dioxide, sulfur dioxide, carbon monoxide, particulate matter (PM), and lead. (U.S. EPA, National Ambient Air Quality Standards (NAAQS), http://www.epa.gov/air/criteria.html (last updated Oct. 21, 2014).)[2]

Under the Clean Air Act, EPA sets emission standards for motor vehicles and "nonroad engines" (mobile farm and construction equipment, marine vessels, locomotives, aircraft, etc.). (42 U.S.C. §§ 7521, 7547; CAA §§ 202, 213.) California is the only state allowed to establish emission standards for motor vehicles and most nonroad sources; however, it may only do so with EPA's approval. (42 U.S.C. §§ 7543(b), 7543(e); CAA §§ 209(b), 209(c).) Sources such as manufacturing facilities, power plants and refineries that are not mobile are often referred to as "stationary sources." The Clean Air Act charges state and local agencies with the primary responsibility to attain the national ambient air quality standards. (42 U.S.C. § 7401(a)(3); CAA § 101(a)(3).) Each state must adopt and implement a plan including enforceable measures to achieve and maintain the national ambient air quality standards. (42 U.S.C. § 7410; CAA § 110.) The SCAQMD and CARB jointly prepare portion of the plan for the South Coast Air Basin and submit it for approval by EPA. (Health & Saf. Code §§ 40460, et seq.)

The Clean Air Act also requires state and local agencies to adopt a permit program requiring, among other things, that new or modified "major" stationary sources use technology to achieve the "lowest achievable emission rate," and to control minor stationary sources as

---

[2] Particulate matter (PM) is further divided into two categories: fine particulate or $PM_{2.5}$ (particles with a diameter of less than or equal to 2.5 microns) and coarse particulate (PM_{10}) (particles with a diameter of 10 microns or less). (U.S. EPA, Particulate Matter (PM), http://www.epa.gov/airquality/particlepollution/ (last visited Apr. 1, 2015).)

needed to help attain the standards. (42 U.S.C. §§ 7502(c)(5), 7503(a)(2), 7410(a)(2)(C); CAA §§ 172(c)(5), 173(a)(2), 110(a)(2)(C).) The air districts implement these permit programs in California. (Health & Saf. Code §§ 42300, et seq.)

The Clean Air Act also sets out a regulatory structure for over 100 so-called "hazardous air pollutants" calling for EPA to establish "maximum achievable control technology" (MACT) for sources of these pollutants. (42 U.S.C. § 7412(d)(2); CAA § 112(d)(2).) California refers to these pollutants as "toxic air contaminants" (TACs) which are subject to two state-required programs. The first program requires "air toxics control measures" for specific categories of sources. (Health & Saf. Code § 39666.) The other program requires larger stationary sources and sources identified by air districts to prepare "health risk assessments" for impacts of toxic air contaminants. (Health & Saf. Code §§ 44320(b), 44322, 44360.) If the health risk exceeds levels identified by the district as "significant," the facility must implement a "risk reduction plan" to bring its risk levels below "significant" levels. Air districts may adopt additional more stringent requirements than those required by state law, including requirements for toxic air contaminants. (Health & Saf. Code § 41508; *Western Oil & Gas Assn. v. Monterey Bay Unified APCD* (1989) 49 Cal.3d 408, 414.) For example, SCAQMD has adopted a rule requiring new or modified sources to keep their risks below specified levels and use best available control technology (BACT) for toxics. (SCAQMD, *Rule 1401-New Source Review of Toxic Air Contaminants*, http://www.aqmd.gov/home/regulations/rules/scaqmd-rule-book/regulation-xiv; then follow "Rule 1401" hyperlink (last visited Apr. 1, 2015).)

B. The SCAQMD's Role Under CEQA

The California Environmental Quality Act (CEQA) requires public agencies to perform an environmental review and appropriate analysis for projects that they implement or approve. (Pub. Resources Code § 21080(a).) The agency with primary approval authority for a particular project is generally the "lead agency" that prepares the appropriate CEQA document. (CEQA Guidelines §§ 15050, 15051.) Other agencies having a subsequent approval authority over all or part of a project are called "responsible" agencies that must determine whether the CEQA document is adequate for their use. (CEQA Guidelines §§ 15096(c), 15381.) Lead agencies must also consult with and circulate their environmental impact reports to "trustee agencies" and agencies "with jurisdiction by law" including "authority over resources which may be affected by the project." (Pub. Resources Code §§ 21104(a), 21153; CEQA Guidelines §§ 15086(a)(3), 15073(c).) The SCAQMD has a role in all these aspects of CEQA.

Fulfilling its responsibilities to implement its air quality plan and adopt rules to attain the national ambient air quality standards, SCAQMD adopts a dozen or more rules each year to require pollution reductions from a wide variety of sources. The SCAQMD staff evaluates each rule for any adverse environmental impact and prepares the appropriate CEQA document. Although most rules reduce air emissions, they may have secondary environmental impacts such as use of water or energy or disposal of waste—e.g., spent catalyst from control equipment.[3]

---

[3] The SCAQMD's CEQA program for its rules is a "Certified Regulatory Program" under which it prepares a "functionally equivalent" document in lieu of a negative declaration or EIR. (Pub. Resources Code § 21080.5, CEQA Guidelines § 15251(l).)

The SCAQMD also approves a large number of permits every year to construct new, modified, or replacement facilities that emit regulated air pollutants. The majority of these air pollutant sources have already been included in an earlier CEQA evaluation for a larger project, are currently being evaluated by a local government as lead agency, or qualify for an exemption. However, the SCAQMD sometimes acts as lead agency for major projects where the local government does not have a discretionary approval. In such cases, SCAQMD prepares and certifies a negative declaration or environmental impact report (EIR) as appropriate.[4] SCAQMD evaluates perhaps a dozen such permit projects under CEQA each year. SCAQMD is often also a "responsible agency" for many projects since it must issue a permit for part of the projects (e.g., a boiler used to provide heat in a commercial building). For permit projects evaluated by another lead agency under CEQA, SCAQMD has the right to determine that the CEQA document is inadequate for its purposes as a responsible agency, but it may not do so because its permit program already requires all permitted sources to use the best available air pollution control technology. (SCAQMD, *Rule 1303(a)(1) – Requirements*, http://www.aqmd.gov/home/regulations/rules/scaqmd-rule-book/regulation-xiii; then follow "Rule 1303" hyperlink (last visited Apr. 1, 2015).)

Finally, SCAQMD receives as many as 60 or more CEQA documents each month (around 500 per year) in its role as commenting agency or an agency with "jurisdiction by law" over air quality—a natural resource affected by the project. (Pub. Resources Code §§ 21104(a), 21153; CEQA Guidelines § 15366(a)(3).) The SCAQMD staff provides comments on as many as 25 or 30 such documents each month.

---

[4] The SCAQMD's permit projects are not included in its Certified Regulatory Program, and are evaluated under the traditional local government CEQA analysis. (Pub. Resources Code §§ 21150-21154.)

(SCAQMD Governing Board Agenda, Apr. 3, 2015, Agenda Item 16, Attachment A, http://www.aqmd.gov/home/library/meeting-agendas-minutes/agenda?title=governing-board-meeting-agenda-april-3-2015; then follow "16. Lead Agency Projects and Environmental Documents Received by SCAQMD" hyperlink (last visited Apr. 1, 2015).) Of course, SCAQMD focuses its commenting efforts on the more significant projects.

Typically, SCAQMD comments on the adequacy of air quality analysis, appropriateness of assumptions and methodology, and completeness of the recommended air quality mitigation measures. Staff may comment on the need to prepare a health risk assessment detailing the projected cancer and noncancer risks from toxic air contaminants resulting from the project, particularly the impacts of diesel particulate matter, which CARB has identified as a toxic air contaminant based on its carcinogenic effects. (California Air Resources Board, Resolution 98-35, Aug. 27, 1998, http://www.arb.ca.gov/regact/diesltac/diesltac.htm; then follow Resolution 98-35 hyperlink (last visited Apr. 1, 2015).) Because SCAQMD already requires new or modified stationary sources of toxic air contaminants to use the best available control technology for toxics and to keep their risks below specified levels, (SCAQMD Rule 1401, supra, note 15), the greatest opportunity to further mitigate toxic impacts through the CEQA process is by reducing emissions—particularly diesel emissions—from vehicles.

II. THIS COURT SHOULD NOT SET A HARD-AND-FAST RULE CONCERNING THE EXTENT TO WHICH AN EIR MUST CORRELATE A PROJECT'S EMISSION OF POLLUTANTS WITH RESULTING HEALTH IMPACTS.

Numerous cases hold that courts do not review the correctness of an EIR's conclusions but rather its sufficiency as an informative document. (*Laurel Heights 1, supra*, 47 Cal.3d at p. 392; *Citizens of Goleta Valley v.*

Bd. of Supervisors (1990) 52 Cal.3d 553, 569; *Bakersfield Citizens for Local Control v. City of Bakersfield* (2004) 124 Cal.App.4th 1184, 1197.)

As stated by the Court of Appeal in this case, where an EIR has addressed a topic, but the petitioner claims that the information provided about that topic is insufficient, courts must "draw[] a line that divides *sufficient* discussions from those that are *insufficient*." (*Sierra Club v. County of Fresno* (2014) 226 Cal.App.4th 704 (superseded by grant of review) 172 Cal.Rptr.3d 271, 290.) The Court of Appeal readily admitted that "[t]he terms themselves – sufficient and insufficient – provide little, if any, guidance as to where the line should be drawn. They are simply labels applied once the court has completed its analysis." (*Id.*)

The CEQA Guidelines, however, provide guidance regarding what constitutes a sufficient discussion of impacts. Section 15151 states that "the sufficiency of an EIR is to be reviewed in light of what is reasonably feasible." Case law reflects this: "Analysis of environmental effects need not be exhaustive, but will be judged in light of what was reasonably feasible." (*Association of Irritated Residents v. County of Madera, supra,* 107 Cal.App.4th at p. 1390; see also CEQA Guidelines § 15204(a).)

Applying this test, this Court cannot realistically establish a hard-and-fast rule that an analysis correlating air pollution impacts of a project to quantified resulting health impacts is always required, or indeed that it is never required. Simply put, in some cases such an analysis will be "feasible"; in some cases it will not.

For example, air pollution control districts often require a proposed new source of toxic air contaminants to prepare a "health risk assessment" before issuing a permit to construct. District rules often limit the allowable cancer risk the new source may cause to the "maximally exposed individual" (worker and residence exposures). (*See, e.g.*, SCAQMD Rule 1401(c)(8); 1401(d)(1), *supra* note 15.) In order to perform this analysis, it

is necessary to have data regarding the sources and types of air toxic contaminants, location of emission points, velocity of emissions, the meteorology and topography of the area, and the location of receptors (worker and residence). (SCAQMD, *Supplemental Guidelines for Preparing Risk Assessments for the Air Toxics "Hot Spots" Information and Assessment Act (AB2588), pp. 11-16*; (last visited Apr. 1, 2015) http://www.aqmd.gov/home/library/documents-support-material; "Guidelines" hyperlink; AB2588; then follow AB2588 Risk Assessment Guidelines hyperlink.)

Thus, it is feasible to determine the health risk posed by a new gas station locating at an intersection in a mixed use area, where receptor locations are known. On the other hand, it may not be feasible to perform a health risk assessment for airborne toxics that will be emitted by a generic industrial building that was built on "speculation" (i.e., without knowing the future tenant(s)). Even where a health risk assessment can be prepared, however, the resulting maximum health risk value is only a calculation of risk—it does not necessarily mean anyone will contract cancer as a result of the project.

In order to find the "cancer burden" or expected additional cases of cancer resulting from the project, it is also necessary to know the numbers and location of individuals living within the "zone of impact" of the project: i.e., those living in areas where the projected cancer risk from the project exceeds one in a million. (SCAQMD, Health Risk Assessment Summary form, http://www.aqmd.gov/home/forms ; filter by "AB2588" category; then "Health Risk Assessment" hyperlink (last visited Apr. 1, 2015).) The affected population is divided into bands of those exposed to at least 1 in a million risk, those exposed to at least 10 in a million risk, etc. up to those exposed at the highest levels. (*Id.*) This data allows agencies to calculate an approximate number of additional cancer cases expected from

the project. However, it is not possible to predict which particular individuals will be affected.

For the so-called criteria pollutants[5], such as ozone, it may be more difficult to quantify health impacts. Ozone is formed in the atmosphere from the chemical reaction of the nitrogen oxides (NO_x) and volatile organic compounds (VOC) in the presence of sunlight. (U.S. EPA, Ground Level Ozone, http://www.epa.gov/airquality/ozonepollution/ (last updated Mar. 25, 2015).) It takes time and the influence of meteorological conditions for these reactions to occur, so ozone may be formed at a distance downwind from the sources. (U.S. EPA, *Guideline on Ozone Monitoring Site Selection* (Aug. 1998) EPA-454/R-98-002 § 5.1.2, http://www.epa.gov/ttnamti1/archive/cpreldoc.html (last visited Apr. 1, 2015).) NO_x and VOC are known as "precursors" of ozone.

Scientifically, health effects from ozone are correlated with increases in the ambient level of ozone in the air a person breathes. (U.S. EPA, *Health Effects of Ozone in the General Population,* Figure 9, http://www.epa.gov/apti/ozonehealth/population.html#levels (last visited Apr. 1, 2015).) However, it takes a large amount of additional precursor emissions to cause a modeled increase in ambient ozone levels over an entire region. For example, the SCAQMD's 2012 AQMP showed that reducing NO_x by 432 tons per day (157,680 tons/year) and reducing VOC by 187 tons per day (68,255 tons/year) would reduce ozone levels at the SCAQMD's monitor site with the highest levels by only 9 parts per billion. (South Coast Air Quality Management District, *Final 2012 AQMP (February 2013)*, http://www.aqmd.gov/home/library/clean-air-plans/air-quality-mgt-plan/final-2012-air-quality-management-plan; then follow "Appendix V: Modeling & Attainment Demonstrations" hyperlink,

[5] See discussion of types of pollutants, supra, Part I.A.

pp. v-4-2, v-7-4, v-7-24.) SCAQMD staff does not currently know of a way to accurately quantify ozone-related health impacts caused by NO_x or VOC emissions from relatively small projects.

On the other hand, this type of analysis may be feasible for projects on a regional scale with very high emissions of NO_x and VOCs, where impacts are regional. For example, in 2011 the SCAQMD performed a health impact analysis in its CEQA document for proposed Rule 1315, which authorized various newly-permitted sources to use offsets from the districts "internal bank" of emission reductions. This CEQA analysis accounted for essentially *all* the increases in emissions due to new or modified sources in the District between 2010 and 2030.[6] The SCAQMD was able to correlate this very large emissions increase (e.g., 6,620 pounds per day NO_x (1,208 tons per year), 89,180 pounds per day VOC (16,275 tons per year)) to expected health outcomes from ozone and particulate matter (e.g., 20 premature deaths per year and 89,947 school absences in the year 2030 due to ozone).[7] (SCAQMD Governing Board Agenda, February 4, 2011, Agenda Item 26, *Assessment for: Re-adoption of Proposed Rule 1315 – Federal New Source Review Tracking System* (see hyperlink in fn 6*)* at p. 4.1-35, Table 4.1-29.)

---

[6] (SCAQMD Governing Board Agenda, February 4, 2011, Agenda Item 26, Attachment G, *Assessment for: Re-adoption of Proposed Rule 1315 – Federal New Source Review Tracking System, Vol. 1, p.4.0-6,* http://www.aqmd.gov/home/library/meeting-agendas-minutes/agenda?title=governing-board-meeting-agenda-february-4-2011; the follow "26. Adopt Proposed Rule 1315 – Federal New Source Review Tracking System" (last visited April 1, 2015).)

[7] The SCAQMD was able to establish the location of future NO_x and VOC emissions by assuming that new projects would be built in the same locations and proportions as existing stationary sources. This CEQA document was upheld by the Los Angeles County Superior Court in *Natural Res. Def. Council v SCAQMD*, Los Angeles Superior Court No. BS110792).

However, a project emitting only 10 tons per year of NO_x or VOC is small enough that its regional impact on ambient ozone levels may not be detected in the regional air quality models that are currently used to determine ozone levels. Thus, in this case it would not be feasible to directly correlate project emissions of VOC or NO_x with specific health impacts from ozone. This is in part because ozone formation is not linearly related to emissions. Ozone impacts vary depending on the location of the emissions, the location of other precursor emissions, meteorology and seasonal impacts, and because ozone is formed some time later and downwind from the actual emission. (EPA Guideline on Ozone Monitoring Site Selection (Aug. 1998) EPA-454/R-98-002, § 5.1.2; https://www.epa.gov/ttnamti1/archive/cpreldoc.html; then search "Guideline on Ozone Monitoring Site Selection" click on pdf) (last viewed Apr. 1, 2015).)

SCAQMD has set its CEQA "significance" threshold for NO_x and VOC at 10 tons per year (expressed as 55 lb/day). (SCAQMD, *Air Quality Analysis Handbook*, http://www.aqmd.gov/home/regulations/ceqa/air-quality-analysis-handbook; then follow "SCAQMD Air Quality Significance Thresholds" hyperlink (last visited Apr. 1, 2015).) This is because the federal Clean Air Act defines a "major" stationary source for "extreme" ozone nonattainment areas such as SCAQMD as one emitting 10 tons/year. (42 U.S.C. §§ 7511a(e), 7511a(f); CAA §§ 182(e), 182(f).) Under the Clean Air Act, such sources are subject to enhanced control requirements (42 U.S.C. §§ 7502(c)(5), 7503; CAA §§ 172(c)(5), 173), so SCAQMD decided this was an appropriate threshold for making a CEQA "significance" finding and requiring feasible mitigation. Essentially, SCAQMD takes the position that a source that emits 10 tons/year of NO_x or VOC would contribute cumulatively to ozone formation. Therefore, lead agencies that use SCAQMD's thresholds of significance may determine

that many projects have "significant" air quality impacts and must apply all feasible mitigation measures, yet will not be able to precisely correlate the project to quantifiable health impacts, unless the emissions are sufficiently high to use a regional modeling program.

In the case of particulate matter ($PM_{2.5}$)[8], another "criteria" pollutant, SCAQMD staff is aware of two possible methods of analysis. SCAQMD used regional modeling to predict expected health impacts from its proposed Rule 1315, as mentioned above. Also, the California Air Resources Board (CARB) has developed a methodology that can predict expected mortality (premature deaths) from large amounts of $PM_{2.5}$. (California Air Resources Board, *Health Impacts Analysis: PM Premature Death Relationship*, http://www.arb.ca.gov/research/health/pm-mort/pm-mort_arch.htm (last reviewed Jan. 19, 2012).) SCAQMD used the CARB methodology to predict impacts from three very large power plants (e.g., 731-1837 lbs/day). (Final Environmental Assessment for Rule 1315, *supra*, pp 4.0-12, 4.1-13, 4.1-37 (e.g., 125 premature deaths in the entire SCAQMD in 2030), 4.1-39 (0.05 to 1.77 annual premature deaths from power plants.) Again, this project involved large amounts of additional $PM_{2.5}$ in the District, up to 2.82 tons/day (5,650 lbs/day of $PM_{2.5}$, or, or 1029 tons/year. (*Id.* at table 4.1-4, p. 4.1-10.)

However, the primary author of the CARB methodology has reported that this $PM_{2.5}$ health impact methodology is not suited for small projects and may yield unreliable results due to various uncertainties. [9] (SCAQMD, *Final Subsequent Mitigated Negative Declaration for: Warren*

---

[8] SCAQMD has not attained the latest annual or 24-hour national ambient air quality standards for "$PM_{2.5}$" or particulate matter less than 2.5 microns in diameter.

[9] Among these uncertainties are the representativeness of the population used in the methodology, and the specific source of PM and the corresponding health impacts. (*Id.* at p. 2-24.)

E&P, Inc. WTU Central Facility, New Equipment Project (certified July 19, 2011), http://www.aqmd.gov/home/library/documents-support-material/lead-agency-permit-projects/permit-project-documents---year-2011; then follow "Final Subsequent Mitigated Negative Declaration for Warren E&P Inc. WTU Central Facility, New Equipment Project" hyperlink, pp. 2-22, 2-23 (last visited Apr. 1, 2015).) Therefore, when SCAQMD prepared a CEQA document for the expansion of an existing oil production facility, with very small $PM_{2.5}$ increases (3.8 lb/day) and a very small affected population, staff elected not to use the CARB methodology for using estimated $PM_{2.5}$ emissions to derive a projected premature mortality number and explained why it would be inappropriate to do so. (*Id.* at pp 2-22 to 2-24.) SCAQMD staff concluded that use of this methodology for such a small source could result in unreliable findings and would not provide meaningful information. (*Id.* at pp. 2-23, 2-25.) This CEQA document was not challenged in court.

In the above case, while it may have been technically possible to plug the data into the methodology, the results would not have been reliable or meaningful. SCAQMD believes that an agency should not be required to perform analyses that do not produce reliable or meaningful results. This Court has already held that an agency may decline to use even the "normal" "existing conditions" CEQA baseline where to do so would be misleading or without informational value. (*Neighbors for Smart Rail v. Exposition Metro Line* (2013) 57 Cal.4th 439, 448, 457.) The same should be true for a decision that a particular study or analysis would not provide reliable or meaningful results.[10]

---

[10] Whether a particular study would result in "informational value" is a part of deciding whether it is "feasible." CEQA defines "feasible" as "capable of being accomplished in a successful manner within a reasonable period of time, taking into account economic, environmental, social, and

Therefore, it is not possible to set a hard-and-fast rule on whether a correlation of air quality impacts with specific quantifiable health impacts is required in all cases. Instead, the result turns on whether such an analysis is reasonably feasible in the particular case.[11] Moreover, what is reasonably feasible may change over time as scientists and regulatory agencies continually seek to improve their ability to predict health impacts. For example, CARB staff has been directed by its Governing Board to reassess and improve the methodology for estimating premature deaths. (California Air Resources Board, *Health Impacts Analysis: PM Mortality Relationship*, http://www.arb.ca.gov/research/health/pm-mort/pm-mort.htm (last reviewed Dec. 29, 2010).) This factor also counsels against setting any hard-and-fast rule in this case.

III. THE QUESTION OF WHETHER AN EIR CONTAINS SUFFICIENT ANALYSIS TO MEET CEQA'S REQUIREMENTS IS A MIXED QUESTION OF FACT AND LAW GOVERNED BY TWO DIFFERENT STANDARDS OF REVIEW.

A. Standard of Review for Feasibility Determination and Sufficiency as an Informative Document

A second issue in this case is whether courts should review an EIR's informational sufficiency under the "substantial evidence" test as argued by Friant Ranch or the "independent judgment" test as argued by Sierra Club.

---

technological factors." (Pub. Resources Code § 21061.1.) A study cannot be "accomplished in a *successful* manner" if it produces unreliable or misleading results.

[11] In this case, the lead agency did not have an opportunity to determine whether the requested analysis was feasible because the comment was non-specific. Therefore, SCAQMD suggests that this Court, after resolving the legal issues in the case, direct the Court of Appeal to remand the case to the lead agency for a determination of whether the requested analysis is feasible. Because Fresno County, the lead agency, did not seek review in this Court, it seems likely that the County has concluded that at least some level of correlation of air pollution with health impacts is feasible.

As this Court has explained, "a reviewing court must adjust its scrutiny to the nature of the alleged defect, depending on whether the claim is predominantly one of improper procedure or a dispute over the facts." (*Vineyard Area Citizens v. City of Rancho Cordova, supra,* 40 Cal.4th at 435.) For questions regarding compliance with proper procedure or other legal questions, courts review an agency's action de novo under the "independent judgment" test. (*Id.*) On the other hand, courts review factual disputes only for substantial evidence, thereby "accord[ing] greater deference to the agency's substantive factual conclusions." (*Id.*)

Here, Friant Ranch and Sierra Club agree that the case involves the question of whether an EIR includes sufficient information regarding a project's impacts. However, they disagree on the proper standard of review for answering this question: Sierra Club contends that courts use the independent judgment standard to determine whether an EIR's analysis is sufficient to meet CEQA's informational purposes,[12] while Friant Ranch contends that the substantial evidence standard applies to this question.

///

///

///

///

///

///

///

///

///

---

[12] Sierra Club acknowledges that courts use the substantial evidence standard when reviewing predicate factual issues, but argues that courts ultimately decide as a matter of law what CEQA requires. (Answering Brief, pp. 14, 23.)

SCAQMD submits that the issue is more nuanced than either party contends. We submit that, whether a CEQA document includes sufficient analysis to satisfy CEQA's informational mandates is a mixed question of fact and law,[13] containing two levels of inquiry that should be judged by different standards.[14]

The state CEQA Guidelines set forth standards for the adequacy of environmental analysis. Guidelines Section 15151 states:

> An EIR should be prepared with a sufficient degree of analysis to provide decision makers with information which enables them to make a decision which intelligently takes account of environmental consequences. An evaluation of the environmental effects of a proposed project need not be exhaustive, but the sufficiency of an EIR is to be reviewed in light of what is reasonably feasible. Disagreement among experts does not make an EIR inadequate, but the EIR should summarize the main points of disagreement among the experts. The courts have looked not for perfection, but for adequacy, completeness, and a good-faith effort at full disclosure.

In this case, the basic question is whether the underlying analysis of air quality impacts made the EIR "sufficient" as an informative document. However, whether the EIR's analysis was sufficient is judged in light of what was reasonably feasible. This represents a mixed question of fact and law that is governed by two different standards of review.

---

[13] Friant Ranch actually states that the claim that an EIR lacks sufficient relevant information is, "most properly thought of as raising mixed questions of fact and law." (Opening Brief, p. 27.) However, the remainder of its argument claims that the court should apply the substantial evidence standard of review to all aspects of the issue.

[14] Mixed questions of fact and law issues may implicate predominantly factual subordinate questions that are reviewed under the substantial evidence test even though the ultimate question may be reviewed by the independent judgment test. *Crocker National Bank v. City and County of San Francisco* (1989) 49 Cal.3d 881, 888-889.

SCAQMD submits that an EIR's sufficiency as an informational document is ultimately a legal question that courts should determine using their independent judgment. This Court's language in *Laurel Heights I* supports this position. As this Court explained: "The court does not pass upon the correctness of the EIR's environmental conclusions, but only upon its *sufficiency as an informative document.*" (*Laurel Heights I, supra,* 47 Cal.3d at 392-393) (emphasis added.) As described above, the Court in *Vineyard Area Citizens v. City of Rancho Cordova, supra,* 40 Cal.4th at 431, also used its independent judgment to determine what level of analysis CEQA requires for water supply impacts. The Court did not defer to the lead agency's opinion regarding the law's requirements; rather, it determined for itself what level of analysis was necessary to meet "[t]he law's informational demands." (*Id.* at p. 432.) Further, existing case law also holds that where an agency fails to comply with CEQA's information disclosure requirements, the agency has "failed to proceed in the manner required by law." (*Save Our Peninsula Comm. v. Monterey County Bd. of Supervisors* (2001) 87 Cal.App.4th 99, 118.)

However, whether an EIR satisfies CEQA's requirements depends in part on whether it was reasonably feasible for an agency to conduct additional or more thorough analysis. EIRs must contain "a detailed statement" of a project's impacts (Pub. Res. Code § 21061), and an agency must "use its best efforts to find out and disclose all that it reasonably can." (CEQA Guidelines § 15144.) Nevertheless, "the sufficiency of an EIR is to be reviewed in light of what is reasonably feasible." (CEQA Guidelines § 15151.)

SCAQMD submits that the question of whether additional analysis or a particular study suggested by a commenter is "feasible" is generally a question of fact. Courts have already held that whether a particular alternative is "feasible" is reviewed by the substantial evidence test.

(*Uphold Our Heritage v. Town of Woodside* (2007) 147 Cal.App.4th 587, 598-99; *Center for Biological Diversity v. County of San Bernardino* (2010) 185 Cal.App.4th 866, 883.) Thus, if a lead agency determines that a particular study or analysis is infeasible, that decision should generally be judged by the substantial evidence standard. However, SCAQMD urges this Court to hold that lead agencies must explain the basis of any determination that a particular analysis is infeasible in the EIR itself. An EIR must discuss information, including issues related to the feasibility of particular analyses "in sufficient detail to enable meaningful participation and criticism by the public. '[W]hatever is required to be considered in an EIR must be in that formal report; what any official might have known from other writings or oral presentations cannot supply what is lacking in the report.'" (*Laurel Heights I, supra*, 47 Cal.3d at p. 405 (quoting *Santiago County Water District v. County of Orange* (1981) 118 Cal.App.3d 818, 831) (discussing analysis of alternatives).) The evidence on which the determination is based should also be summarized in the EIR itself, with appropriate citations to reference materials if necessary. Otherwise commenting agencies such as SCAQMD would be forced to guess where the lead agency's evidence might be located, thus thwarting effective public participation.

Moreover, if a lead agency determines that a particular study or analysis would not result in reliable or useful information and for that reason is not feasible, that determination should be judged by the substantial evidence test. (See *Neighbors for Smart Rail v. Exposition Metro Line Construction Authority, supra*, 57 Cal.4th 439, 448, 457:

whether "existing conditions" baseline would be misleading or uninformative judged by substantial evidence standard.[15])

If the lead agency's determination that a particular analysis or study is not feasible is supported by substantial evidence, then the agency has not violated CEQA's information disclosure provisions, since it would be infeasible to provide additional information. This Court's decisions provide precedent for such a result. For example, this Court determined that the issue of whether the EIR should have included a more detailed discussion of future herbicide use was resolved because substantial evidence supported the agency's finding that "the precise parameters of future herbicide use could not be predicted." *Ebbetts Pass Forest Watch v. California Dept. of Forestry & Fire Protection* (2008) 43 Cal.4th 936, 955.

Of course, SCAQMD expects that courts will continue to hold lead agencies to their obligations to consult with, and not to ignore or misrepresent, the views of sister agencies having special expertise in the area of air quality. (*Berkeley Keep Jets Over the Bay v. Board of Port Commissioners* (2007) 91 Cal.App.4th 1344, 1364 n.11.) In some cases, information provided by such expert agencies may establish that the purported evidence relied on by the lead agency is not in fact "substantial". (*Id.* at pp. 1369-1371.)

In sum, courts retain ultimate responsibility to determine what CEQA requires. However, the law does not require exhaustive analysis, but only what is reasonably feasible. Agencies deserve deference for their factual determinations regarding what type of analysis is reasonably feasible. On the other hand, if a commenter requests more information, and the lead agency declines to provide it but does *not* determine that the

---

[15] The substantial evidence standard recognizes that the courts "have neither the resources nor the scientific expertise" to weigh conflicting evidence on technical issues. (*Laurel Heights I, supra,* 47 Cal.3d 376, 393.)

requested study or analysis would be infeasible, misleading or uninformative, the question becomes whether the omission of that analysis renders the EIR inadequate to satisfy CEQA's informational purposes. (*Id.* at pp. 1370-71.) Again, this is predominantly a question of law and should be judged by the de novo or independent judgment standard of review. Of course, this Court has recognized that a "project opponent or reviewing court can always imagine some additional study or analysis that might provide helpful information. It is not for them to design the EIR. That further study...might be helpful does not make it necessary." (*Laurel Heights I, supra,* 47 Cal.3d 376, 415 – see also CEQA Guidelines § 15204(a) [CEQA "does not require a lead agency to conduct every test. . . recommended or demanded by commenters."].) Courts, then, must adjudicate whether an omission of particular information renders an EIR inadequate to serve CEQA's informational purposes.[16]

---

[16] We recognize that there is case law stating that the substantial evidence standard applies to "challenges to the scope of an EIR's analysis of a topic" as well as the methodology used and the accuracy of the data relied on in the document "because these types of challenges involve factual questions." (*Bakersfield Citizens for Local Control v. City of Bakersfield, supra,* 124 Cal.App.4th 1184, 1198, and cases relied on therein.) However, we interpret this language to refer to situations where the question of the scope of the analysis really is factual—that is, where it involves whether further analysis is feasible, as discussed above. This interpretation is supported by the fact that the *Bakersfield* court expressly rejected an argument that a claimed "omission of information from the EIR should be treated as inquiries whether there is substantial evidence supporting the decision approving the project. " *Bakersfield, supra,* 124 Cal.App.4th at p. 1208. And the *Bakersfield* court ultimately decided that the lead agency must analyze the connection between the identified air pollution impacts and resulting health impacts, even though the EIR already included some discussion of air-pollution-related respiratory illnesses. *Bakersfield, supra,* 124 Cal.App.4th at p. 1220. Therefore, the court must not have interpreted this question as one of the "scope of the analysis" to be judged by the substantial evidence standard.

B. Friant Ranch's Rationale for Rejecting the Independent Judgment Standard of Review is Unsupported by Case Law.

In its brief, Friant Ranch makes a distinction between cases where a required CEQA topic is not discussed at all (to be reviewed by independent judgment as a failure to proceed in the manner required by law) and cases where a topic is discussed, but the commenter claims the information provided is insufficient (to be judged by the substantial evidence test). (Opening Brief, pp. 13-17.) The Court of Appeal recognized these two types of cases, but concluded that both raised questions of law. (*Sierra Club v. County of Fresno* (2014) 226 Cal.App.4th 704 (superseded by grant of review) 172 Cal.Rptr.3d 271, 290.) We believe the distinction drawn by Friant Ranch is unduly narrow, and inconsistent with cases which have concluded that CEQA documents are insufficient. In many instances, CEQA's requirements are stated broadly, and the courts must interpret the law to determine what level of analysis satisfies CEQA's mandate for providing meaningful information, even though the EIR discusses the issue to some extent.

For example, the CEQA Guidelines require discussion of the existing environmental baseline. In *County of Amador v. El Dorado County Water Agency* (1999) 76 Cal.App.4th 931, 954-955, the lead agency had discussed the environmental baseline by describing historic month-end water levels in the affected lakes. However, the court held that this was not an adequate baseline discussion because it failed to discuss the timing and amounts of past actual water releases, to allow comparison with the proposed project. The court evidently applied the independent judgment test to its decision, even though the agency discussed the issue to some extent.

Likewise, in *Vineyard Area Citizens* (2007) 40 Cal.4th 412, this Court addressed the question of whether an EIR's analysis of water supply impacts complied with CEQA. The parties agreed that the EIR was required to analyze the effects of providing water to the development project, "and that in order to do so the EIR had, in some manner, to identify the planned sources of that water." (*Vineyard Area Citizens, supra,* at p. 428.) However, the parties disagreed as to the level of detail required for this analysis and "what level of uncertainty regarding the availability of water supplies can be tolerated in an EIR . . . ." (*Id.*) In other words, the EIR had analyzed water supply impacts for the project, but the petitioner claimed that the analysis was insufficient.

This Court noted that neither CEQA's statutory language or the CEQA Guidelines specifically addressed the question of how precisely an EIR must discuss water supply impacts. (*Id.*) However, it explained that CEQA "states that '[w]hile foreseeing the unforeseeable is not possible, an agency must use its best efforts to find out and disclose all that it reasonably can.'" (*Id.*, [Guidelines § 15144].) The Court used this general principle, along with prior precedent, to elucidate four "principles for analytical adequacy" that are necessary in order to satisfy "CEQA's informational purposes." (*Vineyard Area Citizens, supra,* at p. 430.) The Court did not defer to the agency's determination that the EIR's analysis of water supply impacts was sufficient. Rather, this Court used its independent judgment to determine for itself the level of analysis required to satisfy CEQA's fundamental purposes. (*Vineyard Area Citizens, supra*, at p. 441: an EIR does not serve its purposes where it neglects to explain likely sources of water and "... leaves long term water supply considerations to later stages of the project.")

Similarly, the CEQA Guidelines require an analysis of noise impacts of the project. (Appendix G, "Environmental Checklist Form."[17]) In *Gray v. County of Madera* (2008) 167 Cal.App.4th 1099, 1123, the court held that the lead agency's noise impact analysis was inadequate even though it had addressed the issue and concluded that the increase would not be noticeable. If the court had been using the substantial evidence standard, it likely would have upheld this discussion.

Therefore, we do not agree that the issue can be resolved on the basis suggested by Friant Ranch, which would apply the substantial evidence standard to *every* challenge to an analysis that addresses a required CEQA topic. This interpretation would subvert the courts' proper role in interpreting CEQA and determining what the law requires.

Nor do we agree that the Court of Appeal in this case violated CEQA's prohibition on courts interpreting its provisions "in a manner which imposes procedural or substantive requirements beyond those explicitly stated in this division or in the state guidelines." (Pub. Resources Code § 21083.1.) CEQA requires an EIR to describe *all* significant impacts of the project on the environment. (Pub. Resources Code § 21100(b)(2); *Vineyard Area Citizens, supra,* at p. 428.) Human beings are part of the environment, so CEQA requires EIRs to discuss a project's significant impacts on human health. However, except in certain particular circumstances,[18] neither the CEQA statute nor Guidelines specify the precise level of analysis that agencies must undertake to satisfy the law's requirements. (see, e.g., CEQA Guidelines § 15126.2(a) [EIRs must describe "health and safety problems caused by {a project's} physical changes"].) Accordingly, courts must interpret CEQA as a whole to

---

[17] Association of Environmental Professionals, 2015 CEQA Statute and Guidelines (2015) p.287.

[18] E.g., Pub. Resources Code § 21151.8(C)(3)(B)(iii) (requiring specific type of health risk analysis for siting schools).

determine whether a particular EIR is sufficient as an informational document. A court determining whether an EIR's discussion of human health impacts is legally sufficient does not constitute imposing a new substantive requirement.[19] Under Friant Ranch's theory, the above-referenced cases holding a CEQA analysis inadequate would have violated the law. This is not a reasonable interpretation.

IV. COURTS MUST SCRUPULOUSLY ENFORCE THE REQUIREMENTS THAT LEAD AGENCIES CONSULT WITH AND OBTAIN COMMENTS FROM AIR DISTRICTS

Courts must "scrupulously enforce" CEQA's legislatively mandated requirements. (*Vineyard Area Citizens, supra*, 40 Cal.4th 412, 435.) Case law has firmly established that lead agencies must consult with the relevant air pollution control district before conducting an initial study, and must provide the districts with notice of the intention to adopt a negative declaration (or EIR). (*Schenck v. County of Sonoma* (2011) 198 Cal.App.4th 949, 958.) As *Schenck* held, neither publishing the notice nor providing it to the State Clearinghouse was a sufficient substitute for sending notice directly to the air district. (*Id.*) Rather, courts "must be satisfied that [administrative] agencies have fully complied with the procedural requirements of CEQA, since only in this way can the important public purposes of CEQA be protected from subversion." *Schenck,* 198 Cal.App.4th at p. 959 (citations omitted).[20]

---

[19] We submit that Public Resources Code Section 21083.1 was intended to prevent courts from, for example, holding that an agency must analyze economic impacts of a project where there are no resulting environmental impacts (see CEQA Guidelines § 15131) , or imposing new procedural requirements, such as imposing additional public notice requirements not set forth in CEQA or the Guidelines.

[20] Lead agencies must consult air districts, as public agencies with jurisdiction by law over resources affected by the project, *before* releasing an EIR. (Pub. Resources Code §§ 21104(a); 21153.) Moreover, air

Lead agencies should be aware, therefore, that failure to properly seek and consider input from the relevant air district constitutes legal error which may jeopardize their project approvals. For example, the court in *Fall River Wild Trout Foundation v. County of Shasta,* (1999) 70 Cal.App.4th 482, 492 held that the failure to give notice to a trustee agency (Department of Fish and Game) was prejudicial error requiring reversal. The court explained that the lack of notice prevented the Department from providing any response to the CEQA document. (*Id.* at p. 492.) It therefore prevented relevant information from being presented to the lead agency, which was prejudicial error because it precluded informed decision-making. (*Id.*)[21]

---

districts should be considered "state agencies" for purposes of the requirement to consult with "trustee agencies" as set forth in Public Resources Code § 20180.3(a). This Court has long ago held that the districts are not mere "local agencies" whose regulations are superseded by those of a state agency regarding matters of statewide concern, but rather have concurrent jurisdiction over such issues. (*Orange County Air Pollution Control District v. Public Util. Com.* (1971) 4 Cal.3d 945, 951, 954.) Since air pollution is a matter of statewide concern, *Id* at 952, air districts should be entitled to trustee agency status in order to ensure that this vital concern is adequately protected during the CEQA process.

[21] In *Schenck,* the court concluded that failure to give notice to the air district was not prejudicial, but this was partly because the trial court had already corrected the error before the case arrived at the Court of Appeal. The trial court issued a writ of mandate requiring the lead agency to give notice to the air district. The air district responded by concurring with the lead agency that air impacts were not significant. (*Schenck,* 198 Cal.App.4th 949, 960.) We disagree with the *Schenck* court that the failure to give notice to the air district would not have been prejudicial (even in the absence of the trial court writ) merely because the lead agency purported to follow the air district's published CEQA guidelines for significance. (*Id.*, 198 Cal.App.4th at p. 960.) In the first place, absent notice to the air district, it is uncertain whether the lead agency properly followed those guidelines. Moreover, it is not realistic to expect that an air district's published guidelines would necessarily fully address all possible air-quality related issues that can arise with a CEQA project, or that those

Similarly, lead agencies must obtain additional information requested by expert agencies, including those with jurisdiction by law, if that information is necessary to determine a project's impacts. (*Sierra Club v. State Bd. Of Forestry* (1994) 7 Cal.4th 1215, 1236-37.) Approving a project without obtaining that information constitutes a failure to proceed in the manner prescribed by CEQA. (*Id.* at p. 1236.)

Moreover, a lead agency can save significant time and money by consulting with the air district early in the process. For example, the lead agency can learn what the air district recommends as an appropriate analysis on the facts of its case, including what kinds of health impacts analysis may be available, and what models are appropriate for use. This saves the lead agency from the need to do its analysis all over again and possibly needing to recirculate the document after errors are corrected, if new significant impacts are identified. (CEQA Guidelines § 15088.5(a).) At the same time, the air district's expert input can help the lead agency properly determine whether another commenter's request for additional analysis or studies is reasonable or feasible. Finally, the air district can provide input on what mitigation measures would be feasible and effective.

Therefore, we suggest that this Court provide guidance to lead agencies reminding them of the importance of consulting with the relevant air districts regarding these issues. Otherwise, their feasibility decisions may be vulnerable to air district evidence that establishes that there is no substantial evidence to support the lead agency decision not to provide specific analysis. (*See Berkeley Keep Jets Over the Bay, supra,* 91 Cal.App.4th 1344, 1369-1371.)

---

guidelines would necessarily be continually modified to reflect new developments. Therefore we believe that, had the trial court not already ordered the lead agency to obtain the air district's views, the failure to give notice would have been prejudicial, as in *Fall River, supra,* 70 Cal.App.4th 482, 492.

CONCLUSION

The SCAQMD respectfully requests this Court *not* to establish a hard-and-fast rule concerning whether CEQA requires a lead agency to correlate identified air quality impacts of a project with resulting health outcomes. Moreover, the question of whether an EIR is "sufficient as an informational document" is a mixed question of fact and law containing two levels of inquiry. Whether a particular proposed analysis is feasible is predominantly a question of fact to be judged by the substantial evidence standard of review. Where the requested analysis is feasible, but the lead agency relies on legal or policy reasons not to provide it, the question of whether the EIR is nevertheless sufficient as an informational document is predominantly a question of law to be judged by the independent judgment standard of review.

Respectfully submitted,

DATED: April 3, 2015

SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT
KURT R. WIESE, GENERAL COUNSEL
BARBARA BAIRD, CHIEF DEPUTY COUNSEL

By: Barbara Baird
Barbara Baird
Attorneys for Amicus Curiae
SOUTH COAST AIR QUALITY MANAGEMENT DISTICT

CERTIFICATE OF WORD COUNT

Pursuant to Rule 8.520(c)(1) of the California Rules of Court, I hereby certify that this brief contains 8,476 words, including footnotes, but excluding the Application, Table of Contents, Table of Authorities, Certificate of Service, this Certificate of Word Count, and signature blocks. I have relied on the word count of the Microsoft Word Vista program used to prepare this Certificate.

DATED: April 3, 2015 Respectfully submitted,

Barbara Baird

Barbara Baird

PROOF OF SERVICE

I am employed in the County of Los Angeles, California. I am over the age of 18 years and not a party to the within action. My business address is 21865 Copley Drive, Diamond Bar, California 91765.

On April 3, 2015 I served true copies of the following document(s) described as **APPLICATION OF THE SOUTH COAST AIR QUALITY MANAGEMENT DISTRICT FOR LEAVE TO FILE BRIEF OF *AMICUS CURIAE* IN SUPPORT OF NEITHER PARTY AND *[PROPOSED]* BRIEF OF *AMICUS CURIAE*** by placing a true copy of the foregoing document(s) in a sealed envelope addressed as set forth on the attached service list as follows:

BY MAIL: I enclosed the document(s) in a sealed envelope or package addressed to the persons at the addresses listed in the Service List and placed the envelope for collection and mailing following our ordinary business practices. I am readily familiar with this District's practice for collection and processing of correspondence for mailing. Under that practice, the correspondence would be deposited with the United States Postal Service, with postage thereon fully prepaid at Diamond Bar, California, in the ordinary course of business. I am aware that on motion of the party served, service is presumed invalid if postal cancellation date or postage meter date is more than one day after date of deposit for mailing in affidavit.

I declare under penalty of perjury under the laws of the State of California that the foregoing is true and correct.

Executed on April 3, 2015 at Diamond Bar, California.

Patricia Anderson

SERVICE LIST

James G. Moose, Tiffany K. Wright, Laura M. Harris
REMY MOOSE MANLEY, LLP
555 Capitol Mall, Suite 800
Sacramento, CA 95814

Attorneys for Real Party in Interest and Respondent *Friant Ranch, L.P.*

Bryan N. Wagner
WAGNER & WAGNER
7110 N. Fresno St, Suite 340
Fresno, CA 93720

Attorney for Real Party in Interest and Respondent *Friant Ranch, L.P.*

Sara Hedgpeth-Harris
LAW OFFICE OF SARA HEDGPETH-HARRIS
5445 E. Lane Avenue
Fresno, CA 93727

Attorney for Plaintiffs and Appellants *Sierra Club, et al*

Daniel C. Cederborg
Bruce B. Johnson, Jr.
Zachary Stephen Redmond
OFFICE OF THE FRESNO COUNTY COUNSEL
2220 Tulare Street, Suite 500
Fresno, CA 93721

Attorneys for Respondents *County of Fresno*

Clerk of the Court
California Court of Appeal
Fifth Appellate District
2424 Ventura Street
Fresno, CA 93721
(via U.S. Mail & Electronic Transmission)

Clerk of the Court
Superior Court of California
County of Fresno
1130 O Street
Fresno, CA 93721

This page intentionally left blank

APPENDIX 3.3:

SCAQMD AMICUS BRIEF

This page intentionally left blank